GENERAL CATALOGUE 2024 - 2025



FOCUSED SINCE 1827 peronda



peronda

En Peronda, comprendemos la importancia de mantener la determinación en tiempos de cambio constante. Nos encontramos en un mundo saturado de distracciones y continuas demandas de atención. Estamos rodeados de estímulos que compiten por nuestra concentración: notificaciones en nuestros dispositivos, redes sociales, noticias interminables y un sinfín de preocupaciones personales y profesionales. En medio de este torbellino de información y distracciones, mantener un enfoque claro y centrado puede parecer un desafío monumental.

Sin embargo, en Peronda, nos mantenemos arraigados en nuestros valores fundamentales y en la búsqueda constante de la calidad y la innovación. Continuamos enfocados en hacer lo mejor que sabemos hacer: crear productos excepcionales con integridad y pasión por el detalle.

En un entorno donde la atención es un recurso cada vez más preciado, la capacidad de mantener un enfoque claro y constante se convierte en un activo invaluable para nosotros. Esta filosofía es la que nos ha permitido seguir aquí desde 1827 y siempre sin perder el foco.



At Peronda, we understand the importance of staying focused in times of constant change. We find ourselves in a world saturated with distractions and constant demands for attention. We are surrounded by stimuli that compete for our concentration: notifications on our devices, social media, endless news, and a myriad of personal and professional concerns. Amid this whirlwind of information and distractions, maintaining a clear, focused approach can seem like a monumental challenge.

However, at Peronda, we remain rooted in our core values and constant pursuit of quality and innovation. We remain focused on doing what we do best: creating exceptional products with integrity and a passion for detail.

In an environment where attention is an increasingly precious resource, the ability to maintain a clear and constant focus becomes an invaluable asset to us. It is this philosophy that has allowed us to continue to be here since 1827 and always without losing focus.

Sostenibilidad
Sustainability

POLÍTICA MEDIOAMBIENTAL

PERONDA GROUP S.A. ha asumido el compromiso de establecer, implantar y mantener un sistema de gestión de la calidad de sus actividades basado en la Norma UNE-EN ISO 14001.

En línea con la filosofía medioambiental de la organización, el principal objetivo de este sistema de gestión es el respeto y la protección del medio ambiente, basado en los siguientes principios:

- Compromiso de cumplir con los requisitos legales y los requisitos aplicables.
- Compromiso con la protección del medioambiente, incluida la reducción y/o prevención de la contaminación: uso responsable de las materias primas, recursos, gestión de los residuos generados, minimización de las emisiones.
- Fomentar los procesos innovadores y eficientes, con el objetivo de reducir los impactos ambientales asociados, la contaminación de la atmósfera, las emisiones de CO_2 y los residuos generados.
- Compromiso para aumentar la flexibilidad de los procesos de producción y mejorar la productividad mediante el aumento de la calidad de nuestros productos y la eficiencia de nuestros procesos.
- Compromiso con la formación y sensibilización del personal: proporcionar formación y sensibilización ambiental continuada a todos los empleados de la empresa con el fin de aumentar y mejorar su competencia profesional, su adaptación a los nuevos cambios y procesos innovadores y generar una actitud positiva hacia la la sostenibilidad.
- Contribución a la economía circular mediante la reutilización de los recursos (aguas residuales, tiesto crudo y tiesto cocido) reduciendo la explotación de los recursos naturales.

La dirección de PERONDA GROUP, S.A. se compromete a transmitir y hacer cumplir la política ambiental en todos los niveles de la organización y en todas las etapas del proceso de producción.


ENVIRONMENTAL POLICY

PERONDA GROUP S.A. has committed itself to establishing, implementing and maintaining a quality management system for its activities, based on the UNE-EN ISO 14001 standard.

In keeping with the company's environmental philosophy, the main aim of this management system is to care for and protect the environment, based on the following principles:

- *To comply with legal requirements and any other applicable ones.*
- *Commitment to environmental protection, including the reduction and/or prevention of pollution: responsible use of raw materials and resources, waste management, and minimization of emissions.*
- *To promote innovative efficient processes in order to reduce associated environmental impacts, atmospheric pollution, CO_2 emissions and generated waste.*
- *To boost the flexibility of production processes and to improve productivity by raising the quality of Peronda's products and the efficiency of its processes.*
- *Commitment to Training and Raising Awareness Among Staff: Provide ongoing environmental training and awareness to all company employees to enhance and improve their professional competence, adapt to new changes and innovative processes, and foster a positive attitude towards sustainability.*
- *Contribution to the circular economy through the reuse of resources (wastewater, raw pots, and fired pots), reducing the exploitation of natural resources.*

The Management of PERONDA GROUP, S.A. undertakes to make the company's environmental policy known and to ensure compliance with it at all levels of its different organizations and in all stages of the production process.



COMPROMISO REAL MEDIO AMBIENTAL

La ecología no es una moda. Ser respetuosos con el medio ambiente es algo que llevamos haciendo desde hace casi dos siglos. Somos conscientes de nuestra responsabilidad como fabricantes y, por tanto, trabajamos continuamente para minimizar nuestro impacto en el entorno.

No solo somos capaces de producir las piezas cerámicas más innovadoras, sino que nuestro orgullo es poder decir que lo hacemos desde una óptica atemporal de respeto hacia todos aquellos que heredarán nuestro planeta. Por eso, hemos llevado a cabo diferentes actuaciones buscando construir una sociedad más sostenible.

REAL ENVIRONMENTAL COMMITMENT

Ecology is not a passing trend. Environmental care has been an intrinsic part of our philosophy for almost two centuries. We are aware of our responsibility as manufacturers. That's why we strive at all times to minimize our impact on the environment.

Not only are we capable of producing amazingly innovative tiles. We are also proud to say that we do it in a forward-looking way by caring for the planet so that future generations can enjoy it.

Therefore, we have undertaken various actions aimed at building a more sustainable society.

VIDA ÚTIL

Las baldosas cerámicas son uno de los materiales de la construcción de mayor vida útil, lo que reduce de este modo el volumen de residuos generados.

La vida útil de una baldosa cerámica se estima en 50 años, por lo que se consigue que el impacto ambiental asociado a cada una de ellas sea bajo. La larga vida útil que presentan se traduce en una disminución de los residuos sólidos de demolición generados. Además, y debido a que son inertes, no requieren de consumos energéticos para su correcto funcionamiento cuando está instalada en cualquier edificio, lo que disminuye aún más los impactos medioambientales asociados.

SERVICE LIFE

Ceramic tiles are one of the building materials with the longest service life, thus reducing the amount of waste that is generated.

Ceramic tiles have an estimated service life of 50 years, and so each tile has a low environmental impact. This long service life leads to a decrease in generated solid waste or debris from demolitions. Moreover, because ceramic tiles are inert products, they require no energy consumption once they have been laid in buildings, further minimizing the associated environmental impacts.

EFICIENCIA ENERGÉTICA

- Optimización de todas las etapas del proceso productivo, lo que se traduce en una optimización de la energía consumida y en un aumento de la eficiencia.
- Instalación de recuperadores de calor y quemadores de alta eficiencia para disminuir el consumo térmico y las emisiones de CO_2.
- Instalación de luminarias tipo LED que han permitido un ahorro energético de hasta 250.000 kWh/año en consumo de energía eléctrica.
- Protocolos de detección de fugas de calor para reducir y/o eliminar las pérdidas y, con ello, reducir el consumo de energía térmica.
- Reducción de las emisiones de CO_2 debido a la conducción de carretillas elevadoras 100% eléctricas en toda la cadena de producción.
- Instalación de 15.000 m^2 de placas fotovoltaicas que permiten reducir la emisión de 637 toneladas de CO_2 debido al consumo de energías renovables.
- Aplicación de las medidas de eficiencia energética derivadas de la auditoría energética.

ENERGY EFFICIENCY

- The optimization of all stages of the production process, leading to optimized energy consumption and increased efficiency.

- Installation of high efficiency heat recovery systems in order to diminish thermal demand and CO_2 emission.

- Installation of LED lamps which represents a saving of electric energy consumption of 250.000 kWh a year.

- Heat leak detection protocols to reduce and/or eliminate losses and thereby reduce thermal energy consumption.

- Reduction of CO_2 emission by driving 100% electric forklifts during the whole production line.

- Installation of 15,000 m^2 of photovoltaic panels that allow for the reduction of 637 tons of CO_2 emissions due to the consumption of renewable energies.

- Implementation of energy efficiency measures derived from the energy audit.

EMISIONES ATMOSFÉRICAS

Minimización de la emisión de partículas a la atmósfera mediante el funcionamiento en continuo de sistemas de depuración de aire, como los filtros de mangas, para la reducción de las emisiones de partículas (que se recuperan y se reutilizan en la fabricación de atomizado) y la mejora de la calidad del aire.

ATMOSPHERIC EMISSIONS

Minimization of particle emissions into the atmosphere through the continuous operation of air purification systems such as bag filters to reduce particle emissions (which are recovered and reused in the production of atomized material) and improvement of air quality.

GESTIÓN DE RESIDUOS

- El 100% de los residuos de arcilla antes de ser cocida y de las aguas industriales son reintroducidos en el proceso de fabricación de polvo atomizado.
- Gestión integrada de los envases de cartón con SIG-ECOEMBES.

WASTE MANAGEMENT

100% of the waste clay before firing and industrial waters are reintroduced into the atomized powder manufacturing process.

- Integrated management of cardboard packaging with SIG-ECOEMBES.

ECODISEÑO

- Uso de plástico para el embalaje de los pallets con un contenido en material reciclado de hasta el 50%.
- Utilización de una tecnología limpia basada en el uso de tintas en base agua para la decoración digital de las baldosas cerámicas, evitando la generación de residuos de disolvente y haciendo el proceso de decoración digital más sostenible.
- Todos nuestros productos son envasados en embalajes de cartón 100% reciclados. Anualmente ponemos al mercado un total de más de 600.000 Kg. de cartón reciclado.
- Reducción en un 95% del consumo de plástico debido a la sustitución de embalajes de plástico por embalajes de cartón reciclado en la paquetería comercial.
-Búsqueda de nuevos sistemas de colocación (NMD) basado en la reutilización que contribuye a la reducción de las materias primas vírgenes y a las emisiones de efecto invernadero asociadas a su producción.

ECO-DESIGN

- Use of plastic for pallet packaging with a recycled material content of up to 50%.

- Utilization of clean technology based on the use of water-based inks for the digital decoration of ceramic tiles, avoiding the generation of solvent waste and making the digital decoration process more sustainable.

- All our products are packaged in 100% recycled cardboard packaging. Annually, we introduce over 600,000 kg of recycled cardboard to the market.

- 95% reduction in plastic consumption due to the replacement of plastic packaging with recycled cardboard packaging in commercial parcel delivery.

- Exploration of new placement systems (NMD) based on reuse, contributing to the reduction of virgin raw materials and greenhouse gas emissions associated with their production.

EDIFICACIÓN SOSTENIBLE

Nuestras baldosas contribuyen a la construcción sostenible gracias a:
- Emisión cero de COV's (compuestos orgánicos volátiles).
- Facilidad de limpieza.
- Alta reflexión solar, disminuyendo el efecto "isla de calor".
- Durabilidad y reciclabilidad.
- Impacto positivo en la eficiencia energética.
- Declaración Ambiental de Producto (DAP).

SUSTAINABLE BUILDING

Our tiles contribute to sustainable construction through:
- Zero emission of VOCs (volatile organic compounds).
- Ease of cleaning.
- High solar reflectance, reducing the 'heat island' effect.
- Durability and recyclability.
- Positive impact on energy efficiency.
- Environmental Product Declaration (EPD)."

CERTIFICACIONES

Certificaciones de sistemas y procesos.
Contamos con las certificaciones:
- ISO 14001: Gestión ambiental.
- ISO 9001: Gestión de calidad.

Certificaciones de productos
Nuestros productos cuentan con certificaciones como:
- GlobalEPD
- ISO 14021

CERTIFICATIONS

Certifications for systems and processes.
We have the following certifications:
- ISO 14001: Environmental Management.
- ISO 9001: Quality Management.

Product certifications.
Our products are certified by:
- GlobalEPD
- ISO 14021

ECONOMÍA CIRCULAR

CIRCULAR ECONOMY

Todos los productos de la marca PERONDA están fabricados siguiendo este modelo de producción basado en la ECONOMÍA CIRCULAR. Esta metodología de fabricación está en línea con la filosofía sostenible seguida por la empresa en todas sus actividades basada en la minimización del consumo de recursos naturales y desechos generados y priorizando el uso de materiales reciclados con el fin de minimizar el impacto ambiental.

Todas las referencias fabricadas en PERONDA contienen como mínimo un 20% de material reciclado certificado mediante la norma ISO 14021, logrando obtener productos más sostenibles y respetuosos con el medio que nos rodea.

El proceso de fabricación desarrollado en la empresa contribuye a un modelo de producción y consumo sostenibles, reduciendo la generación de residuos e incrementando la reutilización, recuperación y reciclaje de los materiales en base a:

- Reutilización del 100% de restos de polvo atomizado, tiesto crudo y residuos de polvo y partículas procedentes de los filtros de aspiración. Aproximadamente 5.000.000 Kg son reutilizados como materia prima en el proceso de fabricación de atomizado.

- Los residuos de material cocido y partículas de polvo de las rectificadoras en seco son reutilizados en diferentes procesos, como material de relleno y como materia prima reciclada en el proceso de fabricación de atomizado.

- Reutilización del 100% de las aguas residuales procedentes del proceso productivo, lo que se traduce en vertido cero: más de 14.000.000 litros de agua anuales reciclados.

All products under the PERONDA brand are manufactured following this circular economy production model. This manufacturing methodology aligns with the sustainable philosophy pursued by the company in all its activities, aiming to minimize the consumption of natural resources and waste generated while prioritizing the use of recycled materials to minimize environmental impact.

All references manufactured by PERONDA contain a minimum of 20% certified recycled material according to ISO 14021, achieving more sustainable products that are respectful of the surrounding environment.

The manufacturing process developed by the company contributes to a model of sustainable production and consumption, reducing waste generation and increasing the reuse, recovery, and recycling of materials based on:

- Reuse of 100% of atomized powder remnants, raw pot, and waste powder and particles from suction filters. Approximately 5,000,000 kg are reused as raw material in the atomized manufacturing process.

- The waste from fired material and dust particles from the dry grinding machines are reused in different processes, such as filler material and as recycled raw material in the atomization manufacturing process.

- Reuse of 100% of wastewater from the production process, resulting in zero discharge: over 14,000,000 liters of water recycled annually.

COMPROMISO ÉTICO Y SOCIAL

ETHICAL AND SOCIAL COMMITMENT

La organización cuenta con una política de igualdad, manual de conducta del empleado/a y código ético, como documentos que definen nuestro comportamiento social. Nuestros valores y pautas de comportamiento son:

- Establecer y desarrollar políticas que integran la igualdad de trato y oportunidades entre mujeres y hombres, sin discriminación de sexo, raza o religión.

- Ambiente de trabajo igualitario.

- Proporcionar la formación necesaria para contribuir al desarrollo profesional de los trabajadores/as. Anualmente se definen los programas de formación de los empleados.

- Compromiso de la empresa contra el trabajo infantil.

The organization has a policy of equality, an employee code of conduct, and an ethical code as documents that define our social behavior. Our values and behavioral guidelines include:

- Establishing and developing policies that integrate equal treatment and opportunities between women and men, without discrimination based on gender, race, or religion.

- Providing an equal working environment.

- Provide the necessary training to contribute to the professional development of the employees. Annually, the training programs for employees are defined.

- Company commitment against child labor.

CERTIFICADOS CALIDAD

QUALITY CERTIFICATES

	Sistema de gestión de la calidad basado en la norma internacional ISO 9001. Certifica la mejora continua de todos los procesos, productos y servicios de la organización con el objetivo de aumentar la satisfacción de todas nuestras partes interesadas.	*Quality management system in compliance with ISO 9001 norm. Certifies a continuous improvement of processes, products and services, the objective of which is the complete satisfaction of all our involved parties.*
CE	Declara la conformidad de nuestros productos con los requisitos establecidos en el Marcado CE que establece que un producto es evaluado antes de ser introducido en el mercado y que cumple con los requisitos de seguridad, salud y protección medioambiental aplicables.	*This declares that our products comply with the stipulations of the CE marking, under which a product must be assessed before it is put on sale and comply with the applicable health, safety and environmental requirements.*
	El Certificado CCC es un sistema de certificación obligatorio para las exportaciones a China que garantiza que los productos con baja absorción de agua (E<0.5%) cumplen con los requisitos de seguridad y calidad establecidos.	*The CCC certificate is compulsory for products exported to China. It guarantees that products with a low water absorption rate (E<0.5%) comply with the safety and quality requirements.*
UPEC WallPEC	Es una certificación de aprobación de productos, emitido por el Instituto Francés CSTB, y verifica la idoneidad técnica de productos de primera calidad en relación al tipo de uso destinados.	*This is a product approval certificate, issued by the French Institute CSTB, who verifies the technical suitability of top quality products in relation to the type of use intended.*
SASO QUALITY MARK	La Saudi Quality Mark (SQM) es una marca de calidad regulada por SASO (Organización Saudita de Estándares, Metrología y Calidad) para poder realizar exportaciones al país.	*The Saudi Quality Mark (SQM) is a quality mark regulated by SASO (Saudi Standards, Metrology, and Quality Organization) in order to conduct exports to the country.*

CERTIFICADOS MEDIO AMBIENTE

ENVIRONMENT CERTIFICATES

	Sistema de gestión medioambiental basado en la norma internacional ISO 14001. Sistema que certifica el cumplimiento de todos los requisitos legales de aplicación y garantiza la minimización de los impactos ambientales asociados a los procesos de la organización en línea con nuestro compromiso de sostenibilidad.	*Environment management system in compliance with the UNE-EN ISO 14001 standard. Certifying system for application requirements which guarantee minimization of environmental impact, according to our commitment to sustainability.*
GlobalEPD	Es una Declaración Ambiental de Producto de conformidad con la Norma UNE-EN ISO 14025, que proporciona información medioambiental basada en el ciclo de vida de nuestros productos.	*An Environmental Product Declaration in compliance with the UNE-EN ISO 14025 standard, which provides environmental info based on the lifecycle of our products.*
CERTIFICACIÓN LEED	Sistema de certificación de edificios sostenibles desarrollado por U.S. Green Building Council®. Nuestros productospueden contribuir a obtener puntos para la certificación LEED.	*A sustainable building certification system developed by U.S. Green Building Council®. Our products can contribute to obtain points for LEED certification.*
CERTIFICACIÓN BREEAM	Sistema de certificación de edificios sostenibles desarrollado por Building Research Establishment. Nuestros productospueden contribuir a obtener puntos para la certificación BREEAM®.	*A sustainable building certification system developed by Building Research Establishment. Our products can contribute to obtain points for BREEAM® certification.*
A+	Etiqueta medioambiental para el mercado francés que informa sobre el contenido en COV's (Compuestos Orgánicos Volátiles). Declara que nuestros productos son de tipo A+, contribuyendo a un hábitat sano y respetuoso con el medioambiente.	*An environmental label for the French market, which provides information on the VOC content (volatile organic compounds). It declares that our products are rated A+, contributing to a healthy environmentally-friendly habitat.*

Nomad system

Time to renew.

NMD SYSTEM

+ NOMAD es la solución revolucionaria de construcción en seco de Peronda, que usa un innovador sistema de sujeción magnética: Simple, funcional, ecológico.
+ NOMAD aplica un recubrimiento ferromagnético a la cerámica. La instalación de las piezas se realiza sobre superficies capaces de generar adhesión magnética permanente e inocua para la salud.
+ La cerámica magnética de NOMAD aúna sostenibilidad y rentabilidad.


PERONDA ofrece con NOMAD una mejora operativa, por la combinación de la reducción del tiempo de montaje y la ausencia de residuos.

Y esto se une a los nuevos usos del material, gracias a que NOMAD permite una fácil reutilización de las piezas.

+ *NOMAD is Peronda's revolutionary dry tile-laying solution, based on an innovative magnetic anchorage system. It is simple, functional and eco-friendly.*
+ *With NOMAD, a ferromagnetic coating is applied to the ceramic tiles. The tiles are then laid on surfaces able to create a permanent tight magnetic bond, with no harmless effects on people's health.*
+ *NOMAD's magnetic tiles unite sustainability with higher cost-effectiveness.*

With this system, Peronda guarantees easier installation processes through a reduction in assembly times and no building residues.

The tiles can also be repurposed because, thanks to NOMAD, they can easily be re-used elsewhere.



Accede al código QR y conoce a fondo nuestra tecnología NOMAD SYSTEM.
Enter with the QR code and learn all about our NOMAD SYSTEM technology.

Shaped tech

Real precision.

SHAPED TECH
real precision by peronda

NATURAL


Las texturas, los recovecos, las vetas que crea la naturaleza son caprichosas, y esa es la fuente de su belleza. No hay dos iguales, y en su singularidad radica su belleza. La pasión por la búsqueda del detalle ha llevado a Peronda a desarrollar una tecnología capaz de reproducir la naturaleza en su máxima expresión, que es captando hasta el mínimo detalle. Los relieves son creados con tecnología digital perfectamente coordinada con la impresión gráfica para generar las piezas más naturales vistas en cerámica.

PRECISO

Donde ponemos el relieve ponemos la tinta. La precisión con la que imprimimos nuestras piezas es milimétrica, pues relieve y gráfica casan a la perfección para obtener un resultado técnicamente inmejorable.

REAL

Nada de ilusiones ópticas, esto es real. Lo que ves y lo que tocas es lo mismo. La veta está donde está el relieve y viceversa. Lo que siempre quisimos en cerámica, ahora lo consigue Peronda.



NATURAL


The textures, sinuosity and veining found in nature all follow capricious rules, and it is this random nature that makes them so very lovely. Nothing is ever identical and this singularity is the secret to nature's beauty. Peronda's passion for detail has led it to develop technology able to reproduce nature in its maximum of expressions, captured down to the tiniest of details. Digital technology is used to create textures that coincide perfectly with the printed pattern, leading to some of the most natural looking designs ever to be seen on ceramic tiles.

PRECISE

Our printing inks reach each and every part of the printed texture. The tiles are printed with absolute precision, carefully marrying the design with the corresponding texture to unparalleled technical effect.

REAL


There are no optical illusions. Everything is real. What you see and what you touch are one and the same thing. The printed veins coincide perfectly with the texture. Everything you have always longed for in ceramic tiles has now been achieved by Peronda.



Accede al código QR y conoce a fondo nuestra tecnología SHAPED TECH.
Enter with the QR code and learn all about our SHAPED TECH technology.

20MM

Extraordinary resistance.



LO MÁS ROBUSTO DE PERONDA


La última tecnología en producción cerámica se materializa en 20 mm, el porcelánico de mayor espesor con todos los beneficios de 4D Tech en el producto más robusto de Peronda.

MAYOR ESPESOR SIN COSTILLA

Somos pioneros en producir piezas de este espesor con prensa continua. Además de todas las características de un producto 4D, 20 mm permite la ausencia de costilla en la pieza.

RESISTENCIA EXTRAORDINARIA

La base plana del 20 mm ofrece un total contacto con la superficie de soporte. Sobre plots u otro material, el resultado es más resistente, pues toda la pieza absorbe el impacto.



PERONDA´S MOST ROBUST

The latest technology in ceramic production becomes a reality in 20 mm. The thickest porcelain with all the benefits of 4D Tech in Peronda's most robust product.

THICKER WITHOUT RIBBING

We are pioneers in producing pieces of this thickness with continuous press. Besides all the features of a 4D product, 20 mm allows for the lack of ribbing.

EXTRAORDINARY RESISTANCE

The flat base of 20 mm offers complete contact with the supporting area. Be it on plots or any other material, it is more resistant since the whole piece absorbs the impact.

All in one

Antislip soft.
Unlimited purposes.



USOS ILIMITADOS. MISMA SUPERFICIE

¿Imaginas poder tener un mismo suelo con iguales cualidades en todos los espacios de tus proyectos? El acabado All in one aúna suavidad y antideslizamiento. Ahora no hay por qué elegir, puedes tenerlo todo en un único producto.

Mejoras destacadas:

+ Zonas húmedas ahora son más suaves y fáciles de limpiar gracias al nuevo acabado de Peronda.
+ El nuevo acabado All in one de Peronda permite reducir el stock al satisfacer diversas necesidades técnicas con una sola referencia.
+ Mayor armonía al poder transitar del salón a la terraza sin preocuparse por los formatos o tonos, gracias a la colocación sin límites que brinda continuidad estética.

UNLIMITED PURPOSES. SAME SURFACE

Can you imagine having the very same flooring with identical features in every single space of your project? All in one finish brings softness and anti slip treatment together. There is no need to choose any more. You can have it all in just one product.

Highlights:

+ *Humid areas are now smoother and easier to clean with Peronda's new finish, providing increased softness and cleanliness.*
+ *Peronda's new finish, All in one, allows for stock reduction by offering a single product that meets various technical requirements for your project.*
+ *The freedom of placing materials without limitations creates a sense of aesthetic continuity, enabling seamless transitions from the living room to the terrace, irrespective of formats or tones.*

Accede al código QR y conoce a fondo nuestra tecnología ALL IN ONE.
Enter with the QR code and learn all about our ALL IN ONE technology.



Deep tech


Maximum relief.

Permite realizar relieves con un nivel de profundidad extraordinario, llegando hasta los 8 mm de relieve.

Esta nueva tecnología abre un universo de posibilidades decorativas.

Relief surfaces can be created with an extraordinary depth, with reliefs as deep as 8 mm.

This new technology opens up new broad-ranging decorative potential.



Layer tech

Multi texture surface.


Layer Tech es la última tecnología de decoración cerámica, que permite crear texturas en diferentes capas de la superficie generando efectos variados en una misma pieza. Acabados espectaculares hasta ahora imposibles de conseguir en cerámica.

Con esta técnica se abre un infinito abanico de posibilidades en decoración cerámica puesto que se trata de combinar distintas materias, colores y formas en un proceso de adición en el que cada combinación puede generar un efecto totalmente nuevo y sorprendente.

Layer Tech is the latest in tile printing technology. With it, textures can be created on different surface layers, generating varying effects on the same tile. This leads to hitherto unimaginable spectacular finishes on the tiles.

Layer Tech technology opens up endless new possibilities in ceramic tile printing, since different materials, colours and shapes can be combined. In this additive process, each combination gives rise to a totally new amazing effect.

Accede al código QR y conoce a fondo nuestra tecnología LAYER TECH.
Enter with the QR code and learn all about our LAYER TECH technology.



Soft

The smoothest one.

SUAVE, SEDOSO Y FÁCIL DE LIMPIAR

El acabado SOFT es la perfecta elección para hacer de cualquier espacio un lugar más confortable. Gracias a su material sedoso, ofrece una superficie de extrema suavidad muy fácil de limpiar, pues impide que la suciedad se adhiera. El broche ideal para tu vivienda o local comercial.

SMOOTH, SILKY AND EASY TO CLEAN

SOFT is a finish conceived to bring added comfort and convenience to settings of all kinds. Thanks to its silky feel, this is a very smooth, easy-to-clean surface since it prevents the build-up of dirt. The perfect crowning touch to homes or commercial premises!




Extra white

Con todos los esfuerzos tecnológicos concentrados en nuevas formulaciones de esmaltes, podemos ofrecer el blanco cerámico más puro hasta la fecha, que cuenta además con una suavidad incomparable.

Se trata del acabado Extrawhite presente en las colecciones ICE y COTTON. Los espacios se tornan más luminosos, neutros y confortables aportando así el valor diferencial que continuamente ofrecen nuestros productos, resultado de nuestra conocida pasión por el detalle.

Thanks to the technological efforts we channel into finding new glaze formulae, we have come up with the most ultra-white tile finish to date, with the added benefit of an unparalleled smooth surface.

This is our Extrawhite finish, available in the ICE and COTTON collections. Extrawhite infuses settings with a more luminous, neutral, comfortable appearance, lending them that singular appeal that all our products offer, thanks to Peronda's well-known passion for detail.



4D Tech

EL FUTURO CERÁMICO NO ES QUÉ. ES CÓMO

4D TECH es el sistema de producción cerámica más innovador del mercado.
Un nuevo estándar para la máxima calidad.

EL NUEVO PERONDA DE SIEMPRE

Nueva tecnología, mismos valores. 4DTECH aporta mayor precisión, versatilidad y eficiencia sin olvidar la calidad y la sostenibilidad.

WITH TECHNOLOGY AS OUR ACE CARD

4D TECH is the most innovative tile manufacturing system on the market, raising standards in a bid to achieve maximum quality.

A NEW YET FAMILIAR PERONDA

New technology but still the same values. 4DTECH ensures greater precision, versatility and efficiency, not to mention quality and sustainability.

dimension

definition

design

distinction

MAYOR NATURALIDAD
A MORE NATURAL APPEARANCE

FABRICACIÓN EN PLANO CONTÍNUO
CONTINUOUS PRODUCTION PROCESS

PIEZAS DE MAYOR TAMAÑO
LARGER FORMATS

CORTE POR CUCHILLA EN CRUDO
TILES CUT WHILE UNFIRED

DECORACIÓN DIGITAL EN MASA
THROUGH-BODY DIGITAL DECORATION

MEJOR DECORACIÓN DIGITAL
IMPROVED DIGITAL DÉCOR

VARIEDAD DE FORMATOS
MORE WIDELY ASSORTED FORMATS

ECOLOGÍA
ECO-FRIENDLY

VARIEDAD DE ESPESORES
VARYING THICKNESSES

Honed

The value of the passing of time.

HONED touch

ETERNO

Brillo satinado irregular que nos evoca el resultado del paso del tiempo sobre una superficie noble. La belleza de los elementos que cuanto más envejecen mayor valor tienen, más bonitos son, más historias atesoran.

Todo ello ligado a un tacto especialmente suave que transforma cualquier interior en un lugar especial, cálido, donde nos sentimos cómodos y seguros.

ETERNAL

Uneven polished brightness evoking the result of the passing of time on a fine surface. The beauty of elements that the more they get old, the more value they have, the more beautiful they are and the more number of stories they treasure.

All of this is bound to quite a soft touch that turns any indoor area into a special, warm place where we feel safe and comfortable.

Accede al código QR y conoce a fondo nuestra tecnología HONED.
Enter with the QR code and learn all about our HONED technology.

Accede al código QR y conoce a fondo nuestra tecnología HONED.
Enter with the QR code and learn all about our HONED technology.



Peronda.com

TODAS LAS NOVEDADES ONLINE

Descubre todas nuestras últimas novedades en porcelánicos y diseños innovadores directamente en nuestras redes sociales. Síguenos para mantenerte al día y ser parte de nuestra comunidad.

Nuestras redes están llenas de inspiración para transformar tu entorno y encontrar la combinación perfecta para tu espacio. Únete a nosotros en este viaje de creatividad y diseño.

Seguir


ALL ONLINE NEWS


Discover all our latest porcelain tiles and innovative designs directly on our social networks. Follow us to stay up to date and be part of our community.

Our networks are full of inspiration to transform your environment and find the perfect combination for your space. Join us on this journey of creativity and design.

Follow

@PERONDA_OFFICIAL @PERONDAGROUP /PERONDA





Acabados

Finishes

20 MM

Porcelánico espesorado realizado con la última tecnología en producción cerámica. Todos los beneficios de 4D Tech al servicio del producto más robusto de Peronda.

20 mm thick porcelain made with the latest technology in ceramic production. All the benefits of 4D Tech at the service of Peuronda's most robust product.

ALL IN ONE _AS

Usos ilimitados, misma superficie. El acabado All in one aúna suavidad y antideslizamiento. Ahora no hay por qué elegir, puedes tenerlo todo en un único producto.

Unlimited purposes, same surface. All in one finish brings softness and anti slip treatment together. There is no need to choose any more. You can have it all in just one product.

SOFT _SF

Acabado suave y sofisticado en superficies mates de fácil limpieza que enfatiza el detalle del producto.

A soft sophisticated matt finish, conceived to enhance the features of the tile design, on an easy-to-clean surface.

SHAPED _SP

Relieves creados de manera digital perfectamente coordinados con la impresión gráfica para generar las piezas más naturales nunca vistas en cerámica.

The latest in tile printing technology. With it, textures can be created on different surface layers in a digital way.

HONED _HO

Brillo satinado irregular que nos evoca el resultado del paso del tiempo sobre una superficie noble.

Uneven polished brightness evoking the result of the passing of time on a fine surface.

EXTRAWHITE

Gracias a los esfuerzos tecnológicos concentrados en nuevas formulaciones de esmaltes, podemos ofrecer el blanco cerámico más puro hasta la fecha.

Thanks to the technological efforts we channel into finding new glaze formulae, we have come up with the most ultra-white tile finish to date.

LAYER TECH _LT

Última tecnología de decoración cerámica, que permite crear texturas en diferentes capas de la superficie de manera digital.

The latest in tile printing technology. With it, textures can be created on different surface layers in a digital way.

DEEP TECH _DT

Permite realizar relieves con un nivel de profundidad extraordinario, llegando hasta los 8 mm de relieve.

Relief surfaces can be created with an extraordinary depth, with reliefs as deep as 8 mm.

NATURAL _NT

Acabado inherente al producto cerámico cuidando los atributos naturales del mismo para potenciar el detalle de su gráfica.

The tile's natural finish, conserving all its natural characteristics so as to enhance the details of its pattern.

LAPADO _LA

Superficies semipulidas que aportan brillo natural a cualquier tipo de espacio.

A semi-polished surface that brings a natural shine to all settings where it is used.

ANTISLIP _A

Porcelánicos de aspecto mate y una delicada textura con características antideslizante.

Matt porcelain tiles with a delicate texture and non-slip grip.

BUSH HAMMERED _BHMR

Suave relieve que confiere textura en superficies de aspecto mate y tacto único.

A matt surface with a gentle relief texture and unique feel.

ANTISLIP BUSH HAMMERED _ABHMR

Porcelánico antideslizante con rugosidad imperceptible al tacto.

Non-slip porcelain tiles, with a roughness imperceptible to the touch.



Aspectos

Appearance

BLANCO
White

Colección | Collection	P
Pasta Blanca | White body	
COTTON	188
ICE	220
PURE	242

METAL
Metal

Colección | Collection	P
Pasta Blanca | White body	
MITTE	238

PIEDRA
Stone

Colección | Collection	P
Porcelánico | porcelain	
ALCHEMY 4D	48
ALCHEMY FLOOR	58
ALPINE 4D	66
CLUNY 4D	68
CLUNY FLOOR	74
GHENT 4D	88
GHENT FLOOR	92
LUCCA 4D	120
LUCCA FLAGSTONE	128
LUCCA FLOOR	124
MANHATTAN 4D	132
MANHATTAN FLOOR	136
MYSTIC 4D	144
NATURE FLOOR	148
SATYA	156
Pasta Blanca | White body	
ALCHEMY WALL	176
CLUNY WALL	182
DANUBIO	192
ERTA	202
GHENT WALL	204
LUCCA WALL	228
MANHATTAN WALL	232
NATURE WALL	240

CEMENTO
Wood

Colección | Collection	P
Porcelánico | porcelain	
ALLEY 4D	64
DOWNTOWN 4D	82
DOWNTOWN FLOOR	84
GROUND	100
GROUND 4D	98
GRUNGE FLOOR	104
PLANET	152
SHARK	158
Pasta Blanca | White body	
DONNA	194
DOWNTOWN WALL	196
GROUND WALL	210
GRUNGE WALL	214
SALINES	246

MADERA
Wood

Colección | Collection	P
Porcelánico | porcelain	
ESSENCE	86
GRANIER FLOOR	94
JACKSON FLOOR	110
LENK	116
MUMBLE	140
UNIQUE	160
VERBIER	164
VERBIER 4D	162
WHISTLER	170
Pasta Blanca | White body	
GRANIER WALL	208
JACKSON WALL	226
VERBIER WALL	250

COLORES
Colors

Colección | Collection	P
Porcelánico | porcelain	
HOUSE OF VANITY	108
FS ARLES	257
FS BARNA	261
FS CAMPANIA	266
FS CLAY	270
FS ETNA	274
FS FIELD	276
FS HERITAGE	280
FS IVY	283
FS MARAIS	288
FS NOUVEAU	294
FS PANAME	300
FS ROCKSTAR	310
FS ROOTS	312
FS SEA	315
FS STAR	316
FS STAR LT	320
FS YARD	330
Pasta Blanca | White body	
FS IRON	282
FS LOFT	286
FS MUD	293
FS RAKU	306
FS TRADITION	325

TEXTURA
Texture

Colección | Collection	P
Gres | single fired	
FS ARLES	257
FS HERITAGE	280
FS SEA	315
FS STAR LT	320
Pasta Blanca | White body	
FS MUD	293
FS RAKU	306
FS TRADITION	325

VINTAGE
FS

Colección | Collection	P
Porcelánico | porcelain	
FS ALORA	256
FS ARLES	257
FS ARTISAN	258
FS AURORA	260
FS BARNA	261
FS BLUME	264
FS BRETAGNE	265
FS CAMPANIA	266
FS CHESTER	269
FS CLAY	270
FS DAMERO	272
FS ETNA	274
FS FAENZA	275
FS FIELD	276
FS FOREST	278
FS HERITAGE	280
FS IVY	283
FS JAIPUR	284
FS MARAIS	288
FS MARRAKECH	289
FS MELVIN	290
FS MIRAMBEL	292
FS NOUVEAU	294
FS OFELIA	297
FS ORIGINAL	298
FS PANAME	300
FS PORTO	304
FS ROAD	307
FS ROCKSTAR	310
FS ROOTS	312
FS SAJA	314
FS SEA	315
FS STAR	316
FS STAR LT	320
FS TEMPLE	324
FS VENDOME	326
FS VENECIA	327
FS WILD	328
FS YARD	330
Pasta Blanca | White body	
FS BLOCK	263
FS IRON	282
FS LOFT	286
FS MUD	293
FS RAKU	306
FS TRADITION	325



Características Técnicas *Technical characteristics*

Clase 1_	UNE-ENV-12633	
Colección Collection	Acabado Finished	P.
ALCHEMY 4D	Shaped	48
ALLEY 4D	Natural	64
ALPINE 4D	Shaped	66
CLUNY 4D	Shaped	68
CLUNY FLOOR	Soft	74
DOWNTOWN 4D	Shaped	82
ESSENCE	Natural	86
FS ALORA	Natural	256
FS ARTISAN	Natural	258
FS AURORA	Natural	260
FS BARNA	Natural	261
FS BLUME	Natural	264
FS BRETAGNE	Natural	265
FS CHESTER	Natural	269
FS CLAY	Natural	270
FS DAMERO	Natural	272
FS ETNA	Natural	274
FS FAENZA	Natural	275
FS FOREST	Natural	278
FS IVY	Natural	283
FS JAIPUR	Layertech	284
FS MARAIS	Natural	288
FS MARRAKECH	Natural	289
FS MELVIN	Natural	290
FS NOUVEAU	Natural	294
FS ORIGINAL	Natural	298
FS PANAME	Natural	300
FS PORTO	Natural	304
FS ROOTS	Natural	312
FS SAJA	Natural	314
FS STAR	Natural	316
FS TEMPLE	Natural	324
FS VENDOME	Natural	326
FS YARD	Natural	330
GHENT 4D	Shaped	88
GROUND 4D	Shaped	98
HOUSE OF VANITY	Natural	108
JACKSON FLOOR	Natural	110
LUCCA 4D	Shaped	120
LUCCA FLAGSTONE	Shaped	128
LUCCA FLOOR	Soft	124
MANHATTAN 4D	Shaped	132
MUMBLE	Natural	140
MYSTIC 4D	Natural	144
PLANET	Soft	152
SATYA	Natural	156
SHARK	Lapado	158
UNIQUE	Natural	160
VERBIER 4D	Shaped	162
WHISTLER	Natural	170

Clase 2_	UNE-ENV-12633	
Colección Collection	Acabado Finished	P.
ALCHEMY FLOOR	Natural	58
CLUNY FLOOR	Natural	74
DOWNTOWN FLOOR	Shaped	84
DOWNTOWN FLOOR	Natural	84
FS CHESTER	Natural	269
FS MIRAMBEL	Natural	292
FS OFELIA	Natural	297
FS ORIGINAL	Natural	298
FS STAR LT	Layertech	320
FS VENECIA	Natural	327
GHENT FLOOR	Natural	92
GROUND	Lapado	100
GROUND	Soft	100
LUCCA FLOOR	Natural	124
MYSTIC 4D	BH	144
NATURE FLOOR	Soft	148
PLANET	Natural	152
SHARK	Lapado	158
SHARK	Natural	158

Clase 3_	UNE-ENV-12633	
Colección Collection	Acabado Finished	P.
ALCHEMY 4D	Antislip	48
ALCHEMY FLOOR	All in one	58
ALLEY 4D	Antislip BH	64
CLUNY 4D	Antislip	68
CLUNY FLOOR	All in one	74
CLUNY FLOOR	Antislip	74
DOWNTOWN FLOOR	Antislip	84
ESSENCE	Antislip	86
FS FIELD	Layertech	276
FS ROAD	All in one	307
FS ROCKSTAR	All in one	310
FS WILD	All in one	328
GHENT 4D	Antislip	88
GHENT FLOOR	All in one	92
GRANIER FLOOR	All in one	94
GROUND	Antislip	100
GRUNGE FLOOR	All in one	104
GRUNGE WALL	Natural	214
JACKSON FLOOR	Antislip	110
LENK	All in one	116
LUCCA FLOOR	All in one	124
MANHATTAN 4D	Antislip	132
MANHATTAN FLOOR	All in one	136
MUMBLE	Antislip	140
MYSTIC 4D	Antislip	144
MYSTIC 4D	Antislip BH	144

Clase 3_	UNE-ENV-12633	
Colección Collection	Acabado Finished	P.
NATURE FLOOR	Antislip	148
NATURE FLOOR	Antislip BH	148
PLANET	Antislip	152
SATYA	Antislip	156
VERBIER	All in one	164
WHISTLER	Antislip	170

A_	DIN 51097	
Colección Collection	Acabado Finished	P.
MYSTIC 4D	Natural	144

A+B_	DIN 51097	
Colección Collection	Acabado Finished	P.
CLUNY FLOOR	Natural	74
DOWNTOWN FLOOR	Shaped	84
DOWNTOWN FLOOR	Natural	84
ESSENCE	Antislip	86
FS ARTISAN	Natural	258
FS CHESTER	Natural	269
FS MIRAMBEL	Natural	292
FS OFELIA	Natural	297
FS ORIGINAL	Natural	298
FS VENECIA	Natural	327
GHENT FLOOR	Natural	92
GROUND	Soft	100
LUCCA FLOOR	Natural	124
MYSTIC 4D	BH	144
NATURE FLOOR	Soft	148
PLANET	Soft	152
PLANET	Natural	152
SATYA	Natural	156
SHARK	Natural	158
WHISTLER	Antislip	170

A+B+C_	DIN 51097	
Colección Collection	Acabado Finished	P.
ALCHEMY 4D	Antislip	48
ALCHEMY FLOOR	All in one	58
ALLEY 4D	Antislip BH	64
CLUNY 4D	Antislip	68
CLUNY FLOOR	Antislip	74
CLUNY FLOOR	All in one	74
DOWNTOWN FLOOR	Antislip	84
FS ROAD	All in one	307
FS ROCKSTAR	All in one	310
FS WILD	All in one	328

A+B+C_	DIN 51097	
Colección Collection	Acabado Finished	P.
GHENT 4D	Antislip	88
GHENT FLOOR	All in one	92
GRANIER FLOOR	All in one	94
GROUND	Antislip	100
GRUNGE FLOOR	All in one	104
GRUNGE WALL	Natural	214
LENK	All in one	116
MANHATTAN 4D	Antislip	132
MANHATTAN FLOOR	All in one	136
MUMBLE	Antislip	140
MYSTIC 4D	Antislip BH	144
MYSTIC 4D	Antislip	144
NATURE FLOOR	Antislip	148
NATURE FLOOR	Antislip BH	148
PLANET	Antislip	152
SATYA	Antislip	156
VERBIER	All in one	164

Características Técnicas

R9_ DIN 51130

Colección Collection	Acabado Finished	P.
ALLEY 4D	Natural	64
ESSENCE	Natural	86
FS ALORA	Natural	256
FS ARTISAN	Natural	258
FS AURORA	Natural	260
FS BARNA	Natural	261
FS BLUME	Natural	264
FS BRETAGNE	Natural	265
FS CHESTER	Natural	269
FS CLAY	Natural	270
FS DAMERO	Natural	272
FS ETNA	Natural	274
FS FAENZA	Natural	275
FS IVY	Natural	283
FS MARAIS	Natural	288
FS MARRAKECH	Natural	289
FS MELVIN	Natural	290
FS NOUVEAU	Natural	294
FS ORIGINAL	Natural	298
FS PANAME	Natural	300
FS PORTO	Natural	304
FS ROOTS	Natural	312
FS STAR	Natural	316
FS TEMPLE	Natural	324
FS VENDOME	Natural	326
FS YARD	Natural	330
GROUND	Lapado	100
HOUSE OF VANITY	Natural	108
JACKSON FLOOR	Natural	110
LUCCA FLAGSTONE	Shaped	128
MUMBLE	Natural	140
MYSTIC 4D	Natural	144
PLANET	Soft	152
SATYA	Natural	156
SHARK	Lapado	158
UNIQUE	Natural	160
WHISTLER	Natural	170

R10_ DIN 51130

Colección Collection	Acabado Finished	P.
ALCHEMY FLOOR	Natural	58
CLUNY FLOOR	Natural	74
DOWNTOWN FLOOR	Shaped	84
DOWNTOWN FLOOR	Natural	84
FS ARTISAN	Natural	258
FS CHESTER	Natural	269
FS JAIPUR	Layertech	284
FS MIRAMBEL	Natural	292
FS OFELIA	Natural	297
FS ORIGINAL	Natural	298
FS STAR LT	Layertech	320
GHENT FLOOR	Natural	92
GROUND	Soft	100
LUCCA FLOOR	Natural	124
MYSTIC 4D	Bush Ham-mered	144
NATURE FLOOR	Soft	148
PLANET	Natural	152
SHARK	Natural	158

R11_ DIN 51130

Colección Collection	Acabado Finished	P.
ALCHEMY 4D	Antislip	48
ALCHEMY FLOOR	All in one	58
ALLEY 4D	Antislip BH	64
CLUNY 4D	Antislip	68

R11_ DIN 51130

Colección Collection	Acabado Finished	P.
CLUNY FLOOR	Antislip	74
CLUNY FLOOR	All in one	74
DOWNTOWN FLOOR	Antislip	84
ESSENCE	Antislip	86
FS FIELD	Layertech	276
FS ROAD	All in one	307
FS ROCKSTAR	All in one	310
FS VENECIA	Natural	327
FS WILD	All in one	328
GHENT 4D	Antislip	88
GHENT FLOOR	All in one	92
GRANIER FLOOR	All in one	104
GRUNGE FLOOR	All in one	104
GRUNGE WALL	Natural	214
JACKSON FLOOR	Antislip	110
LENK	All in one	116
LUCCA FLOOR	All in one	124
MANHATTAN 4D	Antislip	132
MANHATTAN FLOOR	All in one	136
MUMBLE	Antislip	140
MYSTIC 4D	Antislip	144
NATURE FLOOR	Antislip	148
NATURE FLOOR	Antislip BH	148
SATYA	Antislip	156
VERBIER	All in one	164
WHISTLER	Antislip	170

R12_ DIN 51130

Colección Collection	Acabado Finished	P.
GROUND	Antislip	100
MYSTIC 4D	Antislip BH	144
PLANET	Antislip	152

PTV_ BS-7976-2

Colección Collection	Acabado Finished	P.
ALCHEMY 4D	Antislip	48
ALCHEMY FLOOR	All in one	58
ALLEY 4D	Antislip BH	64
CLUNY 4D	Antislip	68
CLUNY FLOOR	Antislip	74
CLUNY FLOOR	Natural	74
CLUNY FLOOR	All in one	74
DOWNTOWN FLOOR	Shaped	84
DOWNTOWN FLOOR	Natural	84
DOWNTOWN FLOOR	Antislip	84
ESSENCE	Antislip	86
FS ALORA	Natural	256
FS ARTISAN	Natural	258
FS AURORA	Natural	260
FS BARNA	Natural	261
FS CHESTER	Natural	269
FS CLAY	Natural	270
FS DAMERO	Natural	272
FS FIELD	Layertech	276
FS IVY	Natural	283
FS JAIPUR	Layertech	284
FS MARAIS	Natural	288
FS MARRAKECH	Natural	289
FS MIRAMBEL	Natural	292
FS NOUVEAU	Natural	294
FS OFELIA	Natural	297
FS ORIGINAL	Natural	298
FS PANAME	Natural	300
FS PORTO	Natural	304

PTV_ BS-7976-2

Colección Collection	Acabado Finished	P.
FS ROAD	All in one	307
FS ROCKSTAR	All in one	310
FS ROOTS	Natural	312
FS STAR	Natural	316
FS STAR LT	Layertech	320
FS TEMPLE	Natural	324
FS VENDOME	Natural	326
FS VENECIA	Natural	327
FS WILD	All in one	328
FS YARD	Natural	330
GHENT 4D	Antislip	88
GHENT FLOOR	All in one	104
GRANIER FLOOR	All in one	94
GROUND	Antislip	100
GROUND	Soft	100
GRUNGE FLOOR	All in one	104
GRUNGE WALL	Natural	214
JACKSON FLOOR	Antislip	110
LENK	All in one	116
LUCCA FLAGSTONE	Shaped	128
LUCCA FLOOR	All in one	124
LUCCA FLOOR	Natural	124
MANHATTAN 4D	Antislip	132
MANHATTAN FLOOR	All in one	136
MUMBLE	Antislip	140
MYSTIC 4D	Antislip BH	144
MYSTIC 4D	BH	144
NATURE FLOOR	Antislip	148
NATURE FLOOR	Antislip BH	148
NATURE FLOOR	Soft	148
PLANET	Soft	152
PLANET	Antislip	152
PLANET	Natural	152
SATYA	Antislip	156
SATYA	Natural	156
SHARK	Natural	158
VERBIER	All in one	164
WHISTLER	Antislip	170

DCOF_

Colección Collection	Acabado Finished	P.
ALCHEMY 4D	Antislip	48
ALCHEMY 4D	Shaped	48
ALCHEMY FLOOR	All in one	58
ALLEY 4D	Antislip BH	64
ALLEY 4D	Natural	64
ALPINE 4D	Shaped	66
CLUNY 4D	Antislip	68
CLUNY 4D	Shaped	68
CLUNY FLOOR	Antislip	74
CLUNY FLOOR	Natural	74
CLUNY FLOOR	All in one	74
CLUNY FLOOR	Soft	74
DOWNTOWN 4D	Shaped	82
DOWNTOWN FLOOR	Shaped	84
DOWNTOWN FLOOR	Natural	84
DOWNTOWN FLOOR	Antislip	84
ESSENCE	Antislip	86
ESSENCE	Natural	86
FS ALORA	Natural	256
FS ARTISAN	Natural	258

DCOF_

Colección Collection	Acabado Finished	P.
FS AURORA	Natural	260
FS BARNA	Natural	261
FS BLUME	Natural	264
FS CHESTER	Natural	269
FS CLAY	Natural	270
FS DAMERO	Natural	272
FS ETNA	Natural	274
FS FIELD	Layertech	276
FS IVY	Natural	283
FS JAIPUR	Layertech	284
FS MARAIS	Natural	288
FS MARRAKECH	Natural	289
FS MIRAMBEL	Natural	292
FS NOUVEAU	Natural	294
FS OFELIA	Natural	297
FS ORIGINAL	Natural	298
FS PANAME	Natural	300
FS PORTO	Natural	304
FS ROAD	All in one	307
FS ROCKSTAR	All in one	310
FS ROOTS	Natural	312
FS STAR	Natural	316
FS STAR LT	Layertech	320
FS TEMPLE	Natural	324
FS VENDOME	Natural	326
FS VENECIA	Natural	327
FS WILD	All in one	328
FS YARD	Natural	330
GHENT 4D	Shaped	88
GHENT FLOOR	All in one	92
GHENT FLOOR	Natural	92
GRANIER FLOOR	All in one	94
GROUND	Antislip	100
GROUND	Lapado	100
GROUND	Soft	100
GRUNGE FLOOR	All in one	104
GRUNGE WALL	Natural	214
JACKSON FLOOR	Antislip	110
JACKSON FLOOR	Natural	110
LENK	All in one	116
LUCCA 4D	Shaped	120
LUCCA FLOOR	All in one	124
LUCCA FLOOR	Natural	124
MANHATTAN 4D	Antislip	132
MANHATTAN 4D	Shaped	132
MANHATTAN FLOOR	All in one	136
MUMBLE	Antislip	140
MYSTIC 4D	Antislip BH	144
MYSTIC 4D	BH	144
MYSTIC 4D	Natural	144
NATURE FLOOR	Antislip BH	148
NATURE FLOOR	Soft	148
PLANET	Soft	152
PLANET	Antislip	152
PLANET	Natural	152
SATYA	Antislip	156
VERBIER	All in one	164
VERBIER 4D	Shaped	162
WHISTLER	Antislip	170
WHISTLER	Natural	170

Technical characteristics

UPEC_ QB UPEC

Colección Collection	Color Colour	Acabado Finished	Formato Format	Valor Value	P.
DOWNTOWN 4D	ANTHR	Shaped	100x100x0,6	U3P2E3C2	82
DOWNTOWN 4D	BEIGE	Shaped	100x100x0,6	U3P2E3C2	82
DOWNTOWN 4D	GREY	Shaped	100x100x0,6	U3P2E3C2	82
DOWNTOWN 4D	WHITE	Shaped	100x100x0,6	U3P2E3C2	82
DOWNTOWN FLOOR	ANTHR	Shaped	60x120x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	BEIGE	Shaped	60x120x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	GREY	Shaped	60x120x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	WHITE	Shaped	60x120x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	ANTHR	Natural	60x60x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	BEIGE	Natural	60x60x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	GREY	Natural	60x60x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	WHITE	Natural	60x60x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	ANTHR	Shaped	90x90x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	BEIGE	Shaped	90x90x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	GREY	Shaped	90x90x0,9	U3P3E3C2	84
DOWNTOWN FLOOR	WHITE	Shaped	90x90x0,9	U3P3E3C2	84
GHENT 4D	BEIGE	Shaped	100x100x0,8	U3SP3E3C2	88
GHENT 4D	GREY	Shaped	100x100x0,8	U3SP3E3C2	88
GHENT 4D	SILVER	Shaped	100x100x0,8	U3SP3E3C2	88
GHENT 4D	WHITE	Shaped	100x100x0,8	U3SP3E3C2	88
GHENT FLOOR	BEIGE	All in one	60x120x0,9	U3P3E3C2	92
GHENT FLOOR	GREY	All in one	60x120x0,9	U3P2E3C2	92
GHENT FLOOR	SILVER	All in one	60x120x0,9	U3P2E3C2	92
GHENT FLOOR	WHITE	All in one	60x120x0,9	U3SP3E3C2	92
GHENT FLOOR	BEIGE	Natural	60x60x0,9	U3P3E3C2	92
GHENT FLOOR	GREY	Natural	60x60x0,9	U3P2E3C2	92
GHENT FLOOR	SILVER	Natural	60x60x0,9	U3P2E3C2	92
GHENT FLOOR	WHITE	Natural	60x60x0,9	U3SP3E3C2	92
GHENT FLOOR	BEIGE	All in one	90x90x0,9	U3P3E3C2	92
GHENT FLOOR	GREY	All in one	90x90x0,9	U3P3E3C2	92
GHENT FLOOR	SILVER	All in one	90x90x0,9	U3P3E3C2	92
GHENT FLOOR	WHITE	All in one	90x90x0,9	U3P3E3C2	92
GROUND	BONE	Antislip	60x60x0,9	U3SP3E3C2	100
GROUND	GREY	Antislip	60x60x0,9	U3SP3E3C2	100
GROUND	SILVER	Antislip	60x60x0,9	U3SP3E3C2	100
GROUND	BONE	Lapado	60x60x0,9	U3SP3E3C2	100
GROUND	GREY	Lapado	60x60x0,9	U3SP3E3C2	100
GROUND	SILVER	Lapado	60x60x0,9	U3SP3E3C2	100
GROUND	BONE	Soft	60x60x0,9	U3SP3E3C2	100
GROUND	GREY	Soft	60x60x0,9	U3SP3E3C2	100
GROUND	SILVER	Soft	60x60x0,9	U3SP3E3C2	100
GROUND	BONE	Antislip	90x90x0,9	U3SP3E3C2	100
GROUND	GREY	Antislip	90x90x0,9	U3SP3E3C2	100
GROUND	SILVER	Antislip	90x90x0,9	U3SP3E3C2	100
GROUND	GREY	Lapado	90x90x0,9	U3SP3E3C2	100
GROUND	SILVER	Lapado	90x90x0,9	U3SP3E3C2	100
GROUND	BONE	Soft	90x90x0,9	U3SP3E3C2	100
GROUND	GREY	Soft	90x90x0,9	U3SP3E3C2	100
GROUND	SILVER	Soft	90x90x0,9	U3SP3E3C2	100
GRUNGE FLOOR	ANTHR	All in one	60x120x0,9	U4P3E3C2	104
GRUNGE FLOOR	BEIGE	All in one	60x120x0,9	U4P3E3C2	104
GRUNGE FLOOR	GREY	All in one	60x120x0,9	U4P3E3C2	104
GRUNGE FLOOR	WHITE	All in one	60x120x0,9	U4P3E3C2	104
GRUNGE FLOOR	ANTHR	All in one	60x60x0,9	U4P4+E3C2	104
GRUNGE FLOOR	BEIGE	All in one	60x60x0,9	U4P4+E3C2	104
GRUNGE FLOOR	GREY	All in one	60x60x0,9	U4P4+E3C2	104
GRUNGE FLOOR	WHITE	All in one	60x60x0,9	U4P4+E3C2	104
GRUNGE FLOOR	ANTHR	All in one	90x90x0,9	U4P3E3C2	104
GRUNGE FLOOR	BEIGE	All in one	90x90x0,9	U4P3E3C2	104
GRUNGE FLOOR	GREY	All in one	90x90x0,9	U4P3E3C2	104
GRUNGE FLOOR	WHITE	All in one	90x90x0,9	U4P3E3C2	104
LENK	ASH	All in one	19,5x121x0,9	U3P2E3C2	116
LENK	HONEY	All in one	19,5x121x0,9	U3P2E3C2	116
LENK	SMOKE	All in one	19,5x121x0,9	U2SP2E3C2	116
LENK	TAUPE	All in one	19,5x121x0,9	U2SP2E3C2	116
LENK	WALNUT	All in one	19,5x121x0,9	U3P2E3C2	116

UPEC_ QB UPEC

Colección Collection	Color Colour	Acabado Finished	Formato Format	Valor Value	P.
LENK	WHITE	All in one	19,5x121x0,9	U3P2E3C2	116
LENK	ASH	All in one	24x151x0,9	U3P2E3C2	116
LENK	HONEY	All in one	24x151x0,9	U3P2E3C2	116
LENK	SMOKE	All in one	24x151x0,9	U2SP2E3C2	116
LENK	TAUPE	All in one	24x151x0,9	U2SP2E3C2	116
LENK	WALNUT	All in one	24x151x0,9	U3P2E3C2	116
LENK	WHITE	All in one	24x151x0,9	U3P2E3C2	116
LUCCA 4D	ANTHR	Shaped	100x100x0,6	U4P3E3C2	120
LUCCA 4D	BEIGE	Shaped	100x100x0,6	U4P3E3C2	120
LUCCA 4D	GREY	Shaped	100x100x0,6	U4P3E3C2	120
LUCCA 4D	WHITE	Shaped	100x100x0,6	U4P3E3C2	120
LUCCA FLOOR	ANTHR	All in one	60x120x0,9	U4P3E3C2	124
LUCCA FLOOR	BEIGE	Soft	60x120x0,9	U4P3E3C2	124
LUCCA FLOOR	GREY	Soft	60x120x0,9	U4P3E3C2	124
LUCCA FLOOR	WHITE	Soft	60x120x0,9	U4P3E3C2	124
LUCCA FLOOR	ANTHR	Soft	90x90x0,9	U4P3E3C2	124
LUCCA FLOOR	BEIGE	Soft	90x90x0,9	U4P3E3C2	124
LUCCA FLOOR	GREY	Soft	90x90x0,9	U4P3E3C2	124
LUCCA FLOOR	WHITE	Soft	90x90x0,9	U4P3E3C2	124
NATURE FLOOR	ANTHR	Soft	60x120x0,9	U4P3E3C2	148
NATURE FLOOR	BEIGE	Soft	60x120x0,9	U4P3E3C2	148
NATURE FLOOR	GREY	Soft	60x120x0,9	U4P3E3C2	148
NATURE FLOOR	WHITE	Soft	60x120x0,9	U4P3E3C2	148
NATURE FLOOR	ANTHR	Soft	60x60x0,9	U4P4+E3C2	148
NATURE FLOOR	BEIGE	Soft	60x60x0,9	U4P4+E3C2	148
NATURE FLOOR	GREY	Soft	60x60x0,9	U4P4+E3C2	148
NATURE FLOOR	WHITE	Soft	60x60x0,9	U4P4+E3C2	148
NATURE FLOOR	ANTHR	Soft	90x90x0,9	U4P3E3C2	148
NATURE FLOOR	BEIGE	Soft	90x90x0,9	U4P3E3C2	148
NATURE FLOOR	GREY	Soft	90x90x0,9	U4P3E3C2	148
NATURE FLOOR	WHITE	Soft	90x90x0,9	U4P3E3C2	148

UPEC_ QB UPEC

Colección Collection	Color Colour	Acabado Finished	Formato Format	Valor Value	P.
SHARK	SILVER	Lapado	60x60x0,9	U4 P4 E3 C2	158
SHARK	WHITE	Natural	60x60x0,9	U3S P3 E3 C2	158
SHARK	BLACK	Natural	60x60x0,9	U3 P3 E3 C2	158
SHARK	SILVER	Natural	60x60x0,9	U3 P3 E3 C2	158

WALLPEC_ QB UPEC

Colección Collection	Color Colour	Acabado Finished	Formato Format	Valor Value	P.
DONNA	SAND	NATURAL	33,3x100x0,75	WALLPE3C2	194
DONNA	SILVER	NATURAL	33,3x100x0,75	WALLPE3C2	194
DONNA	WHITE	NATURAL	33,3x100x0,75	WALLPE3C2	194
DOWNTOWN 4D	ANTHR	SHAPED	100x180x0,6	WALLPE3C2	82
DOWNTOWN 4D	BEIGE	SHAPED	100x180x0,6	WALLPE3C2	82
DOWNTOWN 4D	GREY	SHAPED	100x180x0,6	WALLPE3C2	82
DOWNTOWN 4D	WHITE	SHAPED	100x180x0,6	WALLPE3C2	82
LUCCA 4D	ANTHR	SHAPED	100x180x0,6	WALLPE3C2	120
LUCCA 4D	BEIGE	SHAPED	100x180x0,6	WALLPE3C2	120
LUCCA 4D	GREY	SHAPED	100x180x0,6	WALLPE3C2	120
LUCCA 4D	WHITE	SHAPED	100x180x0,6	WALLPE3C2	120
NATURE	SAND	NATURAL	32x90x1,05	WALLPE3C2	240
NATURE	SILVER	NATURAL	32x90x1,05	WALLPE3C2	240
NATURE	WHITE	NATURAL	32x90x1,05	WALLPE3C2	240
PURE	WHITE	NATURAL	33,3x100x0,75	WALLPE3C2	242
PURE	WHITE	NATURAL	32x90x1,05	WALLPE3C2	242


UPEC_ QB UPEC

Colección Collection	Color Colour	Acabado Finished	Formato Format	Valor Value	P.
PLANET	ANTHR	Antislip	60x60x0,9	U4P4E3C2	152
PLANET	BONE	Antislip	60x60x0,9	U4P4E3C2	152
PLANET	MUD	Antislip	60x60x0,9	U4P4E3C2	152
PLANET	SILVER	Antislip	60x60x0,9	U4P4E3C2	152
PLANET	ANTHR	Natural	60x60x0,9	U4P4E3C2	152
PLANET	BONE	Natural	60x60x0,9	U4P4E3C2	152
PLANET	MUD	Natural	60x60x0,9	U4P4E3C2	152
PLANET	SILVER	Natural	60x60x0,9	U4P4E3C2	152
PLANET	WHITE	Natural	60x60x0,9	U4P4E3C2	152
PLANET	ANTHR	Soft	60x60x0,9	U4P4E3C2	152
PLANET	BONE	Soft	60x60x0,9	U4P4E3C2	152
PLANET	MUD	Soft	60x60x0,9	U4P4E3C2	152
PLANET	SILVER	Soft	60x60x0,9	U4P4E3C2	152
PLANET	WHITE	Soft	60x60x0,9	U4P4E3C2	152
PLANET	ANTHR	Antislip	90x90x0,9	U4P3E3C2	152
PLANET	BONE	Antislip	90x90x0,9	U4P3E3C2	152
PLANET	MUD	Antislip	90x90x0,9	U4P3E3C2	152
PLANET	SILVER	Antislip	90x90x0,9	U4P3E3C2	152
PLANET	ANTHR	Natural	90x90x0,9	U4P3E3C2	152
PLANET	BONE	Natural	90x90x0,9	U4P3E3C2	152
PLANET	MUD	Natural	90x90x0,9	U4P3E3C2	152
PLANET	SILVER	Natural	90x90x0,9	U4P3E3C2	152
PLANET	WHITE	Natural	90x90x0,9	U4P3E3C2	152
PLANET	ANTHR	Soft	90x90x0,9	U4P3E3C2	152
PLANET	BONE	Soft	90x90x0,9	U4P3E3C2	152
PLANET	MUD	Soft	90x90x0,9	U4P3E3C2	152
PLANET	SILVER	Soft	90x90x0,9	U4P3E3C2	152
PLANET	WHITE	Soft	90x90x0,9	U4P3E3C2	152
SATYA	GREY	Antislip	90x90x0,9	U2SP3E3C2	156
SATYA	BONE	Antislip	90x90x0,9	U3SP3E3C2	156
SATYA	BEIGE	Natural	90x90x0,9	U3P3E3C2	156
SATYA	GREY	Natural	90x90x0,9	U2SP3E3C2	156
SATYA	BONE	Natural	90x90x0,9	U3P3E3C2	156
SHARK	WHITE	Lapado	60x60x0,9	U4 P4 E3 C2	158
SHARK	BLACK	Lapado	60x60x0,9	U4 P4 E3 C2	158




Tamaños *Sizes*

Pavimento *Floor*



Revestimiento *Wall*



Tamaños

Sizes

PAVIMENTO / FLOOR

Formato / Format cm	Formato / Format inch	Colección / Collection	P.
100*100*0,6	39 3/8 * 39 3/8 * 1/4	DOWNTOWN 4D	82
100*100*0,6	39 3/8 * 39 3/8 * 1/4	GROUND 4D	98
100*100*0,6	39 3/8 * 39 3/8 * 1/4	LUCCA 4D	120
100*100*0,8	39 3/8 * 39 3/8 * 5/16	ALCHEMY 4D	48
100*100*0,8	39 3/8 * 39 3/8 * 5/16	ALLEY 4D	64
100*100*0,8	39 3/8 * 39 3/8 * 5/16	ALPINE 4D	66
100*100*0,8	39 3/8 * 39 3/8 * 5/16	CLUNY 4D	68
100*100*0,8	39 3/8 * 39 3/8 * 5/16	GHENT 4D	88
100*100*0,8	39 3/8 * 39 3/8 * 5/16	MANHATTAN 4D	132
100*100*0,8	39 3/8 * 39 3/8 * 5/16	MYSTIC 4D	144
100*100*2	39 3/8 * 39 3/8 * 13/16	ALCHEMY 4D	48
100*100*2	39 3/8 * 39 3/8 * 13/16	CLUNY 4D	68
100*100*2	39 3/8 * 39 3/8 * 13/16	GHENT 4D	88
100*100*2	39 3/8 * 39 3/8 * 13/16	MANHATTAN 4D	132
100*100*2	39 3/8 * 39 3/8 * 13/16	MYSTIC 4D	144
100*180*0,6	39 3/8 * 70 7/8 * 1/4	DOWNTOWN 4D	82
100*180*0,6	39 3/8 * 70 7/8 * 1/4	LUCCA 4D	120
100*180*0,8	39 3/8 * 70 7/8 * 5/16	ALPINE 4D	66
100*180*0,8	39 3/8 * 70 7/8 * 1/4	GHENT 4D	88
100*275*0,6	39 3/8 * 108 1/4 * 1/4	ALCHEMY 4D	48
100*275*0,6	39 3/8 * 108 1/4 * 1/4	CLUNY 4D	68
100*275*0,6	39 3/8 * 108 1/4 * 1/4	GHENT 4D	88
100*275*0,6	39 3/8 * 108 1/4 * 1/4	GROUND 4D	98
100*275*0,6	39 3/8 * 108 1/4 * 1/4	LUCCA 4D	120
100*275*0,6	39 3/8 * 108 1/4 * 1/4	MANHATTAN 4D	132
100*275*0,6	39 3/8 * 108 1/4 * 1/4	VERBIER 4D	162
120*120*0,9	47 1/4 * 47 1/4 * 3/8	ALCHEMY FLOOR	58
120*120*0,9	47 1/4 * 47 1/4 * 3/8	CLUNY FLOOR	74
15*90*0,9	5 7/8 * 35 7/16 * 3/8	MUMBLE	140
15*90*0,9	5 7/8 * 35 7/16 * 3/8	UNIQUE	160
19,5*121,5*0,9	7 11/16 * 47 13/16 * 3/8	ESSENCE	86
19,5*121,5*0,9	7 11/16 * 47 13/16 * 3/8	GRANIER FLOOR	94
19,5*121*0,9	7 11/16 * 47 5/8 * 3/8	FS WILD	328
19,5*121*0,9	7 11/16 * 47 5/8 * 3/8	LENK	116
19,5*121*0,9	7 11/16 * 47 5/8 * 3/8	MUMBLE	140
19,5*121*0,9	7 11/16 * 47 5/8 * 3/8	UNIQUE	160
19,5*121*0,9	7 11/16 * 47 5/8 * 3/8	VERBIER	164
20*40*0,93	7 7/8 * 15 3/4 * 3/8	FS TRADITION	325
23*180*1,1	9 1/16 * 70 7/8 * 7/16	MUMBLE	140
24*151*0,9	9 7/16 * 59 7/16 * 3/8	ESSENCE	86
24*151*0,9	9 7/16 * 59 7/16 * 3/8	GRANIER FLOOR	94
24*151*0,9	9 7/16 * 59 7/16 * 3/8	JACKSON FLOOR	110
24*151*0,9	9 7/16 * 59 7/16 * 3/8	LENK	116
24*151*0,9	9 7/16 * 59 7/16 * 3/8	VERBIER	164
24*151*0,9	9 7/16 * 59 7/16 * 3/8	WHISTLER	170
33*33*0,9	13 * 13 * 3/8	HOUSE OF VANITY	108
33*33*0,95	13 * 13 * 3/8	FS ARLES	257

PAVIMENTO / FLOOR


Formato / Format cm	Formato / Format inch	Colección / Collection	P.
33*33*0,95	13 * 13 * 3/8	FS ARTISAN	258
33*33*0,95	13 * 13 * 3/8	FS CAMPANIA	266
33*33*0,95	13 * 13 * 3/8	FS CHESTER	269
33*33*0,95	13 * 13 * 3/8	FS ETNA	274
33*33*0,95	13 * 13 * 3/8	FS FAENZA	275
33*33*0,95	13 * 13 * 3/8	FS MIRAMBEL	292
33*33*0,95	13 * 13 * 3/8	FS SAJA	314
33*33*0,95	13 * 13 * 3/8	FS SEA	315
45,2*45,2*0,95	17 13/16 * 17 13/16 * 3/8	FS FIELD	276
45,2*45,2*0,95	17 13/16 * 17 13/16 * 3/8	FS MARAIS	288
45,2*45,2*0,95	17 13/16 * 17 13/16 * 3/8	FS OFELIA	297
45,2*45,2*0,95	17 13/16 * 17 13/16 * 3/8	FS ROCKSTAR	310
45,2*45,2*0,95	17 13/16 * 17 13/16 * 3/8	FS VENDOME	326
45,2*45,2*0,95	17 13/16 * 17 13/16 * 3/8	FS VENECIA	327
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS ALORA	256
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS AURORA	260
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS BARNA	261
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS BLUME	264
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS BRETAGNE	265
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS CHESTER	269
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS CLAY	270
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS DAMERO	272
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS FOREST	278
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS HERITAGE	280
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS IVY	283
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS JAIPUR	284
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS MARRAKECH	289
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS NOUVEAU	294
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS ORIGINAL	298
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS PANAME	300
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS PORTO	304
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS ROOTS	312
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS STAR	316
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS STAR LT	320
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS TEMPLE	324
45*45*0,95	17 11/16 * 17 11/16 * 3/8	FS YARD	330
50*100*2	19 11/16 * 39 3/8 * 13/16	ALCHEMY 4D	48
50*100*2	19 11/16 * 39 3/8 * 13/16	CLUNY 4D	68
50*100*2	19 11/16 * 39 3/8 * 13/16	GHENT 4D	88
50*100*2	19 11/16 * 39 3/8 * 13/16	MANHATTAN 4D	132
60*120*0,9	23 5/8 * 47 1/4 * 3/8	ALCHEMY FLOOR	58
60*120*0,9	23 5/8 * 47 1/4 * 3/8	CLUNY FLOOR	74
60*120*0,9	23 5/8 * 47 1/4 * 3/8	DOWNTOWN FLOOR	84
60*120*0,9	23 5/8 * 47 1/4 * 3/8	GHENT FLOOR	92
60*120*0,9	23 5/8 * 47 1/4 * 3/8	GRUNGE FLOOR	104
60*120*0,9	23 5/8 * 47 1/4 * 3/8	LUCCA FLOOR	124
60*120*0,9	23 5/8 * 47 1/4 * 3/8	MANHATTAN FLOOR	136

PAVIMENTO / FLOOR

Formato / Format cm	Formato / Format inch	Colección / Collection	P.
60*120*0,9	23 5/8 * 47 1/4 * 3/8	NATURE FLOOR	148
60*120*0,9	23 5/8 * 47 1/4 * 3/8	PLANET	152
60*60*0,9	23 5/8 * 23 5/8 * 3/8	ALCHEMY FLOOR	58
60*60*0,9	23 5/8 * 23 5/8 * 3/8	CLUNY FLOOR	74
60*60*0,9	23 5/8 * 23 5/8 * 3/8	DOWNTOWN FLOOR	84
60*60*0,9	23 5/8 * 23 5/8 * 3/8	FS VENECIA	327
60*60*0,9	23 5/8 * 23 5/8 * 3/8	GHENT FLOOR	92
60*60*0,9	23 5/8 * 23 5/8 * 3/8	GROUND	100
60*60*0,9	23 5/8 * 23 5/8 * 3/8	GRUNGE FLOOR	104
60*60*0,9	23 5/8 * 23 5/8 * 3/8	LUCCA FLOOR	124
60*60*0,9	23 5/8 * 23 5/8 * 3/8	MANHATTAN FLOOR	136
60*60*0,9	23 5/8 * 23 5/8 * 3/8	NATURE FLOOR	148
60*60*0,9	23 5/8 * 23 5/8 * 3/8	PLANET	152
60*60*0,9	23 5/8 * 23 5/8 * 3/8	SHARK	158
60*90*0,9	23 5/8 * 23 5/8 * 3/8	LUCCA FLAGSTONE	128
7,3*45*0,95	3 15/16 * 17 3/4 * 3/8	FS FOREST	278
7,4*67,5*0,95	2 15/16 * 26 9/16 * 3/8	FS MELVIN	290
75,5*151*0,9	29 3/4 * 59 7/16 * 3/8	GRUNGE FLOOR	104
75,5*151*0,9	29 3/4 * 59 7/16 * 3/8	NATURE FLOOR	148
90*90*0,9	35 7/16 * 35 7/16 * 3/8	ALCHEMY FLOOR	58
90*90*0,9	35 7/16 * 35 7/16 * 3/8	CLUNY FLOOR	74
90*90*0,9	35 7/16 * 35 7/16 * 3/8	DOWNTOWN FLOOR	84
90*90*0,9	35 7/16 * 35 7/16 * 3/8	FS ROAD	307
90*90*0,9	35 7/16 * 35 7/16 * 3/8	GHENT FLOOR	92
90*90*0,9	35 7/16 * 35 7/16 * 3/8	GROUND	100
90*90*0,9	35 7/16 * 35 7/16 * 3/8	GRUNGE FLOOR	104
90*90*0,9	35 7/16 * 35 7/16 * 3/8	LUCCA FLOOR	124
90*90*0,9	35 7/16 * 35 7/16 * 3/8	MANHATTAN FLOOR	136
90*90*0,9	35 7/16 * 35 7/16 * 3/8	NATURE FLOOR	148
90*90*0,9	35 7/16 * 35 7/16 * 3/8	PLANET	152
90*90*0,9	35 7/16 * 35 7/16 * 3/8	SATYA	156
90*90*0,9	35 7/16 * 35 7/16 * 3/8	SHARK	158
90*90*0,9	35 7/16 * 35 7/16 * 3/8	SHARK	158
90*90*0,9	35 7/16 * 35 7/16 * 3/8	SHARK	158
90*90*0,9	35 7/16 * 35 7/16 * 3/8	SHARK	158

REVESTIMIENTO / WALL

Formato / Format cm	Formato / Format inch	Colección / Collection	P.
20*40*0,93	7 7/8 * 15 3/4 * 3/8	FS BLOCK	263
20*40*0,93	7 7/8 * 15 3/4 * 3/8	FS IRON	282
20*40*0,93	7 7/8 * 15 3/4 * 3/8	FS LOFT	286
20*40*0,93	7 7/8 * 15 3/4 * 3/8	FS MUD	293
20*40*0,93	7 7/8 * 15 3/4 * 3/8	FS RAKU	306
20*40*1,4	7 7/8 * 15 3/4 * 9/16	FS BLOCK	263
25*75*0,95	9 13/16 * 29 1/2 * 7/16	GRUNGE WALL	214
25*75*0,95	9 13/16 * 29 1/2 * 7/16	MITTE	238
25*75*0,95	9 13/16 * 29 1/2 * 7/16	PURE	242
32*90*0,95	12 5/8 * 35 7/16 * 7/16	DANUBIO	192
32*90*0,95	12 5/8 * 35 7/16 * 7/16	GRUNGE WALL	214
32*90*0,95	12 5/8 * 35 7/16 * 7/16	NATURE WALL	240
32*90*0,95	12 5/8 * 35 7/16 * 7/16	PURE	242
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	ALCHEMY WALL	176
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	CLUNY WALL	182
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	DONNA	194
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	DOWNTOWN WALL	196
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	ERTA	202
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	GHENT WALL	204
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	GROUND WALL	210
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	ICE	220
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	LUCCA WALL	228
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	MANHATTAN WALL	232
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	PURE	242
33,3*100*0,86	13 1/8 * 39 3/8 * 5/16	SALINES	246
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	ALCHEMY WALL	176
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	CLUNY WALL	182
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	COTTON	188
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	DONNA	194
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	DOWNTOWN WALL	196
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	GHENT WALL	204
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	GRANIER WALL	208
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	GROUND WALL	210
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	ICE	220
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	JACKSON WALL	226
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	LUCCA WALL	228
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	MANHATTAN WALL	232
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	SALINES	246
33,3*100*0,98	13 1/8 * 39 3/8 * 3/8	VERBIER WALL	250
33*91*0,95	13 * 35 13/16 * 7/16	DANUBIO	192
33*91*0,95	13 * 35 13/16 * 7/16	PURE	242



Referencias

References

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
ALCHEMY EARTH AS/60X120X0,9/C/R	ALCHEMY FLOOR	37737	BN-116	60*120*0,9	2	30,20	58
ALCHEMY EARTH AS/60X60X0,9/C/R	ALCHEMY FLOOR	38881	BN-88	60*60*0,9	3	20,63	58
ALCHEMY EARTH AS/90X90X0,9/C/R	ALCHEMY FLOOR	37744	BN-90	90*90*0,9	2	33,96	58
ALCHEMY EARTH DECOR/33,3X100/R	ALCHEMY WALL	37870	BN-66	33,3*100*0,98	5	22,45	176
ALCHEMY EARTH SP/100X100/R	ALCHEMY 4D	37980	BN-135	100*100*0,8	2	39,30	48
ALCHEMY EARTH SP/100X275/R	ALCHEMY 4D	37973	BN-141	100*275*0,6	1	38,50	48
ALCHEMY EARTH TEXTURED/33,3X100X0,86/R	ALCHEMY WALL	40300	BN-65	33,3*100*0,98	6	30,40	176
ALCHEMY EARTH/100X100/A/R	ALCHEMY 4D	38007	BN-144	100*100*0,8	2	39,30	48
ALCHEMY EARTH/100X100X2/A/R	ALCHEMY 4D	37986	BN-145	100*100*2	1	49,20	48
ALCHEMY EARTH/33,3X100/R	ALCHEMY WALL	37862	BN-65	33,3*100*0,86	6	24,92	176
ALCHEMY EARTH/50X100X2/A/R	ALCHEMY 4D	38010	BN-147	50*100*2	1	24,70	48
ALCHEMY IRON AS/60X120X0,9/C/R	ALCHEMY FLOOR	37736	BN-116	60*120*0,9	2	30,20	58
ALCHEMY IRON AS/60X60X0,9/C/R	ALCHEMY FLOOR	38882	BN-88	60*60*0,9	3	20,63	58
ALCHEMY IRON AS/90X90X0,9/C/R	ALCHEMY FLOOR	37746	BN-90	90*90*0,9	2	33,96	58
ALCHEMY IRON DECOR/33,3X100/R	ALCHEMY WALL	37869	BN-66	33,3*100*0,98	5	22,45	176
ALCHEMY IRON NT/120X120X0,9/R	ALCHEMY FLOOR	39434	BN-164	120*120*0,9	1	32,00	58
ALCHEMY IRON SP/100X100/R	ALCHEMY 4D	37979	BN-135	100*100*0,8	2	39,30	48
ALCHEMY IRON SP/100X275/R	ALCHEMY 4D	37971	BN-141	100*275*0,6	1	38,50	48
ALCHEMY IRON TEXTURED/33,3X100X0,86/R	ALCHEMY WALL	40301	BN-65	33,3*100*0,98	6	30,40	176
ALCHEMY IRON/100X100/A/R	ALCHEMY 4D	38008	BN-144	100*100*0,8	2	39,30	48
ALCHEMY IRON/100X100X2/A/R	ALCHEMY 4D	37985	BN-145	100*100*2	1	49,20	48
ALCHEMY IRON/120X120X0,9/A/R	ALCHEMY FLOOR	39436	BN-165	120*120*0,9	1	32,00	58
ALCHEMY IRON/33,3X100/R	ALCHEMY WALL	37864	BN-65	33,3*100*0,86	6	24,92	176
ALCHEMY IRON/50X100X2/A/R	ALCHEMY 4D	38011	BN-147	50*100*2	1	24,70	48
ALCHEMY PEARL AS/60X120X0,9/C/R	ALCHEMY FLOOR	37738	BN-116	60*120*0,9	2	30,20	58
ALCHEMY PEARL AS/60X60X0,9/C/R	ALCHEMY FLOOR	38883	BN-88	60*60*0,9	3	20,63	58
ALCHEMY PEARL AS/90X90X0,9/C/R	ALCHEMY FLOOR	37745	BN-90	90*90*0,9	2	33,96	58
ALCHEMY PEARL DECOR/33,3X100/R	ALCHEMY WALL	37868	BN-66	33,3*100*0,98	5	22,45	176
ALCHEMY PEARL SP/100X100/R	ALCHEMY 4D	37981	BN-136	100*100*0,8	2	39,30	48
ALCHEMY PEARL SP/100X275/R	ALCHEMY 4D	37974	BN-142	100*275*0,6	1	38,50	48
ALCHEMY PEARL TEXTURED/33,3X100/R	ALCHEMY WALL	37866	BN-65	33,3*100*0,86	6	24,92	176
ALCHEMY PEARL/100X100/A/R	ALCHEMY 4D	38009	BN-143	100*100*0,8	2	39,30	48
ALCHEMY PEARL/100X100X2/A/R	ALCHEMY 4D	37987	BN-145	100*100*2	1	49,20	48
ALCHEMY PEARL/33,3X100/R	ALCHEMY WALL	37867	BN-65	33,3*100*0,86	6	24,92	176
ALCHEMY PEARL/50X100X2/A/R	ALCHEMY 4D	38012	BN-147	50*100*2	1	24,70	48
ALEX-G	MITTE	20173	BN-20	25*75*0,95	7	24,70	238
ALEX-W	MITTE	20174	BN-20	25*75*0,95	7	24,70	238
ALLEY BONE/100X100/BHMR/R	ALLEY 4D	23403	BN-99	100*100*0,8	2	39,30	64
ALLEY BONE/100X100/R	ALLEY 4D	23398	BN-94	100*100*0,8	2	39,30	64
ALLEY GREY/100X100/BHMR/R	ALLEY 4D	23402	BN-99	100*100*0,8	2	39,30	64
ALLEY GREY/100X100/R	ALLEY 4D	23397	BN-94	100*100*0,8	2	39,30	64
ALLEY WHITE/100X100/BHMR/R	ALLEY 4D	23401	BN-112	100*100*0,8	2	39,30	64
ALLEY WHITE/100X100/R	ALLEY 4D	23396	BN-110	100*100*0,8	2	39,30	64
ALPINE ANTH DECOR SP/100X180/R	ALPINE 4D	29035	BN-139	100*180*0,8	2	70,88	66
ALPINE ANTH SP/100X100/R	ALPINE 4D	28948	BN-135	100*100*0,8	2	39,30	66
ALPINE ANTH SP/100X180/R	ALPINE 4D	28519	BN-137	100*180*0,8	2	70,88	66
ALPINE BEIGE DECOR SP/100X180/R	ALPINE 4D	29033	BN-139	100*180*0,8	2	70,88	66
ALPINE BEIGE SP/100X100/R	ALPINE 4D	28946	BN-135	100*100*0,8	2	39,30	66
ALPINE BEIGE SP/100X180/R	ALPINE 4D	28520	BN-137	100*180*0,8	2	70,88	66
ALPINE GREY DECOR SP/100X180/R	ALPINE 4D	29034	BN-139	100*180*0,8	2	70,88	66
ALPINE GREY SP/100X100/R	ALPINE 4D	28947	BN-135	100*100*0,8	2	39,30	66
ALPINE GREY SP/100X180/R	ALPINE 4D	28522	BN-137	100*180*0,8	2	70,88	66
ALPINE WHITE DECOR SP/100X180/R	ALPINE 4D	29036	BN-140	100*180*0,8	2	70,88	66
ALPINE WHITE SP/100X100/R	ALPINE 4D	28945	BN-136	100*100*0,8	2	39,30	66
ALPINE WHITE SP/100X180/R	ALPINE 4D	28521	BN-138	100*180*0,8	2	70,88	66
BARCELOS/15X90/R	MUMBLE	25369	BN-76	15*90*0,9	7	21,70	140
C. FS FAENZA-A	FS FAENZA	13714	P-12	11*33*0,95	24	17,14	275
C. FS FAENZA-N	FS FAENZA	13715	P-12	11*33*0,95	24	17,14	275
C. FS MANISES-B	FS FAENZA	13716	P-12	11*33*0,95	24	17,14	275
C.HV-12	HOUSE OF VANITY	14683	P-12	11*33*0,9	24	15,70	108
C.HV-34	HOUSE OF VANITY	14684	P-12	11*33*0,9	24	15,80	108
CLUNY BEIGE AS/60X120/C/R	CLUNY FLOOR	36356	BN-116	60*120*0,9	2	33,18	74
CLUNY BEIGE AS/90X90/C/R	CLUNY FLOOR	36354	BN-90	90*90*0,9	2	37,96	74
CLUNY BEIGE NT/120X120X0,9/R	CLUNY FLOOR	39197	BN-164	120*120*0,9	1	32,00	74
CLUNY BEIGE SF/60X60X0,9/R	CLUNY FLOOR	38136	BN-33	60*60*0,9	3	20,63	74
CLUNY BEIGE SF/90X90X0,9/R	CLUNY FLOOR	39284	BN-48	90*90*0,9	2	33,96	74
CLUNY BEIGE SP/100X100/R	CLUNY 4D	36337	BN-135	100*100*0,8	2	39,30	68
CLUNY BEIGE SP/100X275/R	CLUNY 4D	36282	BN-141	100*275*0,6	1	38,50	68
CLUNY BEIGE/100X100/A/R	CLUNY 4D	36341	BN-144	100*100*0,8	2	39,30	68
CLUNY BEIGE/100X100X2/A/R	CLUNY 4D	36348	BN-145	100*100*2	1	49,20	68
CLUNY BEIGE/120X120X0,9/A/R	CLUNY FLOOR	39200	BN-165	120*120*0,9	1	32,00	74
CLUNY BEIGE/50X100X2/A/R	CLUNY 4D	36902	BN-147	50*100*2	1	24,70	68
CLUNY SAND AS/60X120X0,9/C/R	CLUNY FLOOR	38812	BN-116	60*120*0,9	2	30,39	74
CLUNY SAND AS/90X90X0,9/C/R	CLUNY FLOOR	38655	BN-90	90*90*0,9	2	33,96	74
CLUNY SAND DECOR/33,3X100/R	CLUNY WALL	36369	BN-66	33,3*100*0,98	5	22,45	182
CLUNY SAND NT/120X120X0,9/R	CLUNY FLOOR	39198	BN-164	120*120*0,9	1	32,00	74
CLUNY SAND SF/60X60X0,9/R	CLUNY FLOOR	38137	BN-33	60*60*0,9	3	20,63	74
CLUNY SAND SF/90X90X0,9/R	CLUNY FLOOR	38387	BN-48	90*90*0,9	2	33,96	74
CLUNY SAND SP/100X100/R	CLUNY 4D	36338	BN-135	100*100*0,8	2	39,30	68
CLUNY SAND SP/100X275/R	CLUNY 4D	36281	BN-141	100*275*0,6	1	38,50	68
CLUNY SAND TEXTURED/33,3X100/R	CLUNY WALL	36368	BN-65	33,3*100*0,86	6	24,92	182
CLUNY SAND/100X100/A/R	CLUNY 4D	36343	BN-144	100*100*0,8	2	39,30	68
CLUNY SAND/100X100X2/A/R	CLUNY 4D	36350	BN-145	100*100*2	1	49,20	68
CLUNY SAND/120X120X0,9/A/R	CLUNY FLOOR	39201	BN-165	120*120*0,9	1	32,00	74
CLUNY SAND/33,3X100/R	CLUNY WALL	36365	BN-65	33,3*100*0,86	6	24,92	182
CLUNY SAND/50X100X2/A/R	CLUNY 4D	36903	BN-147	50*100*2	1	24,70	68
CLUNY SILVER AS/60X120X0,9/C/R	CLUNY FLOOR	39448	BN-116	60*120*0,9	2	30,20	74
CLUNY SILVER AS/90X90/C/R	CLUNY FLOOR	36352	BN-90	90*90*0,9	2	37,96	74
CLUNY SILVER DECOR/33,3X100/R	CLUNY WALL	36371	BN-66	33,3*100*0,98	5	22,45	182
CLUNY SILVER SF/60X60X0,9/R	CLUNY FLOOR	38138	BN-33	60*60*0,9	3	20,63	74
CLUNY SILVER SF/90X90/R	CLUNY FLOOR	36361	BN-48	90*90*0,9	2	37,96	74
CLUNY SILVER SP/100X100/R	CLUNY 4D	36339	BN-135	100*100*0,8	2	39,30	68
CLUNY SILVER SP/100X275/R	CLUNY 4D	36283	BN-141	100*275*0,6	1	38,50	68
CLUNY SILVER TEXTURED/33,3X100/R	CLUNY WALL	36370	BN-65	33,3*100*0,86	6	24,92	182
CLUNY SILVER/100X100/A/R	CLUNY 4D	36342	BN-144	100*100*0,8	2	39,30	68

Referencias

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
CLUNY SILVER/100X100X2/A/R	CLUNY 4D	36349	BN-145	100*100*2	1	49,20	68
CLUNY SILVER/33,3X100/R	CLUNY WALL	36366	BN-65	33,3*100*0,86	6	24,92	182
CLUNY SILVER/50X100X2/A/R	CLUNY 4D	36904	BN-147	50*100*2	1	24,70	68
CLUNY WHITE AS/60X120X0,9/C/R	CLUNY FLOOR	38911	BN-116	60*120*0,9	2	30,20	74
CLUNY WHITE AS/90X90X0,9/C/R	CLUNY FLOOR	38654	BN-90	90*90*0,9	2	33,96	74
CLUNY WHITE DECOR/33,3X100/R	CLUNY WALL	36367	BN-66	33,3*100*0,98	5	22,45	182
CLUNY WHITE NT/120X120X0,9/R	CLUNY FLOOR	39199	BN-164	120*120*0,9	1	32,00	74
CLUNY WHITE SF/60X60X0,9/R	CLUNY FLOOR	38135	BN-33	60*60*0,9	3	20,63	74
CLUNY WHITE SF/90X90/R	CLUNY FLOOR	36359	BN-48	90*90*0,9	2	37,96	74
CLUNY WHITE SP/100X100/R	CLUNY 4D	36336	BN-136	100*100*0,8	2	39,30	68
CLUNY WHITE SP/100X275/R	CLUNY 4D	36280	BN-142	100*275*0,6	1	38,50	68
CLUNY WHITE TEXTURED/33,3X100/R	CLUNY WALL	36364	BN-65	33,3*100*0,86	6	24,92	182
CLUNY WHITE/100X100/A/R	CLUNY 4D	36340	BN-143	100*100*0,8	2	39,30	68
CLUNY WHITE/100X100X2/A/R	CLUNY 4D	36347	BN-145	100*100*2	1	49,20	68
CLUNY WHITE/120X120X0,9/A/R	CLUNY FLOOR	39202	BN-165	120*120*0,9	1	32,00	74
CLUNY WHITE/33,3X100/R	CLUNY WALL	36363	BN-65	33,3*100*0,86	6	24,92	182
CLUNY WHITE/50X100X2/A/R	CLUNY 4D	36905	BN-147	50*100*2	1	24,70	68
COTTON DIAMOND/33,3X100X0,98/R	COTTON	40284	BN-5	33,3*100*0,98	5	27,88	188
COTTON FOLD/33,3X100X0,98/R	COTTON	40286	BN-5	33,3*100*0,98	5	27,90	188
COTTON WAVES/33,3X100X0,98/R	COTTON	40285	BN-5	33,3*100*0,98	5	27,90	188
COTTON/33,3X100X0,86/R	COTTON	40283	BN-4	33,3*100*0,98	6	30,40	188
D.DONNA LEAVES/100/R	DONNA	27776	P-77	33,3*100*0,86	6	26,60	194
D.GHENT BEIGE MOSAIC/12T/ AS/30X30/C/R	GHENT FLOOR	32103	P-36	30*30*0,9	8	15,88	92
D.GHENT BEIGE MOSAIC/16T/ AS/30X30/C/R	GHENT FLOOR	32099	P-36	30*30*0,9	8	15,88	92
D.GHENT GREY MOSAIC/12T/ AS/30X30/C/R	GHENT FLOOR	32104	P-36	30*30*0,9	8	15,88	92
D.GHENT GREY MOSAIC/16T/ AS/30X30/C/R	GHENT FLOOR	32100	P-36	30*30*0,9	8	15,88	92
D.GHENT SILVER MOSAIC/12T/ AS/30X30/C/R	GHENT FLOOR	32105	P-36	30*30*0,9	8	15,88	92
D.GHENT SILVER MOSAIC/16T/ AS/30X30/C/R	GHENT FLOOR	32101	P-36	30*30*0,9	8	15,88	92
D.GHENT WHITE MOSAIC/12T/ AS/30X30/C/R	GHENT FLOOR	32106	P-36	30*30*0,9	8	15,88	92
D.GHENT WHITE MOSAIC/16T/ AS/30X30/C/R	GHENT FLOOR	32102	P-36	30*30*0,9	8	15,88	92
D.GROUND BONE MOSAIC SF/30X30/C/R	GROUND	23435	P-37	30*30*0,9	8	15,88	100
D.GROUND BONE SPAC SF/30X30/C/R	GROUND	23505	P-58	30*30*0,9	8	15,64	100
D.GROUND GREY MOSAIC SF/30X30/C/R	GROUND	23438	P-37	30*30*0,9	8	15,88	100
D.GROUND GREY SPAC SF/30X30/C/R	GROUND	23506	P-58	30*30*0,9	8	15,64	100
D.GROUND SILVER MOSAIC SF/30X30/C/R	GROUND	23439	P-37	30*30*0,9	8	15,88	100
D.GROUND SILVER SPAC SF/30X30/C/R	GROUND	23507	P-58	30*30*0,9	8	15,64	100
D.GRUNGE ANTH MOSAIC/ AS/30X30/C	GRUNGE FLOOR	27603	P-37	30*30*0,9	8	15,64	104
D.GRUNGE ANTH SPAC/ AS/30X30/C	GRUNGE FLOOR	27608	P-58	30*30*0,9	8	15,88	104
D.GRUNGE BEIGE MOSAIC/ AS/30X30/C	GRUNGE FLOOR	27605	P-37	30*30*0,9	8	15,64	104
D.GRUNGE BEIGE SPAC/ AS/30X30/C	GRUNGE FLOOR	27609	P-58	30*30*0,9	8	15,88	104
D.GRUNGE BEIGE WALL MOSAIC/30X30	GRUNGE WALL	27613	P-44	30*30*0,95	8	11,00	214
D.GRUNGE GREY MOSAIC/ AS/30X30/C	GRUNGE FLOOR	27606	P-37	30*30*0,9	8	15,64	104
D.GRUNGE GREY SPAC/ AS/30X30/C	GRUNGE FLOOR	27610	P-58	30*30*0,9	8	15,88	104
D.GRUNGE GREY WALL MOSAIC/30X30	GRUNGE WALL	27614	P-44	30*30*0,95	8	11,00	214
D.GRUNGE WHITE MOSAIC/ AS/30X30/C	GRUNGE FLOOR	27607	P-37	30*30*0,9	8	15,64	104
D.GRUNGE WHITE SPAC/ AS/30X30/C	GRUNGE FLOOR	27611	P-58	30*30*0,9	8	15,88	104
D.GRUNGE WHITE WALL MOSAIC/30X30	GRUNGE WALL	27612	P-44	30*30*0,95	8	11,00	214
D.LENK ASH CHEV.1 AS/32X28,6/C	LENK	27720	P-47	32*28*0,9	5	11,70	116
D.LENK ASH CHEV.2 AS/32X28,6/C	LENK	27727	P-47	32*28*0,9	5	11,70	116
D.LENK ASH STRIPES AS/24X75/C	LENK	27756	P-51	24*75*0,9	4	18,20	116
D.LENK HONEY CHEV.1 AS/32X28,6/C	LENK	27721	P-47	32*28*0,9	5	11,70	116
D.LENK HONEY CHEV.2 AS/32X28,6/C	LENK	27728	P-47	32*28*0,9	5	11,70	116
D.LENK HONEY STRIPES AS/24X75/C	LENK	27757	P-51	24*75*0,9	4	18,20	116
D.LENK MAPLE CHEV.1 AS/32X28,6/C	LENK	27722	P-47	32*28*0,9	5	11,70	116
D.LENK MAPLE CHEV.2 AS/32X28,6/C	LENK	27729	P-47	32*28*0,9	5	11,70	116
D.LENK MAPLE STRIPES AS/24X75/C	LENK	27758	P-51	24*75*0,9	4	18,20	116
D.LENK SMOKE CHEV.1 AS/32X28,6/C	LENK	27723	P-47	32*28*0,9	5	11,70	116
D.LENK SMOKE CHEV.2 AS/32X28,6/C	LENK	27730	P-47	32*28*0,9	5	11,70	116
D.LENK SMOKE STRIPES AS/24X75/C	LENK	27759	P-51	24*75*0,9	4	18,20	116
D.LENK TAUPE CHEV.1 AS/32X28,6/C	LENK	27724	P-47	32*28*0,9	5	11,70	116
D.LENK TAUPE CHEV.2 AS/32X28,6/C	LENK	27731	P-47	32*28*0,9	5	11,70	116
D.LENK TAUPE STRIPES AS/24X75/C	LENK	27760	P-51	24*75*0,9	4	18,20	116
D.LENK WALNUT CHEV.1 AS/32X28,6/C	LENK	27725	P-47	32*28*0,9	5	11,70	116
D.LENK WALNUT CHEV.2 AS/32X28,6/C	LENK	27732	P-47	32*28*0,9	5	11,70	116
D.LENK WALNUT STRIPES AS/24X75/C	LENK	27761	P-51	24*75*0,9	4	18,20	116
D.LENK WHITE CHEV.1 AS/32X28,6/C	LENK	27726	P-47	32*28*0,9	5	11,70	116
D.LENK WHITE CHEV.2 AS/32X28,6/C	LENK	27733	P-47	32*28*0,9	5	11,70	116
D.LENK WHITE STRIPES AS/24X75/C	LENK	27762	P-51	24*75*0,9	4	18,20	116
D.MILA COLD MOSAIC/SF	GROUND	23442	P-37	30*30*0,9	8	15,88	100
D.MILA WARM MOSAIC/SF	GROUND	23441	P-37	30*30*0,9	8	15,88	100
D.NATURE ANTH MOSAIC SF/30X30/C/R	NATURE FLOOR	26082	P-37	30*30*0,9	8	15,88	148
D.NATURE BEIGE MOSAIC SF/30X30/C/R	NATURE FLOOR	26083	P-37	30*30*0,9	8	15,88	148
D.NATURE GREY MOSAIC SF/30X30/C/R	NATURE FLOOR	26084	P-37	30*30*0,9	8	15,88	148
D.NATURE SAND WALL MOSAIC/30X30	NATURE WALL	30870	P-44	30*30*0,95	8	11,00	240
D.NATURE SILVER WALL MOSAIC/30X30	NATURE WALL	30871	P-44	30*30*0,95	8	11,00	240
D.NATURE WHITE MOSAIC SF/30X30/C/R	NATURE FLOOR	26086	P-37	30*30*0,9	8	15,88	148
D.NATURE WHITE WALL MOSAIC/30X30	NATURE WALL	26299	P-37	30*30*0,95	8	11,00	240
D.PLANET ANTH MOSAIC SF/30X30/C/R	PLANET	22502	P-37	30*30*0,9	8	15,88	152
D.PLANET BONE MOSAIC SF/30X30/C/R	PLANET	22505	P-37	30*30*0,9	8	15,88	152
D.PLANET MUD MOSAIC SF/30X30/C/R	PLANET	22506	P-37	30*30*0,9	8	15,88	152
D.PLANET SILVER MOSAIC SF/30X30/C/R	PLANET	22504	P-37	30*30*0,9	8	15,88	152
D.PLANET WHITE MOSAIC SF/30X30/C/R	PLANET	25800	P-37	30*30*0,9	8	15,88	152
D.SALINES BONE MOSAIC/30X30	SALINES	23322	P-44	30*30*0,7	11	16,70	246
D.SALINES MIX MOSAIC/30X30	SALINES	23320	P-44	30*30*0,7	11	11,20	246
D.SALINES SILVER MOSAIC/30X30	SALINES	23323	P-44	30*30*0,7	11	16,70	246

References

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
D.SALINES WHITE MOSAIC/30X30	SALINES	23321	P-44	30*30*0,7	11	16,70	246
D.SATYER-B/5	SATYA	21424	P-45	30*30*0,9	8	15,88	156
D.SATYER-G/5	SATYA	21416	P-45	30*30*0,9	8	15,88	156
D.SATYER-H/5	SATYA	21415	P-45	30*30*0,9	8	15,88	156
D.VERBIER ASH CHEV AS/27,5X24/C	VERBIER	32092	P-53	27,5*24*0,9	8	11,29	164
D.VERBIER CHERRY CHEV AS/27,5X24/C	VERBIER	32093	P-53	27,5*24*0,9	8	11,29	164
D.VERBIER CIGAR CHEV AS/27,5X24/C	VERBIER	32094	P-53	27,5*24*0,9	8	11,29	164
D.VERBIER HONEY CHEV AS/27,5X24/C	VERBIER	32095	P-53	27,5*24*0,9	8	11,29	164
D.VERBIER MAPLE CHEV AS/27,5X24/C	VERBIER	32096	P-53	27,5*24*0,9	8	11,29	164
D.VERBIER STRAW CHEV AS/27,5X24/C	VERBIER	32097	P-53	27,5*24*0,9	8	11,29	164
D.VERBIER TAUPE CHEV AS/27,5X24/C	VERBIER	32098	P-53	27,5*24*0,9	8	11,29	164
DANUBIO-G	DANUBIO	14364	BN-21	33*91*0,95	4	21,80	192
DANUBIO-G/R	DANUBIO	14430	BN-29	32*90*0,95	4	20,90	192
DANUBIO-H	DANUBIO	14365	BN-21	33*91*0,95	4	21,80	192
DANUBIO-H/R	DANUBIO	14431	BN-29	32*90*0,95	4	20,90	192
DONNA SAND DECOR/33,3X100X0,98/R	DONNA	40288	BN-66	33,3*100*0,98	5	27,90	194
DONNA SAND/33,3X100X0,86/R	DONNA	40291	BN-65	33,3*100*0,98	6	30,40	194
DONNA SILVER DECOR/33,3X100/R	DONNA	27538	BN-66	33,3*100*0,98	5	22,45	194
DONNA SILVER DECOR/33,3X100X0,98/R	DONNA	40289	BN-66	33,3*100*0,98	5	27,90	194
DONNA SILVER/33,3X100X0,86/R	DONNA	40292	BN-65	33,3*100*0,98	6	30,38	194
DONNA WHITE DECOR/33,3X100X0,98/R	DONNA	40287	BN-66	33,3*100*0,98	5	27,90	194
DONNA WHITE/33,3X100X0,86/R	DONNA	40290	BN-65	33,3*100*0,98	6	30,38	194
DOWNTOWN ANTH NT/60X60/C/R	DOWNTOWN FLOOR	29698	BN-33	60*60*0,9	3	24,30	84
DOWNTOWN ANTH SP/100X100/R	DOWNTOWN 4D	31012	BN-135	100*100*0,6	2	29,92	82
DOWNTOWN ANTH SP/100X180/R	DOWNTOWN 4D	31345	BN-137	100*180*0,6	2	52,92	82
DOWNTOWN ANTH SP/60X120/C/R	DOWNTOWN FLOOR	29695	BN-6	60*120*0,9	2	33,18	84
DOWNTOWN ANTH SP/90X90X0,9/C/R	DOWNTOWN FLOOR	40006	BN-7	90*90*0,9	2	33,96	84
DOWNTOWN ANTH/90X90/A/R	DOWNTOWN FLOOR	30733	BN-90	90*90*0,9	2	37,96	84
DOWNTOWN BEIGE MATERIAL SP/33,3X100/R	DOWNTOWN WALL	30754	BN-10	33,3*100*0,98	5	22,45	196
DOWNTOWN BEIGE NT/60X60/C/R	DOWNTOWN FLOOR	29700	BN-33	60*60*0,9	3	24,30	84
DOWNTOWN BEIGE SP/100X100/R	DOWNTOWN 4D	31013	BN-135	100*100*0,6	2	29,92	82
DOWNTOWN BEIGE SP/100X180/R	DOWNTOWN 4D	31346	BN-137	100*180*0,6	2	52,92	82
DOWNTOWN BEIGE SP/33,3X100/R	DOWNTOWN WALL	29725	BN-8	33,3*100*0,86	6	24,92	196
DOWNTOWN BEIGE SP/60X120/C/R	DOWNTOWN FLOOR	29696	BN-6	60*120*0,9	2	33,18	84
DOWNTOWN BEIGE SP/90X90/C/R	DOWNTOWN FLOOR	29714	BN-7	90*90*0,9	2	37,96	84
DOWNTOWN BEIGE TRIANGLE SP/33,3X100/R	DOWNTOWN WALL	29727	BN-10	33,3*100*0,98	5	22,45	196
DOWNTOWN BEIGE/90X90/A/R	DOWNTOWN FLOOR	30738	BN-90	90*90*0,9	2	37,96	84
DOWNTOWN GREY MATERIAL SP/33,3X100/R	DOWNTOWN WALL	30756	BN-10	33,3*100*0,98	5	22,45	196
DOWNTOWN GREY NT/60X60X0,9/C/R	DOWNTOWN FLOOR	38986	BN-33	60*60*0,9	3	20,63	84
DOWNTOWN GREY SP/100X100/R	DOWNTOWN 4D	31014	BN-135	100*100*0,6	2	29,92	82
DOWNTOWN GREY SP/100X180/R	DOWNTOWN 4D	31348	BN-137	100*180*0,6	2	52,92	82
DOWNTOWN GREY SP/33,3X100/R	DOWNTOWN WALL	29724	BN-8	33,3*100*0,86	6	24,92	196
DOWNTOWN GREY SP/60X120/C/R	DOWNTOWN FLOOR	29697	BN-6	60*120*0,9	2	33,18	84
DOWNTOWN GREY SP/90X90X0,9/C/R	DOWNTOWN FLOOR	39669	BN-7	90*90*0,9	2	33,96	84
DOWNTOWN GREY TRIANGLE SP/33,3X100/R	DOWNTOWN WALL	29726	BN-10	33,3*100*0,98	5	22,45	196
DOWNTOWN GREY/90X90X0,9/A/R	DOWNTOWN FLOOR	39249	BN-90	90*90*0,9	2	33,96	84
DOWNTOWN WHITE MATERIAL SP/33,3X100/R	DOWNTOWN WALL	30755	BN-10	33,3*100*0,98	5	22,45	196
DOWNTOWN WHITE NT/60X60/C/R	DOWNTOWN FLOOR	29689	BN-33	60*60*0,9	3	24,30	84
DOWNTOWN WHITE SP/100X100/R	DOWNTOWN 4D	31015	BN-136	100*100*0,6	2	29,92	82
DOWNTOWN WHITE SP/100X180/R	DOWNTOWN 4D	31347	BN-137	100*180*0,6	2	52,92	82
DOWNTOWN WHITE SP/33,3X100/R	DOWNTOWN WALL	29723	BN-8	33,3*100*0,86	6	24,92	196
DOWNTOWN WHITE SP/60X120/C/R	DOWNTOWN FLOOR	29694	BN-6	60*120*0,9	2	33,18	84
DOWNTOWN WHITE SP/90X90/C/R	DOWNTOWN FLOOR	29716	BN-7	90*90*0,9	2	37,96	84
DOWNTOWN WHITE TRIANGLE SP/33,3X100/R	DOWNTOWN WALL	29728	BN-10	33,3*100*0,98	5	22,45	196
DOWNTOWN WHITE/90X90/A/R	DOWNTOWN FLOOR	30739	BN-90	90*90*0,9	2	37,96	84
ERTA BEIGE DECOR/100/R	ERTA	22123	BN-66	33,3*100*0,86	6	24,92	202
ERTA BEIGE/100/R	ERTA	22122	BN-65	33,3*100*0,86	6	24,92	202
ERTA SILVER DECOR/100/R	ERTA	22125	BN-66	33,3*100*0,86	6	24,92	202
ERTA SILVER/100/R	ERTA	22124	BN-65	33,3*100*0,86	6	24,92	202
ESSENCE ALMOND/19,5X121,5/A/R	ESSENCE	25636	BN-95	19,5*121,5*0,9	4	22,17	86
ESSENCE ALMOND/19,5X121X0,9/R	ESSENCE	39579	BN-60	19,5*121*0,9	4	19,59	86
ESSENCE ALMOND/24X151/R	ESSENCE	22329	BN-93	24*151*0,9	3	24,27	86
ESSENCE MAPLE/19,5X121,5/R	ESSENCE	25637	BN-60	19,5*121,5*0,9	4	22,17	86
ESSENCE NUT/19,5X121,5/R	ESSENCE	25638	BN-60	19,5*121,5*0,9	4	22,17	86
ESSENCE TAUPE/19,5X121X0,9/A/R	ESSENCE	39089	BN-95	19,5*121*0,9	4	19,40	86
ESSENCE TAUPE/19,5X121X0,9/R	ESSENCE	39142	BN-60	19,5*121*0,9	4	19,59	86
ESSENCE TAUPE/24X151X0,9/R	ESSENCE	39563	BN-93	24*151*0,9	3	22,31	86
FIBER-G	PURE	16151	BN-25	33*91*0,95	4	21,80	242
FIBER-G/R	PURE	16160	BN-36	32*90*0,95	4	20,90	242
FIBER-W	PURE	16153	BN-25	33*91*0,95	4	21,80	242
FIBER-W/R	PURE	16161	BN-36	32*90*0,95	4	20,90	242
FS 0/45X45X0,95	FS ORIGINAL	38208	BN-14	45*45*0,95	5	21,14	298
FS 1/45X45X0,95	FS ORIGINAL	38085	BN-14	45*45*0,95	5	21,15	298
FS 2/45X45X0,95	FS ORIGINAL	38314	BN-14	45*45*0,95	5	21,14	298
FS 3/45X45X0,95	FS ORIGINAL	38082	BN-14	45*45*0,95	5	21,15	298
FS 4/45X45X0,95	FS ORIGINAL	39058	BN-14	45*45*0,95	5	21,15	298
FS ALORA/45X45X0,95	FS ALORA	38084	BN-14	45*45*0,95	5	21,15	256
FS AMALFI LT	FS CAMPANIA	37766	BN-17	33*33*0,95	10	21,39	266
FS ARLES BLACK LT	FS ARLES	31651	BN-17	33*33*0,95	10	21,39	257
FS ARLES BLUE LT	FS ARLES	31649	BN-17	33*33*0,95	10	21,39	257
FS ARLES BROWN LT	FS ARLES	31650	BN-17	33*33*0,95	10	21,39	257
FS ARLES GREEN LT	FS ARLES	31652	BN-17	33*33*0,95	10	21,39	257
FS ARTISAN DAMERO-A	FS ARTISAN	18244	BN-14	33*33*0,95	10	21,39	258
FS ARTISAN DECOR-A	FS ARTISAN	18151	BN-14	33*33*0,95	10	21,39	258
FS ARTISAN-B	FS ARTISAN	18150	BN-14	33*33*0,95	10	21,39	258
FS ATRANI LT	FS CAMPANIA	37767	BN-17	33*33*0,95	10	21,39	266
FS AURORA BLACK/45X45X0,95	FS AURORA	38170	BN-14	45*45*0,95	5	21,14	260
FS AURORA BLUE/45X45X0,95	FS AURORA	38317	BN-14	45*45*0,95	5	21,14	260
FS AURORA SAGE/45X45X0,95	FS AURORA	38171	BN-14	45*45*0,95	5	21,15	260
FS AURORA WHITE/45X45X0,95	FS AURORA	38316	BN-14	45*45*0,95	5	21,15	260

Referencias

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
FS BARNA BORN/45X45X0,95	FS BARNA	37765	BN-14	45*45*0,95	5	21,15	261
FS BARNA GRACIA/45X45X0,95	FS BARNA	37763	BN-14	45*45*0,95	5	21,15	261
FS BARNA RAVAL/45X45X0,95	FS BARNA	37764	BN-14	45*45*0,95	5	21,15	261
FS BARNA SARRIA/45X45X0,95	FS BARNA	37784	BN-14	45*45*0,95	5	21,15	261
FS BLOCK SILVER	FS BLOCK	37773	BN-3	20*40*0,93	12	16,29	263
FS BLOCK SILVER DECOR	FS BLOCK	37774	BN-18	20*40*1,4	10	15,79	263
FS BLOCK WHITE	FS BLOCK	37771	BN-3	20*40*0,93	12	16,29	263
FS BLOCK WHITE DECOR	FS BLOCK	37772	BN-18	20*40*1,4	10	15,79	263
FS BLOSSOM/45X45X0,95	FS CLAY	38178	BN-14	45*45*0,95	5	21,15	270
FS BLUME BLACK/45X45X0,95	FS BLUME	38929	BN-14	45*45*0,95	5	21,14	264
FS BLUME BLUE/45X45X0,95	FS BLUME	38168	BN-14	45*45*0,95	5	21,15	264
FS BLUME SAGE/45X45X0,95	FS BLUME	38315	BN-14	45*45*0,95	5	21,14	264
FS BLUME WHITE/45X45X0,95	FS BLUME	38169	BN-14	45*45*0,95	5	21,15	264
FS BRETAGNE/45X45X0,95	FS BRETAGNE	38088	BN-14	45*45*0,95	5	21,15	265
FS CHECKER SAND/45X45X0,95	FS CLAY	38179	BN-14	45*45*0,95	5	21,15	270
FS CHECKER SILVER/45X45X0,95	FS CLAY	38318	BN-14	45*45*0,95	5	21,15	270
FS CHESTER/45X45X0,95	FS CHESTER	38380	BN-14	45*45*0,95	5	21,15	269
FS COMILLAS	FS CHESTER	20933	BN-14	33*33*0,95	10	21,39	269
FS DAMERO-N/45X45X0,95	FS DAMERO	38086	BN-14	45*45*0,95	5	21,15	272
FS ESPIGA/45X45X0,95	FS DAMERO	38087	BN-14	45*45*0,95	5	21,15	272
FS ETNA BLACK	FS ETNA	27230	BN-14	33*33*0,95	10	21,39	274
FS ETNA BLUE	FS ETNA	27232	BN-14	33*33*0,95	10	21,39	274
FS ETNA SAGE	FS ETNA	27233	BN-14	33*33*0,95	10	21,39	274
FS ETNA WHITE	FS ETNA	27231	BN-14	33*33*0,95	10	21,39	274
FS FAENZA-A	FS FAENZA	13618	BN-14	33*33*0,95	10	21,39	275
FS FAENZA-N	FS FAENZA	13619	BN-14	33*33*0,95	10	21,39	275
FS FIELD BLACK LT/45,2X45,2X0,95	FS FIELD	38322	BN-151	45,2*45,2*0,95	5	22,50	276
FS FIELD BLUE LT/45,2X45,2X0,95	FS FIELD	38323	BN-151	45,2*45,2*0,95	5	22,50	276
FS FIELD BROWN LT/45,2X45,2X0,95	FS FIELD	38324	BN-151	45,2*45,2*0,95	5	22,50	276
FS FOREST BLACK/45X45X0,95	FS FOREST	38320	BN-14	45*45*0,95	5	21,15	278
FS FOREST MIX/45X45X0,95	FS FOREST	38321	BN-14	45*45*0,95	5	21,15	278
FS FOREST NATURAL/45X45X0,95	FS FOREST	38190	BN-14	45*45*0,95	5	21,15	278
FS FOREST PLANK NATURAL/7,3X45X0,95	FS FOREST	39699	BN-146	7,3*45*0,95	25	18,95	278
FS FOREST WHITE/45X45X0,95	FS FOREST	38319	BN-14	45*45*0,95	5	21,15	278
FS HERITAGE LEAVES LT/45X45X0,95	FS HERITAGE	38182	BN-17	45*45*0,95	5	21,14	280
FS HERITAGE ORNATE LT/45X45X0,95	FS HERITAGE	38181	BN-17	45*45*0,95	5	21,14	280
FS HERITAGE SQUARE LT/45X45X0,95	FS HERITAGE	38180	BN-17	45*45*0,95	5	21,14	280
FS HERITAGE WHITE LT/45X45X0,95	FS HERITAGE	39357	BN-17	45*45*0,95	5	21,15	280
FS IRON OXIDE LT	FS IRON	34446	BN-18	20*40*0,93	12	16,29	282
FS IRON WHITE LT	FS IRON	34447	BN-18	20*40*0,93	12	16,29	282
FS IVY BLACK/45X45X0,95	FS IVY	39368	BN-14	45*45*0,95	5	21,15	283
FS IVY BLUE/45X45X0,95	FS IVY	38860	BN-14	45*45*0,95	5	21,14	283
FS IVY SAGE/45X45X0,95	FS IVY	38130	BN-14	45*45*0,95	5	21,15	283
FS JAIPUR BLACK LT/45X45X0,95	FS JAIPUR	39684	BN-17	45*45*0,95	5	21,15	284
FS JAIPUR WHITE LT/45X45X0,95	FS JAIPUR	39603	BN-17	45*45*0,95	5	21,15	284
FS LOFT BLACK	FS LOFT	34450	BN-18	20*40*0,93	12	16,29	286
FS LOFT CLAY	FS LOFT	34451	BN-18	20*40*0,93	12	16,29	286
FS LOFT WHITE	FS LOFT	34449	BN-18	20*40*0,93	12	16,29	286
FS MANISES-B	FS FAENZA	13621	BN-14	33*33*0,95	10	21,39	275
FS MARAIS/45,2X45,2X0,95	FS MARAIS	38931	BN-61	45,2*45,2*0,95	5	22,48	288
FS MARRAKECH BLUE/45X45X0,95	FS MARRAKECH	38162	BN-14	45*45*0,95	5	21,15	289
FS MARRAKECH GREY/45X45X0,95	FS MARRAKECH	38311	BN-14	45*45*0,95	5	21,15	289
FS MELVIN COLOR/7,4X67,5X0,9	FS MELVIN	39766	BN-73	7,4*67,5*0,95	15	14,69	290
FS MELVIN WHITE	FS MELVIN	20033	BN-73	7,4*67,5*0,95	15	17,14	290
FS MINORI LT	FS CAMPANIA	37768	BN-17	33*33*0,95	10	21,39	266
FS MIRAMBEL-A	FS MIRAMBEL	20300	BN-14	33*33*0,95	10	21,39	292
FS MIRAMBEL-B	FS MIRAMBEL	20527	BN-14	33*33*0,95	10	21,39	292
FS MIRAMBEL-M	FS MIRAMBEL	20301	BN-14	33*33*0,95	10	21,39	292
FS MUD COCOA	FS MUD	29760	BN-3	20*40*0,93	12	16,29	293
FS MUD SAND	FS MUD	29761	BN-3	20*40*0,93	12	16,29	293
FS MUD SILVER	FS MUD	29758	BN-3	20*40*0,93	12	16,29	293
FS MUD WHITE	FS MUD	29759	BN-3	20*40*0,93	12	16,29	293
FS NIJAR/45X45X0,95	FS ORIGINAL	38161	BN-14	45*45*0,95	5	21,15	298
FS NOUVEAU RUBY/45X45X0,95	FS NOUVEAU	39477	BN-14	45*45*0,95	5	21,15	294
FS NOUVEAU SAGE/45X45X0,95	FS NOUVEAU	39476	BN-14	45*45*0,95	5	21,15	294
FS OFELIA/45,2X45,2X0,95	FS OFELIA	38669	BN-61	45,2*45,2*0,95	5	22,48	297
FS OLDKER	FS ARTISAN	20302	BN-14	33*33*0,95	10	21,39	258
FS PANAME BASTILLE/45X45X0,95	FS PANAME	39480	BN-14	45*45*0,95	5	21,15	300
FS PANAME CONCORDE/45X45X0,95	FS PANAME	39478	BN-14	45*45*0,95	5	21,15	300
FS PANAME OPERA/45X45X0,95	FS PANAME	39481	BN-14	45*45*0,95	5	21,15	300
FS PANAME TROCADERO/45X45X0,95	FS PANAME	39479	BN-14	45*45*0,95	5	21,15	300
FS PORTO AMARAL/45X45X0,95	FS PORTO	38183	BN-14	45*45*0,95	5	21,15	304
FS PORTO FATIMA/45X45X0,95	FS PORTO	38184	BN-14	45*45*0,95	5	21,15	304
FS PORTO FLAVIA/45X45X0,95	FS PORTO	38644	BN-14	45*45*0,95	5	21,15	304
FS PORTO IRIA/45X45X0,95	FS PORTO	39337	BN-14	45*45*0,95	5	21,15	304
FS RAKU BLACK	FS RAKU	28941	BN-3	20*40*0,93	12	16,29	306
FS RAKU BLUE	FS RAKU	28939	BN-3	20*40*0,93	12	16,29	306
FS RAKU COLORS	FS RAKU	28944	BN-3	20*40*0,93	12	16,29	306
FS RAKU CREAM	FS RAKU	28942	BN-3	20*40*0,93	12	16,29	306
FS RAKU SAGE	FS RAKU	28940	BN-3	20*40*0,93	12	16,29	306
FS RAKU SILVER	FS RAKU	28943	BN-3	20*40*0,93	12	16,29	306
FS RAKU WHITE	FS RAKU	28938	BN-3	20*40*0,93	12	16,29	306
FS ROAD MARS AS/90X90X0,9/C/R	FS ROAD	39086	BN-150	90*90*0,9	2	33,96	307
FS ROAD MOON AS/90X90X0,9/C/R	FS ROAD	39087	BN-150	90*90*0,9	2	33,96	307
FS ROCK AS/45,2X45,2X0,95	FS ROCKSTAR	38325	BN-149	45,2*45,2*0,95	5	22,50	310
FS ROCKSTAR-N AS/45,2X45,2X0,95	FS ROCKSTAR	38952	BN-149	45,2*45,2*0,95	5	22,50	310
FS ROMBOS-N/45X45X0,95	FS DAMERO	38159	BN-14	45*45*0,95	5	21,15	272
FS ROOTS-0/45X45X0,95	FS ROOTS	38177	BN-14	45*45*0,95	5	21,14	312
FS ROOTS-1/45X45X0,95	FS ROOTS	38174	BN-14	45*45*0,95	5	21,15	312
FS ROOTS-2/45X45X0,95	FS ROOTS	39358	BN-14	45*45*0,95	5	21,14	312
FS ROOTS-3/45X45X0,95	FS ROOTS	38175	BN-14	45*45*0,95	5	21,14	312
FS ROOTS-4/45X45X0,95	FS ROOTS	38176	BN-14	45*45*0,95	5	21,15	312
FS RUE	FS VENDOME	24266	BN-61	45,2*45,2*0,95	5	23,70	326
FS SAJA-B	FS SAJA	20087	BN-14	33*33*0,95	10	21,39	314
FS SAJA-N	FS SAJA	20086	BN-14	33*33*0,95	10	21,39	314
FS SALERNO LT	FS CAMPANIA	37995	BN-17	33*33*0,95	10	21,39	266
FS SEA BLUE LT	FS SEA	32444	BN-17	33*33*0,95	10	21,39	315
FS SEA WHITE LT	FS SEA	32445	BN-17	33*33*0,95	10	21,39	315
FS SEAL/45X45X0,95	FS CLAY	38083	BN-14	45*45*0,95	5	21,15	270
FS STAR ARA BLACK/45X45X0,95	FS STAR	38070	BN-14	45*45*0,95	5	21,15	316
FS STAR BLACK LT/45X45X0,95	FS STAR LT	38186	BN-17	45*45*0,95	5	21,15	320
FS STAR BLUE LT/45X45X0,95	FS STAR LT	38187	BN-17	45*45*0,95	5	21,14	320
FS STAR BLUE/45X45X0,95	FS STAR	38165	BN-14	45*45*0,95	5	21,15	316

References

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
FS STAR NIGHT/45X45X0,95	FS STAR	38173	BN-14	45*45*0,95	5	21,14	316
FS STAR OXIDE/45X45X0,95	FS STAR	38163	BN-14	45*45*0,95	5	21,15	316
FS STAR SAGE LT/45X45X0,95	FS STAR LT	38188	BN-17	45*45*0,95	5	21,15	320
FS STAR SAGE/45X45X0,95	FS STAR	38164	BN-14	45*45*0,95	5	21,15	316
FS STAR SKY/45X45X0,95	FS STAR	39663	BN-14	45*45*0,95	5	21,15	316
FS STAR WHITE LT/45X45X0,95	FS STAR LT	38189	BN-17	45*45*0,95	5	21,15	320
FS STAR WHITE/45X45X0,95	FS STAR	38172	BN-14	45*45*0,95	5	21,15	316
FS STAR-N/45X45X0,95	FS STAR	38160	BN-14	45*45*0,95	5	21,15	316
FS TEMPLE BLACK/45X45X0,95	FS TEMPLE	38312	BN-14	45*45*0,95	5	21,15	324
FS TEMPLE BLUE/45X45X0,95	FS TEMPLE	38313	BN-14	45*45*0,95	5	21,15	324
FS TEMPLE OXIDE	FS TEMPLE	24715	BN-14	45*45*0,95	5	24,14	324
FS TEMPLE SAGE/45X45X0,95	FS TEMPLE	38930	BN-14	45*45*0,95	5	21,15	324
FS TRADITION BRICK BLUE LT	FS TRADITION	30898	BN-18	20*40*0,93	12	16,29	325
FS TRADITION BRICK GREEN LT	FS TRADITION	31131	BN-18	20*40*0,93	12	16,29	325
FS TRADITION BRICK SILVER LT	FS TRADITION	30897	BN-18	20*40*0,93	12	16,29	325
FS TRADITION BRICK WHITE LT	FS TRADITION	30961	BN-18	20*40*0,93	12	16,29	325
FS TRADITION SQUARE BLUE LT	FS TRADITION	30899	BN-18	20*40*0,93	12	16,29	325
FS TRADITION SQUARE GREEN LT	FS TRADITION	31132	BN-18	20*40*0,93	12	16,29	325
FS TRADITION SQUARE SILVER LT	FS TRADITION	30962	BN-18	20*40*0,93	12	16,29	325
FS TRADITION SQUARE WHITE LT	FS TRADITION	30896	BN-18	20*40*0,93	12	16,29	325
FS VENDOME	FS VENDOME	24269	BN-61	45,2*45,2*0,95	5	23,70	326
FS VENECIA/45,2X45,2X0,95	FS VENECIA	38383	BN-61	45,2*45,2*0,95	5	22,50	327
FS VENECIA/60X60X0,9/R	FS VENECIA	38932	BN-91	60*60*0,9	3	20,63	327
FS WILD AS/19,5X121X0,9/C/R	FS WILD	38953	BN-152	19,5*121*0,9	4	19,59	328
FS YARD BLACK/45X45X0,95	FS YARD	38166	BN-14	45*45*0,95	5	21,15	330
FS YARD BLUE/45X45X0,95	FS YARD	38167	BN-14	45*45*0,95	5	21,15	330
FS YARD SAGE/45X45X0,95	FS YARD	38216	BN-14	45*45*0,95	5	21,14	330
GHENT BEIGE AS/60X120X0,9/C/R	GHENT FLOOR	38376	BN-116	60*120*0,9	2	30,20	92
GHENT BEIGE AS/90X90X0,9/C/R	GHENT FLOOR	38624	BN-90	90*90*0,9	2	33,96	92
GHENT BEIGE DEC SP/33,3X100/R	GHENT WALL	31863	BN-10	33,3*100*0,98	5	22,45	204
GHENT BEIGE NT/60X60X0,9/C/R	GHENT FLOOR	38377	BN-33	60*60*0,9	3	20,63	92
GHENT BEIGE SP/100X100/R	GHENT 4D	31747	BN-135	100*100*0,8	2	39,30	88
GHENT BEIGE SP/100X180/R	GHENT 4D	33200	BN-137	100*180*0,6	2	52,92	88
GHENT BEIGE SP/100X275/R	GHENT 4D	35597	BN-141	100*275*0,6	1	38,50	88
GHENT BEIGE SP/33,3X100/R	GHENT WALL	31860	BN-8	33,3*100*0,86	6	24,92	204
GHENT BEIGE/100X100/A/R	GHENT 4D	33948	BN-144	100*100*0,8	2	39,30	88
GHENT BEIGE/100X100X2/A/R	GHENT 4D	34878	BN-145	100*100*2	1	49,20	88
GHENT BEIGE/50X100X2/A/R	GHENT 4D	35567	BN-147	50*100*2	1	24,70	88
GHENT GREY AS/60X120X0,9/C/R	GHENT FLOOR	38936	BN-116	60*120*0,9	2	30,20	92
GHENT GREY AS/90X90X0,9/C/R	GHENT FLOOR	38938	BN-90	90*90*0,9	2	33,96	92
GHENT GREY NT/60X60X0,9/C/R	GHENT FLOOR	38933	BN-33	60*60*0,9	3	20,63	92
GHENT GREY SP/100X100/R	GHENT 4D	31749	BN-135	100*100*0,8	2	39,30	88
GHENT GREY SP/100X180/R	GHENT 4D	33202	BN-137	100*180*0,6	2	52,92	88
GHENT GREY SP/100X275/R	GHENT 4D	35598	BN-141	100*275*0,6	1	38,50	88
GHENT GREY/100X100/A/R	GHENT 4D	33947	BN-144	100*100*0,8	2	39,30	88
GHENT GREY/100X100X2/A/R	GHENT 4D	34734	BN-145	100*100*2	1	49,20	88
GHENT GREY/50X100X2/A/R	GHENT 4D	35568	BN-147	50*100*2	1	24,70	88
GHENT SILVER AS/60X120X0,9/C/R	GHENT FLOOR	38937	BN-116	60*120*0,9	2	30,20	92
GHENT SILVER AS/90X90X0,9/C/R	GHENT FLOOR	38829	BN-90	90*90*0,9	2	33,96	92
GHENT SILVER DEC SP/33,3X100/R	GHENT WALL	31864	BN-10	33,3*100*0,98	5	22,45	204
GHENT SILVER NT/60X60X0,9/C/R	GHENT FLOOR	38934	BN-33	60*60*0,9	3	20,63	92
GHENT SILVER SP/100X100/R	GHENT 4D	31748	BN-135	100*100*0,8	2	39,30	88
GHENT SILVER SP/100X180/R	GHENT 4D	33201	BN-137	100*180*0,6	2	52,92	88
GHENT SILVER SP/100X275/R	GHENT 4D	35599	BN-141	100*275*0,6	1	38,50	88
GHENT SILVER SP/33,3X100/R	GHENT WALL	31862	BN-8	33,3*100*0,86	6	24,92	204
GHENT SILVER/100X100/A/R	GHENT 4D	33946	BN-144	100*100*0,8	2	39,30	88
GHENT SILVER/100X100X2/A/R	GHENT 4D	34733	BN-145	100*100*2	1	49,20	88
GHENT SILVER/50X100X2/A/R	GHENT 4D	35569	BN-147	50*100*2	1	24,70	88
GHENT WHITE AS/60X120X0,9/C/R	GHENT FLOOR	38375	BN-116	60*120*0,9	2	30,39	92
GHENT WHITE AS/90X90X0,9/C/R	GHENT FLOOR	38939	BN-90	90*90*0,9	2	33,96	92
GHENT WHITE DEC SP/33,3X100/R	GHENT WALL	31865	BN-10	33,3*100*0,98	5	22,45	204
GHENT WHITE NT/60X60X0,9/C/R	GHENT FLOOR	38935	BN-33	60*60*0,9	3	20,63	92
GHENT WHITE SP/100X100/R	GHENT 4D	31746	BN-136	100*100*0,8	2	39,30	88
GHENT WHITE SP/100X180/R	GHENT 4D	33203	BN-138	100*180*0,8	2	70,88	88
GHENT WHITE SP/100X275/R	GHENT 4D	35600	BN-142	100*275*0,6	1	38,50	88
GHENT WHITE SP/33,3X100/R	GHENT WALL	31861	BN-8	33,3*100*0,86	6	24,92	204
GHENT WHITE/100X100/A/R	GHENT 4D	33945	BN-143	100*100*0,8	2	39,30	88
GHENT WHITE/100X100X2/A/R	GHENT 4D	34732	BN-145	100*100*2	1	49,20	88
GHENT WHITE/50X100X2/A/R	GHENT 4D	35570	BN-147	50*100*2	1	24,70	88
GRANIER ASH AS/19,5X121X0,9/C/R	GRANIER FLOOR	38451	BN-95	19,5*121*0,9	4	19,40	94
GRANIER ASH AS/24X151/C/R	GRANIER FLOOR	34641	BN-121	24*151*0,9	3	24,27	94
GRANIER HONEY AS/19,5X121X0,9/C/R	GRANIER FLOOR	38450	BN-95	19,5*121*0,9	4	19,40	94
GRANIER HONEY AS/24X151/C/R	GRANIER FLOOR	34637	BN-121	24*151*0,9	3	24,27	94
GRANIER HONEY DECOR SP/33,3X100/R	GRANIER WALL	34773	BN-10	33,3*100*0,98	5	22,45	208
GRANIER MAPLE AS/19,5X121,5/C/R	GRANIER FLOOR	34766	BN-95	19,5*121,5*0,9	4	22,17	94
GRANIER MAPLE AS/24X151/C/R	GRANIER FLOOR	34639	BN-121	24*151*0,9	3	24,27	94
GRANIER NATURAL AS/19,5X121X0,9/C/R	GRANIER FLOOR	38364	BN-95	19,5*121*0,9	4	19,40	94
GRANIER NATURAL AS/24X151X0,9/C/R	GRANIER FLOOR	40041	BN-121	24*151*0,9	3	22,31	94
GRANIER NATURAL DECOR SP/33,3X100/R	GRANIER WALL	34772	BN-10	33,3*100*0,98	5	22,45	208
GRANIER TAUPE AS/19,5X121X0,9/C/R	GRANIER FLOOR	39359	BN-95	19,5*121*0,9	4	19,59	94
GRANIER TAUPE AS/24X151X0,9/C/R	GRANIER FLOOR	38862	BN-121	24*151*0,9	3	22,31	94
GRANIER TAUPE DECOR SP/33,3X100/R	GRANIER WALL	34774	BN-10	33,3*100*0,98	5	22,45	208
GROUND BONE DECOR/33,3X100/R	GROUND WALL	34813	BN-66	33,3*100*0,98	5	22,45	210
GROUND BONE LA/60X60X0,9/L/R	GROUND	38425	BN-38	60*60*0,9	3	20,63	100
GROUND BONE LA/90X90X0,9/L/R	GROUND	40277	BN-42	90*90*0,9	2	33,96	100
GROUND BONE SF/60X60X0,9/C/R	GROUND	38415	BN-33	60*60*0,9	3	20,63	100
GROUND BONE SF/90X90X0,9/C/R	GROUND	38940	BN-48	90*90*0,9	2	33,96	100
GROUND BONE SP/100X100/R	GROUND 4D	32889	BN-135	100*100*0,6	2	29,92	98
GROUND BONE SP/100X275/R	GROUND 4D	35904	BN-141	100*275*0,6	1	38,50	98
GROUND BONE/33,3X100X0,86/R	GROUND WALL	40302	BN-65	33,3*100*0,98	6	30,40	210
GROUND BONE/60X60X0,9/A/R	GROUND	38432	BN-88	60*60*0,9	3	20,63	100
GROUND BONE/90X90X0,9/A/R	GROUND	38942	BN-90	90*90*0,9	2	33,96	100
GROUND GREY LA/60X60X0,9/L/R	GROUND	38427	BN-38	60*60*0,9	3	20,63	100
GROUND GREY LA/90X90/L/R	GROUND	27135	BN-42	90*90*0,9	2	37,96	100
GROUND GREY SF/60X60X0,9/C/R	GROUND	38378	BN-33	60*60*0,9	3	20,63	100
GROUND GREY SF/90X90X0,9/C/R	GROUND	38409	BN-48	90*90*0,9	2	33,96	100
GROUND GREY SP/100X100/R	GROUND 4D	32890	BN-135	100*100*0,6	2	29,92	98
GROUND GREY/60X60X0,9/A/R	GROUND	38943	BN-88	60*60*0,9	3	20,63	100
GROUND GREY/90X90/A/R	GROUND	24974	BN-90	90*90*0,9	2	37,96	100

Referencias

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
GROUND SILVER DECOR/33,3X100/R	GROUND WALL	34815	BN-66	33,3*100*0,98	5	22,45	210
GROUND SILVER LA/60X60X0,9/L/R	GROUND	38426	BN-38	60*60*0,9	3	20,63	100
GROUND SILVER LA/90X90/L/R	GROUND	27136	BN-42	90*90*0,9	2	37,96	100
GROUND SILVER SF/60X60X0,9/C/R	GROUND	38347	BN-33	60*60*0,9	3	20,63	100
GROUND SILVER SF/90X90/C/R	GROUND	24790	BN-48	90*90*0,9	2	33,96	100
GROUND SILVER SP/100X100/R	GROUND 4D	32888	BN-135	100*100*0,6	2	29,92	98
GROUND SILVER/33,3X100/R	GROUND WALL	34762	BN-65	33,3*100*0,86	6	24,92	210
GROUND SILVER/60X60X0,9/A/R	GROUND	38346	BN-88	60*60*0,9	3	20,63	100
GROUND SILVER/90X90X0,9/A/R	GROUND	38941	BN-90	90*90*0,9	2	33,96	100
GROUND WHITE DECOR/33,3X100/R	GROUND WALL	34814	BN-66	33,3*100*0,98	5	22,45	210
GROUND WHITE/33,3X100X0,86/R	GROUND WALL	40265	BN-65	33,3*100*0,98	6	30,40	210
GRUNGE ANTH AS/60X120X0,9/C/R	GRUNGE FLOOR	38947	BN-116	60*120*0,9	2	30,20	104
GRUNGE ANTH AS/60X60X0,9/C/R	GRUNGE FLOOR	38944	BN-88	60*60*0,9	3	20,63	104
GRUNGE ANTH AS/75,5X151X0,9/C/R	GRUNGE FLOOR	38951	BN-119	75,5*151*0,9	2	47,16	104
GRUNGE ANTH AS/90X90X0,9/C/R	GRUNGE FLOOR	38562	BN-90	90*90*0,9	2	33,96	104
GRUNGE BEIGE AS/60X120X0,9/C/R	GRUNGE FLOOR	38948	BN-116	60*120*0,9	2	30,20	104
GRUNGE BEIGE AS/60X60X0,9/C/R	GRUNGE FLOOR	38379	BN-88	60*60*0,9	3	20,63	104
GRUNGE BEIGE AS/75,5X151X0,9/C/R	GRUNGE FLOOR	38549	BN-119	75,5*151*0,9	2	47,16	104
GRUNGE BEIGE AS/90X90X0,9/C/R	GRUNGE FLOOR	38158	BN-90	90*90*0,9	2	33,96	104
GRUNGE BEIGE DECOR/25X75	GRUNGE WALL	27159	BN-20	25*75*0,95	7	24,70	214
GRUNGE BEIGE PEAK/32X90/R	GRUNGE WALL	27498	BN-36	32*90*0,95	4	20,90	214
GRUNGE BEIGE STRIPES/32X90/R	GRUNGE WALL	27493	BN-36	32*90*0,95	4	20,90	214
GRUNGE BEIGE/25X75	GRUNGE WALL	27158	BN-16	25*75*0,95	7	24,70	214
GRUNGE BEIGE/32X90/R	GRUNGE WALL	27491	BN-29	32*90*0,95	4	20,90	214
GRUNGE GREY AS/60X120X0,9/C/R	GRUNGE FLOOR	38949	BN-116	60*120*0,9	2	30,20	104
GRUNGE GREY AS/60X60X0,9/C/R	GRUNGE FLOOR	38945	BN-88	60*60*0,9	3	20,63	104
GRUNGE GREY AS/75,5X151/C/R	GRUNGE FLOOR	27434	BN-119	75,5*151*0,9	1	26,00	104
GRUNGE GREY AS/90X90X0,9/C/R	GRUNGE FLOOR	38061	BN-90	90*90*0,9	2	33,96	104
GRUNGE GREY DECOR/25X75	GRUNGE WALL	27160	BN-20	25*75*0,95	7	24,70	214
GRUNGE GREY PEAK/32X90/R	GRUNGE WALL	27496	BN-36	32*90*0,95	4	20,90	214
GRUNGE GREY STRIPES/32X90/R	GRUNGE WALL	27494	BN-36	32*90*0,95	4	20,90	214
GRUNGE GREY/25X75	GRUNGE WALL	27157	BN-16	25*75*0,95	7	24,70	214
GRUNGE GREY/32X90/R	GRUNGE WALL	27492	BN-29	32*90*0,95	4	20,90	214
GRUNGE WHITE AS/60X120X0,9/C/R	GRUNGE FLOOR	38950	BN-116	60*120*0,9	2	30,20	104
GRUNGE WHITE AS/60X60X0,9/C/R	GRUNGE FLOOR	38946	BN-88	60*60*0,9	3	20,63	104
GRUNGE WHITE AS/75,5X151/C/R	GRUNGE FLOOR	27435	BN-119	75,5*151*0,9	1	26,00	104
GRUNGE WHITE AS/90X90X0,9/C/R	GRUNGE FLOOR	38391	BN-90	90*90*0,9	2	33,96	104
GRUNGE WHITE DECOR/25X75	GRUNGE WALL	27161	BN-20	25*75*0,95	7	24,70	214
GRUNGE WHITE PEAK/32X90/R	GRUNGE WALL	27497	BN-36	32*90*0,95	4	20,90	214
GRUNGE WHITE STRIPES/32X90/R	GRUNGE WALL	27495	BN-36	32*90*0,95	4	20,90	214
GRUNGE WHITE/25X75	GRUNGE WALL	27156	BN-16	25*75*0,95	7	24,70	214
GRUNGE WHITE/32X90/R	GRUNGE WALL	27490	BN-29	32*90*0,95	4	20,90	214
HV-1	HOUSE OF VANITY	14644	BN-61	33*33*0,9	10	21,47	108
HV-2	HOUSE OF VANITY	14645	BN-61	33*33*0,9	10	21,47	108
HV-3	HOUSE OF VANITY	14646	BN-61	33*33*0,9	10	21,47	108
HV-4	HOUSE OF VANITY	14647	BN-61	33*33*0,9	10	21,47	108
ICE DIAMOND/33,3X100/R	ICE	30858	BN-5	33,3*100*0,98	5	22,45	220
ICE FOLD/33,3X100/R	ICE	30859	BN-5	33,3*100*0,98	5	22,45	220
ICE WAVES/33,3X100/R	ICE	30857	BN-5	33,3*100*0,98	5	22,45	220
ICE/33,3X100/R	ICE	30853	BN-4	33,3*100*0,86	6	24,92	220
JACKSON ASH/24X151X0,9/R	JACKSON FLOOR	39080	BN-93	24*151*0,9	3	22,31	110
JACKSON HONEY SP/33,3X100/R	JACKSON WALL	37874	BN-10	33,3*100*0,98	5	22,45	226
JACKSON HONEY/24X151X0,9/A/R	JACKSON FLOOR	39083	BN-121	24*151*0,9	3	22,31	110
JACKSON HONEY/24X151X0,9/R	JACKSON FLOOR	39078	BN-93	24*151*0,9	3	22,31	110
JACKSON MAPLE/24X151X0,9/R	JACKSON FLOOR	39079	BN-93	24*151*0,9	3	22,31	110
JACKSON TAUPE SP/33,3X100/R	JACKSON WALL	37873	BN-10	33,3*100*0,98	5	22,45	226
JACKSON TAUPE/24X151X0,9/A/R	JACKSON FLOOR	39084	BN-121	24*151*0,9	3	22,31	110
JACKSON TAUPE/24X151X0,9/R	JACKSON FLOOR	39081	BN-93	24*151*0,9	3	22,31	110
JACKSON WALNUT/24X151X0,9/R	JACKSON FLOOR	39082	BN-93	24*151*0,9	3	22,31	110
LENK ASH AS/19,5X121X0,9/C/R	LENK	38962	BN-95	19,5*121*0,9	4	19,40	116
LENK ASH AS/24X151X0,9/C/R	LENK	38600	BN-121	24*151*0,9	3	22,31	116
LENK HONEY AS/19,5X121X0,9/C/R	LENK	38440	BN-95	19,5*121*0,9	4	19,40	116
LENK HONEY AS/24X151X0,9/C/R	LENK	38602	BN-121	24*151*0,9	3	22,31	116
LENK MAPLE AS/19,5X121X0,9/C/R	LENK	38963	BN-95	19,5*121*0,9	4	19,59	116
LENK MAPLE AS/24X151X0,9/C/R	LENK	38601	BN-121	24*151*0,9	3	22,31	116
LENK SMOKE AS/19,5X121X0,9/C/R	LENK	38964	BN-95	19,5*121*0,9	4	19,40	116
LENK SMOKE AS/24X151X0,9/C/R	LENK	38954	BN-121	24*151*0,9	3	22,31	116
LENK TAUPE AS/19,5X121X0,9/C/R	LENK	38832	BN-95	19,5*121*0,9	4	19,40	116
LENK TAUPE AS/24X151X0,9/C/R	LENK	38955	BN-121	24*151*0,9	3	22,31	116
LENK WALNUT AS/19,5X121X0,9/C/R	LENK	38965	BN-95	19,5*121*0,9	4	19,59	116
LENK WALNUT AS/24X151X0,9/C/R	LENK	38956	BN-121	24*151*0,9	3	22,31	116
LENK WHITE AS/19,5X121X0,9/C/R	LENK	38966	BN-95	19,5*121*0,9	4	19,59	116
LENK WHITE AS/24X151X0,9/C/R	LENK	38957	BN-121	24*151*0,9	3	22,31	116
LUCCA ANTH AS/60X120X0,9/C/R	LUCCA FLOOR	38828	BN-116	60*120*0,9	2	30,20	124
LUCCA ANTH AS/90X90/C/R	LUCCA FLOOR	29856	BN-90	90*90*0,9	2	37,96	124
LUCCA ANTH HO/60X120/L/R	LUCCA FLOOR	30105	BN-132	60*120*0,9	2	33,18	124
LUCCA ANTH HO/90X90/L/R	LUCCA FLOOR	30099	BN-131	90*90*0,9	2	37,96	124
LUCCA ANTH NT/60X60X0,9/C/R	LUCCA FLOOR	38967	BN-33	60*60*0,9	3	20,63	124
LUCCA ANTH SF/60X120X0,9/R	LUCCA FLOOR	40115	BN-72	60*120*0,9	2	30,20	124
LUCCA ANTH SF/90X90/R	LUCCA FLOOR	30101	BN-48	90*90*0,9	2	37,96	124
LUCCA ANTH SP/100X100/R	LUCCA 4D	32881	BN-135	100*100*0,6	2	29,92	120
LUCCA ANTH SP/100X180/R	LUCCA 4D	29848	BN-137	100*180*0,6	2	52,92	120
LUCCA BEIGE AS/60X120X0,9/C/R	LUCCA FLOOR	38677	BN-116	60*120*0,9	2	30,20	124
LUCCA BEIGE AS/90X90X0,9/C/R	LUCCA FLOOR	38453	BN-90	90*90*0,9	2	33,96	124
LUCCA BEIGE DECOR SP/33,3X100/R	LUCCA WALL	31794	BN-10	33,3*100*0,98	5	22,45	228
LUCCA BEIGE HO/60X120/L/R	LUCCA FLOOR	30106	BN-132	60*120*0,9	2	33,18	124
LUCCA BEIGE HO/90X90/L/R	LUCCA FLOOR	30097	BN-131	90*90*0,9	2	37,96	124
LUCCA BEIGE NT/60X60X0,9/C/R	LUCCA FLOOR	38968	BN-33	60*60*0,9	3	20,63	124
LUCCA BEIGE SF/60X120X0,9/R	LUCCA FLOOR	39329	BN-72	60*120*0,9	2	30,20	124
LUCCA BEIGE SF/90X90/R	LUCCA FLOOR	30102	BN-48	90*90*0,9	2	37,96	124
LUCCA BEIGE SP/100X100/R	LUCCA 4D	32880	BN-135	100*100*0,6	2	29,92	120
LUCCA BEIGE SP/100X180/R	LUCCA 4D	29850	BN-137	100*180*0,6	2	52,92	120
LUCCA BEIGE SP/100X275/R	LUCCA 4D	35903	BN-141	100*275*0,6	1	38,50	120
LUCCA BEIGE SP/33,3X100/R	LUCCA WALL	31791	BN-8	33,3*100*0,86	6	24,92	228
LUCCA FLAGSTONE BONE SP/60X90/R	LUCCA FLAGSTONE	39590	BN-163	60*90*0,9	2	20,48	128

References

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
LUCCA FLAGSTONE CAMEL SP/60X90/R	LUCCA FLAGSTONE	39589	BN-163	60*90*0,9	2	20,48	128
LUCCA FLAGSTONE SMOKE SP/60X90/R	LUCCA FLAGSTONE	39591	BN-163	60*90*0,9	2	20,48	128
LUCCA GREY AS/60X120X0,9/C/R	LUCCA FLOOR	39620	BN-116	60*120*0,9	2	30,39	124
LUCCA GREY AS/90X90X0,9/C/R	LUCCA FLOOR	38864	BN-90	90*90*0,9	2	33,96	124
LUCCA GREY DECOR SP/33,3X100/R	LUCCA WALL	31793	BN-10	33,3*100*0,98	5	22,45	228
LUCCA GREY HO/60X120X0,9/L/R	LUCCA FLOOR	40057	BN-132	60*120*0,9	2	30,20	124
LUCCA GREY HO/90X90/L/R	LUCCA FLOOR	30100	BN-131	90*90*0,9	2	37,96	124
LUCCA GREY NT/60X60X0,9/C/R	LUCCA FLOOR	38969	BN-33	60*60*0,9	3	20,63	124
LUCCA GREY SF/60X120/R	LUCCA FLOOR	30110	BN-72	60*120*0,9	2	33,18	124
LUCCA GREY SF/90X90X0,9/R	LUCCA FLOOR	39670	BN-48	90*90*0,9	2	33,96	124
LUCCA GREY SP/100X100/R	LUCCA 4D	32879	BN-135	100*100*0,6	2	29,92	120
LUCCA GREY SP/100X180/R	LUCCA 4D	29851	BN-137	100*180*0,6	2	52,92	120
LUCCA GREY SP/100X275/R	LUCCA 4D	35902	BN-141	100*275*0,6	1	38,50	120
LUCCA GREY SP/33,3X100/R	LUCCA WALL	31790	BN-8	33,3*100*0,86	6	24,92	228
LUCCA WHITE AS/60X120X0,9/C/R	LUCCA FLOOR	38373	BN-116	60*120*0,9	2	30,20	124
LUCCA WHITE AS/90X90/C/R	LUCCA FLOOR	29859	BN-90	90*90*0,9	2	37,96	124
LUCCA WHITE DECOR SP/33,3X100/R	LUCCA WALL	31792	BN-10	33,3*100*0,98	5	22,45	228
LUCCA WHITE HO/60X120X0,9/L/R	LUCCA FLOOR	39369	BN-132	60*120*0,9	2	30,20	124
LUCCA WHITE HO/90X90X0,9/L/R	LUCCA FLOOR	40164	BN-131	90*90*0,9	2	33,96	124
LUCCA WHITE NT/60X60X0,9/C/R	LUCCA FLOOR	38374	BN-33	60*60*0,9	3	20,63	124
LUCCA WHITE SF/60X120X0,9/R	LUCCA FLOOR	39370	BN-72	60*120*0,9	2	30,20	124
LUCCA WHITE SF/90X90X0,9/R	LUCCA FLOOR	38661	BN-48	90*90*0,9	2	33,96	124
LUCCA WHITE SP/100X100/R	LUCCA 4D	32878	BN-136	100*100*0,6	2	29,92	120
LUCCA WHITE SP/100X180/R	LUCCA 4D	29849	BN-138	100*180*0,6	2	52,92	120
LUCCA WHITE SP/100X275/R	LUCCA 4D	35901	BN-141	100*275*0,6	1	38,50	120
LUCCA WHITE SP/33,3X100/R	LUCCA WALL	31789	BN-8	33,3*100*0,86	6	24,92	228
M.FS MANISES-A	FS FAENZA	13668	P-22	5*11*0	24	2,60	275
M.FS MANISES-B	FS FAENZA	13670	P-22	5*11*0	24	2,60	275
M.FS MANISES-N	FS FAENZA	13669	P-22	5*11*0	24	2,60	275
MANHATTAN BONE AS/60X120X0,9/C/R	MANHATTAN FLOOR	38564	BN-116	60*120*0,9	2	30,20	136
MANHATTAN BONE AS/60X60X0,9/C/R	MANHATTAN FLOOR	38568	BN-88	60*60*0,9	3	20,63	136
MANHATTAN BONE AS/90X90X0,9/C/R	MANHATTAN FLOOR	38599	BN-90	90*90*0,9	2	33,96	136
MANHATTAN BONE LINES SP/33,3X100X0,98/R	MANHATTAN WALL	40269	BN-10	33,3*100*0,98	5	26,00	232
MANHATTAN BONE SP/100X100/R	MANHATTAN 4D	34737	BN-135	100*100*0,8	2	39,30	132
MANHATTAN BONE SP/100X275/R	MANHATTAN 4D	34685	BN-141	100*275*0,6	1	38,50	132
MANHATTAN BONE SP/33,3X100X0,86/R	MANHATTAN WALL	40294	BN-8	33,3*100*0,98	6	30,38	232
MANHATTAN BONE WAVY SP/33,3X100X0,98/R	MANHATTAN WALL	40296	BN-10	33,3*100*0,98	5	27,88	232
MANHATTAN BONE/100X100/A/R	MANHATTAN 4D	34738	BN-144	100*100*0,8	2	39,30	132
MANHATTAN BONE/100X100X2/A/R	MANHATTAN 4D	36333	BN-145	100*100*2	1	49,20	132
MANHATTAN BONE/50X100X2/A/R	MANHATTAN 4D	36911	BN-147	50*100*2	1	24,70	132
MANHATTAN GREY AS/60X120X0,9/C/R	MANHATTAN FLOOR	38980	BN-116	60*120*0,9	2	30,20	136
MANHATTAN GREY AS/60X60X0,9/C/R	MANHATTAN FLOOR	38565	BN-88	60*60*0,9	3	20,63	136
MANHATTAN GREY AS/90X90X0,9/C/R	MANHATTAN FLOOR	39031	BN-90	90*90*0,9	2	33,96	136
MANHATTAN GREY SP/100X100/R	MANHATTAN 4D	34735	BN-135	100*100*0,8	2	39,30	132
MANHATTAN GREY SP/100X275/R	MANHATTAN 4D	34880	BN-141	100*275*0,6	1	38,50	132
MANHATTAN GREY/100X100/A/R	MANHATTAN 4D	34740	BN-144	100*100*0,8	2	39,30	132
MANHATTAN GREY/100X100X2/A/R	MANHATTAN 4D	36334	BN-145	100*100*2	1	49,20	132
MANHATTAN GREY/50X100X2/A/R	MANHATTAN 4D	36908	BN-147	50*100*2	1	24,70	132
MANHATTAN SILVER AS/60X120X0,9/C/R	MANHATTAN FLOOR	38981	BN-116	60*120*0,9	2	30,20	136
MANHATTAN SILVER AS/60X60X0,9/C/R	MANHATTAN FLOOR	38861	BN-88	60*60*0,9	3	20,63	136
MANHATTAN SILVER AS/90X90X0,9/C/R	MANHATTAN FLOOR	39029	BN-90	90*90*0,9	2	33,96	136
MANHATTAN SILVER LINESSP/33,3X100X0,98/R	MANHATTAN WALL	40297	BN-10	33,3*100*0,98	5	27,90	232
MANHATTAN SILVER SP/100X100/R	MANHATTAN 4D	34736	BN-135	100*100*0,8	2	39,30	132
MANHATTAN SILVER SP/100X275/R	MANHATTAN 4D	34686	BN-141	100*275*0,6	1	38,50	132
MANHATTAN SILVER SP/33,3X100X0,86/R	MANHATTAN WALL	40295	BN-8	33,3*100*0,98	6	30,40	232
MANHATTAN SILVER WAVY SP/33,3X100X0,98/R	MANHATTAN WALL	40298	BN-10	33,3*100*0,98	5	27,90	232
MANHATTAN SILVER/100X100/A/R	MANHATTAN 4D	34739	BN-144	100*100*0,8	2	39,30	132
MANHATTAN SILVER/100X100X2/A/R	MANHATTAN 4D	36335	BN-145	100*100*2	1	49,20	132
MANHATTAN SILVER/50X100X2/A/R	MANHATTAN 4D	36909	BN-147	50*100*2	1	24,70	132
MANHATTAN WHITE AS/60X120X0,9/C/R	MANHATTAN FLOOR	38362	BN-116	60*120*0,9	2	30,20	136
MANHATTAN WHITE AS/60X60X0,9/C/R	MANHATTAN FLOOR	38363	BN-88	60*60*0,9	3	20,63	136
MANHATTAN WHITE AS/90X90X0,9/C/R	MANHATTAN FLOOR	39030	BN-90	90*90*0,9	2	33,96	136
MANHATTAN WHITE LINES SP/33,3X100X0,98/R	MANHATTAN WALL	40299	BN-10	33,3*100*0,98	5	27,90	232
MANHATTAN WHITE SP/100X100/R	MANHATTAN 4D	34876	BN-136	100*100*0,8	2	39,30	132
MANHATTAN WHITE SP/100X275/R	MANHATTAN 4D	34687	BN-142	100*275*0,6	1	38,50	132
MANHATTAN WHITE SP/33,3X100X0,86/R	MANHATTAN WALL	40293	BN-8	33,3*100*0,98	6	30,38	232
MANHATTAN WHITE WAVY SP/33,3X100X0,98/R	MANHATTAN WALL	40270	BN-10	33,3*100*0,98	5	26,70	232
MANHATTAN WHITE/100X100/A/R	MANHATTAN 4D	34877	BN-143	100*100*0,8	2	39,30	132
MANHATTAN WHITE/100X100X2/A/R	MANHATTAN 4D	36332	BN-145	100*100*2	1	49,20	132
MANHATTAN WHITE/50X100X2/A/R	MANHATTAN 4D	36910	BN-147	50*100*2	1	24,70	132
MILA COLD LA/60X60X0,9/L/R	GROUND	38429	BN-83	60*60*0,9	3	20,63	100
MILA WARM LA/60X60X0,9/L/R	GROUND	38428	BN-83	60*60*0,9	3	20,63	100
MITTE-G/25X75	MITTE	20171	BN-16	25*75*0,95	7	24,70	238
MITTE-W/25X75	MITTE	20172	BN-16	25*75*0,95	7	24,70	238
MOTOWN-B/60X60/L/R	SHARK	25570	BN-83	60*60*0,9	3	24,30	158
MOTOWN-B/60X60X0,9/R	SHARK	39003	BN-40	60*60*0,9	3	20,63	158
MOTOWN-N/60X60/L/R	SHARK	25572	BN-83	60*60*0,9	3	24,30	158
MOTOWN-N/60X60/R	SHARK	25568	BN-40	60*60*0,9	3	24,30	158
MOTOWN-S/60X60/L/R	SHARK	25571	BN-83	60*60*0,9	3	24,30	158
MOTOWN-S/60X60/R	SHARK	25569	BN-40	60*60*0,9	3	24,30	158
MUMBLE-B/15X90X0,9/R	MUMBLE	39193	BN-27	15*90*0,9	7	19,55	140
MUMBLE-B/19,5X121X0,9/R	MUMBLE	38834	BN-2	19,5*121*0,9	4	19,40	140
MUMBLE-B/23X180	MUMBLE	19356	BN-41	23*180*1,1	3	33,70	140
MUMBLE-B/A/15X90/R	MUMBLE	25332	BN-76	15*90*0,9	7	21,70	140
MUMBLE-C/15X90X0,9/R	MUMBLE	39045	BN-27	15*90*0,9	7	19,55	140
MUMBLE-C/19,5X121X0,9/R	MUMBLE	38414	BN-2	19,5*121*0,9	4	19,40	140
MUMBLE-C/23X180	MUMBLE	19357	BN-41	23*180*1,1	3	33,70	140
MUMBLE-C/A/15X90/R	MUMBLE	25337	BN-76	15*90*0,9	7	21,70	140
MUMBLE-G/15X90X0,9/R	MUMBLE	39046	BN-27	15*90*0,9	7	19,55	140
MUMBLE-G/19,5X121X0,9/R	MUMBLE	38833	BN-2	19,5*121*0,9	4	19,40	140

Referencias

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
MUMBLE-G/23X180	MUMBLE	19358	BN-41	23*180*1,1	3	33,70	140
MUMBLE-G/A/15X90/R	MUMBLE	25338	BN-76	15*90*0,9	7	21,70	140
MUMBLE-H/15X90X0,9/A/R	MUMBLE	40282	BN-76	15*90*0,9	7	19,55	140
MUMBLE-H/15X90X0,9/R	MUMBLE	39047	BN-27	15*90*0,9	7	19,75	140
MUMBLE-H/19,5X121X0,9/R	MUMBLE	38928	BN-2	19,5*121*0,9	4	19,40	140
MUMBLE-H/23X180	MUMBLE	19359	BN-41	23*180*1,1	3	33,70	140
MUMBLE-H/A/15X90/R	MUMBLE	25339	BN-76	15*90*0,9	7	21,70	140
MUMBLE-T/15X90X0,9/R	MUMBLE	39194	BN-27	15*90*0,9	7	19,55	140
MUMBLE-T/19,5X121X0,9/R	MUMBLE	39196	BN-2	19,5*121*0,9	4	19,59	140
MUMBLE-T/23X180	MUMBLE	19360	BN-41	23*180*1,1	3	33,70	140
MUMBLE-T/A/15X90/R	MUMBLE	25340	BN-76	15*90*0,9	7	21,70	140
MYSTIC GREY BH AJ/100X100/A/R	MYSTIC 4D	24354	BN-99	100*100*0,8	2	39,30	144
MYSTIC GREY BH AJ/100X100/C/R	MYSTIC 4D	24346	BN-94	100*100*0,8	2	39,30	144
MYSTIC GREY NT/100X100/C/R	MYSTIC 4D	24342	BN-94	100*100*0,8	2	39,30	144
MYSTIC SAND BH AJ/100X100/A/R	MYSTIC 4D	24355	BN-99	100*100*0,8	2	39,30	144
MYSTIC SAND BH AJ/100X100/C/R	MYSTIC 4D	24344	BN-94	100*100*0,8	2	39,30	144
MYSTIC SAND NT/100X100/C/R	MYSTIC 4D	24340	BN-94	100*100*0,8	2	39,30	144
MYSTIC WHITE BH AJ/100X100/A/R	MYSTIC 4D	25390	BN-99	100*100*0,8	2	39,30	144
MYSTIC WHITE BH AJ/100X100/C/R	MYSTIC 4D	25391	BN-94	100*100*0,8	2	39,30	144
MYSTIC WHITE NT/100X100/C/R	MYSTIC 4D	25394	BN-94	100*100*0,8	2	39,30	144
MYSTIC WHITE/100X100X2/A/R	MYSTIC 4D	38099	BN-145	100*100*2	1	49,20	144
NATURE ANTH BH/60X120/A/R	NATURE FLOOR	25832	BN-116	60*120*0,9	2	33,18	148
NATURE ANTH BH/60X60/A/R	NATURE FLOOR	25804	BN-88	60*60*0,9	3	24,30	148
NATURE ANTH BH/90X90/A/R	NATURE FLOOR	25758	BN-90	90*90*0,9	2	37,96	148
NATURE ANTH SF/60X120X0,9/C/R	NATURE FLOOR	40199	BN-72	60*120*0,9	2	30,20	148
NATURE ANTH SF/60X60X0,9/C/R	NATURE FLOOR	40126	BN-33	60*60*0,9	3	20,63	148
NATURE ANTH SF/75,5X151/C/R	NATURE FLOOR	25844	BN-118	75,5*151*0,9	1	26,00	148
NATURE ANTH SF/90X90/C/R	NATURE FLOOR	25749	BN-48	90*90*0,9	2	37,96	148
NATURE BEIGE BH/60X120X0,9/A/R	NATURE FLOOR	38608	BN-116	60*120*0,9	2	30,20	148
NATURE BEIGE BH/60X60X0,9/A/R	NATURE FLOOR	39946	BN-88	60*60*0,9	3	20,63	148
NATURE BEIGE BH/90X90/A/R	NATURE FLOOR	25757	BN-90	90*90*0,9	2	37,96	148
NATURE BEIGE SF/60X120/C/R	NATURE FLOOR	25820	BN-72	60*120*0,9	2	33,18	148
NATURE BEIGE SF/60X60X0,9/C/R	NATURE FLOOR	39872	BN-33	60*60*0,9	3	20,63	148
NATURE BEIGE SF/75,5X151/C/R	NATURE FLOOR	25843	BN-118	75,5*151*0,9	1	28,88	148
NATURE BEIGE SF/90X90/C/R	NATURE FLOOR	25748	BN-48	90*90*0,9	2	37,96	148
NATURE GREY BH/60X120X0,9/A/R	NATURE FLOOR	39983	BN-116	60*120*0,9	2	30,20	148
NATURE GREY BH/60X60X0,9/A/R	NATURE FLOOR	39592	BN-88	60*60*0,9	3	20,63	148
NATURE GREY BH/90X90/A/R	NATURE FLOOR	25756	BN-90	90*90*0,9	2	37,96	148
NATURE GREY SF/60X120/C/R	NATURE FLOOR	25819	BN-72	60*120*0,9	2	33,18	148
NATURE GREY SF/60X60/C/R	NATURE FLOOR	25765	BN-33	60*60*0,9	3	24,30	148
NATURE GREY SF/75,5X151/C/R	NATURE FLOOR	25842	BN-118	75,5*151*0,9	1	26,00	148
NATURE GREY SF/90X90/C/R	NATURE FLOOR	25747	BN-48	90*90*0,9	2	37,96	148
NATURE SAND DECOR/32X90/R	NATURE WALL	24029	BN-36	32*90*0,95	4	20,90	240
NATURE SAND/32X90/R	NATURE WALL	24028	BN-29	32*90*0,95	4	20,90	240
NATURE SILVER DECOR/32X90/R	NATURE WALL	24030	BN-36	32*90*0,95	4	20,90	240
NATURE SILVER/32X90/R	NATURE WALL	24027	BN-29	32*90*0,95	4	20,90	240
NATURE WHITE BH/60X120X0,9/A/R	NATURE FLOOR	39853	BN-116	60*120*0,9	2	30,20	148
NATURE WHITE BH/60X60X0,9/A/R	NATURE FLOOR	40251	BN-88	60*60*0,9	3	20,63	148

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
NATURE WHITE BH/90X90X0,9/A/R	NATURE FLOOR	39849	BN-90	90*90*0,9	2	33,96	148
NATURE WHITE DECOR/32X90/R	NATURE WALL	26280	BN-36	32*90*0,95	4	20,90	240
NATURE WHITE SF/60X120X0,9/C/R	NATURE FLOOR	39949	BN-72	60*120*0,9	2	30,20	148
NATURE WHITE SF/60X60X0,9/C/R	NATURE FLOOR	39777	BN-33	60*60*0,9	3	20,63	148
NATURE WHITE SF/75,5X151/C/R	NATURE FLOOR	25841	BN-118	75,5*151*0,9	1	26,00	148
NATURE WHITE SF/90X90/C/R	NATURE FLOOR	25742	BN-48	90*90*0,9	2	37,96	148
NATURE WHITE/32X90/R	NATURE WALL	26279	BN-29	32*90*0,95	4	20,90	240
NOAH	MITTE	20175	BN-20	25*75*0,95	7	24,70	238
PLANET ANTH NT/60X60X0,9/R	PLANET	40037	BN-33	60*60*0,9	3	20,63	152
PLANET ANTH NT/90X90/R	PLANET	25061	BN-48	90*90*0,9	2	37,96	152
PLANET ANTH SF/60X120/C/R	PLANET	25177	BN-72	60*120*0,9	2	33,18	152
PLANET ANTH SF/60X60/C/R	PLANET	25071	BN-33	60*60*0,9	3	24,30	152
PLANET ANTH SF/90X90/C/R	PLANET	25019	BN-48	90*90*0,9	2	37,96	152
PLANET ANTH/60X60/A/R	PLANET	25076	BN-88	60*60*0,9	3	24,30	152
PLANET ANTH/90X90X0,9/A/R	PLANET	38988	BN-90	90*90*0,9	2	33,96	152
PLANET BONE NT/60X60/R	PLANET	25102	BN-33	60*60*0,9	3	24,30	152
PLANET BONE NT/90X90/R	PLANET	25062	BN-48	90*90*0,9	2	37,96	152
PLANET BONE SF/60X120X0,9/C/R	PLANET	39286	BN-72	60*120*0,9	2	30,20	152
PLANET BONE SF/60X60X0,9/C/R	PLANET	38842	BN-33	60*60*0,9	3	20,63	152
PLANET BONE SF/90X90X0,9/C/R	PLANET	39948	BN-48	90*90*0,9	2	33,96	152
PLANET BONE/60X60/A/R	PLANET	25077	BN-88	60*60*0,9	3	24,30	152
PLANET BONE/90X90X0,9/A/R	PLANET	39933	BN-90	90*90*0,9	2	33,96	152
PLANET MUD NT/60X60/R	PLANET	25104	BN-33	60*60*0,9	3	24,30	152
PLANET MUD NT/90X90/R	PLANET	25064	BN-48	90*90*0,9	2	37,96	152
PLANET MUD SF/60X120/C/R	PLANET	25178	BN-72	60*120*0,9	2	33,18	152
PLANET MUD SF/60X60/C/R	PLANET	25074	BN-33	60*60*0,9	3	24,30	152
PLANET MUD SF/90X90X0,9/C/R	PLANET	38360	BN-48	90*90*0,9	2	33,96	152
PLANET MUD/60X60/A/R	PLANET	25079	BN-88	60*60*0,9	3	24,30	152
PLANET MUD/90X90X0,9/A/R	PLANET	39170	BN-90	90*90*0,9	2	33,96	152
PLANET SILVER NT/60X60/R	PLANET	25105	BN-33	60*60*0,9	3	24,30	152
PLANET SILVER NT/90X90/R	PLANET	25065	BN-48	90*90*0,9	2	37,96	152
PLANET SILVER SF/60X120/C/R	PLANET	25180	BN-72	60*120*0,9	2	33,18	152
PLANET SILVER SF/60X60/C/R	PLANET	25075	BN-33	60*60*0,9	3	24,30	152
PLANET SILVER SF/90X90/C/R	PLANET	25023	BN-48	90*90*0,9	2	37,96	152
PLANET SILVER/60X60X0,9/A/R	PLANET	38392	BN-88	60*60*0,9	3	20,63	152
PLANET SILVER/90X90/A/R	PLANET	25060	BN-90	90*90*0,9	2	37,96	152
PLANET WHITE NT/60X60/R	PLANET	25780	BN-33	60*60*0,9	3	24,30	152
PLANET WHITE NT/90X90/R	PLANET	25776	BN-48	90*90*0,9	2	37,96	152
PLANET WHITE SF/60X120X0,9/C/R	PLANET	39581	BN-72	60*120*0,9	2	30,20	152
PLANET WHITE SF/60X60/C/R	PLANET	25190	BN-33	60*60*0,9	3	24,30	152
PLANET WHITE SF/90X90/C/R	PLANET	25774	BN-48	90*90*0,9	2	37,96	152
PURE DECOR ALEX WHITE	PURE	21787	BN-20	25*75*0,95	7	24,70	242
PURE DECOR SMITH WHITE	PURE	21788	BN-20	25*75*0,95	7	24,70	242
PURE STRIPED/100/R	PURE	23169	BN-66	33,3*100*0,86	6	24,92	242
PURE WHITE/25X75	PURE	21786	BN-16	25*75*0,95	7	24,70	242
PURE-W/100/R	PURE	20586	BN-65	33,3*100*0,86	6	24,92	242
PURE-W/90/R	PURE	16159	BN-29	32*90*0,95	4	20,90	242
PURE-W/91	PURE	16150	BN-21	33*91*0,95	4	21,80	242
RHOM.NATURE ANTH SF/14.8X17/C/R	NATURE FLOOR	26186	P-17	ROM_14,8*17*0,9	16	11,40	148
RHOM.NATURE BEIGE SF/14.8X17/C/R	NATURE FLOOR	26187	P-17	ROM_14,8*17*0,9	16	11,40	148
RHOM.NATURE GREY SF/14.8X17/C/R	NATURE FLOOR	26188	P-17	ROM_14,8*17*0,9	16	11,40	148

References

Artículo / Article	Serie	Ref.	Tarifa / Price list	Formato / Size	Pzs. caja / Pcs. box	Peso caja / Weight box	P.
RHOM.NATURE WHITE SF/14.8X17/C/R	NATURE FLOOR	26189	P-17	ROM_14,8*17*0,9	16	11,40	148
SALINES BONE/100/R	SALINES	23136	BN-65	33,3*100*0,86	6	24,92	246
SALINES DECOR BONE/100/R	SALINES	23144	BN-66	33,3*100*0,86	6	24,92	246
SALINES DECOR SILVER/100/R	SALINES	23146	BN-66	33,3*100*0,86	6	24,92	246
SALINES DECOR WHITE/100/R	SALINES	23145	BN-66	33,3*100*0,86	6	24,92	246
SALINES SILVER/100/R	SALINES	23143	BN-65	33,3*100*0,86	6	24,92	246
SALINES WAVES BONE/33,3X100/R	SALINES	31188	BN-66	33,3*100*0,98	5	22,45	246
SALINES WAVES SILVER/33,3X100/R	SALINES	31190	BN-66	33,3*100*0,98	5	22,45	246
SALINES WAVES WHITE/33,3X100/R	SALINES	31189	BN-66	33,3*100*0,98	5	22,45	246
SALINES WHITE/100/R	SALINES	23142	BN-65	33,3*100*0,86	6	24,92	246
SATYA-B/90X90/A/R	SATYA	25445	BN-90	90*90*0,9	2	37,96	156
SATYA-B/90X90/R	SATYA	25442	BN-48	90*90*0,9	2	37,96	156
SATYA-G/90X90/A/R	SATYA	25446	BN-90	90*90*0,9	2	37,96	156
SATYA-G/90X90X0,9/R	SATYA	39904	BN-48	90*90*0,9	2	33,96	156
SATYA-H/90X90X0,9/A/R	SATYA	38413	BN-90	90*90*0,9	2	33,96	156
SATYA-H/90X90X0,9/R	SATYA	38204	BN-48	90*90*0,9	2	33,96	156
SHARK-B/60X60X0,9/L/R	SHARK	38971	BN-38	60*60*0,9	3	20,63	158
SHARK-B/60X60X0,9/R	SHARK	38973	BN-33	60*60*0,9	3	20,63	158
SHARK-B/90X90/R	SHARK	25531	BN-48	90*90*0,9	2	37,96	158
SHARK-B/90X90X0,9/L/R	SHARK	38433	BN-42	90*90*0,9	2	33,96	158
SHARK-N/60X60X0,9/L/R	SHARK	38972	BN-38	60*60*0,9	3	20,63	158
SHARK-N/60X60X0,9/R	SHARK	38974	BN-33	60*60*0,9	3	20,63	158
SHARK-N/90X90/L/R	SHARK	25536	BN-42	90*90*0,9	2	37,96	158
SHARK-N/90X90/R	SHARK	25533	BN-48	90*90*0,9	2	37,96	158
SHARK-S/60X60X0,9/L/R	SHARK	38970	BN-38	60*60*0,9	3	20,63	158
SHARK-S/60X60X0,9/R	SHARK	38975	BN-33	60*60*0,9	3	20,63	158
SHARK-S/90X90X0,9/L/R	SHARK	39035	BN-42	90*90*0,9	2	33,96	158
SHARK-S/90X90X0,9/R	SHARK	39034	BN-48	90*90*0,9	2	33,96	158
T.BARCELOS/19,5/R	MUMBLE	25371	P-23	19,5*19,5*0,9	9	9,46	140
T.FS FAENZA-A	FS FAENZA	13717	P-6	11*11*0,95	24	5,72	275
T.FS FAENZA-N	FS FAENZA	13719	P-6	11*11*0,95	24	5,72	275
T.FS MANISES-B	FS FAENZA	13720	P-6	11*11*0,95	24	5,72	275
T.HV-12	HOUSE OF VANITY	14685	P-6	11*11*0,83	24	4,76	108
T.HV-34	HOUSE OF VANITY	14686	P-6	11*11*0,83	24	5,00	108
T.OXIK/19,5/R	MUMBLE	25372	P-23	19,5*19,5*0,9	9	9,46	140
UNIQUE/15X90X0,9/R	UNIQUE	39048	BN-27	15*90*0,9	7	19,55	160
UNIQUE/19,5X121X0,9/R	UNIQUE	39757	BN-2	19,5*121*0,9	4	19,40	160
VERBIER ASH AS/19,5X121X0,9/C/R	VERBIER	38594	BN-95	19,5*121*0,9	4	19,40	164
VERBIER ASH AS/24X151X0,9/C/R	VERBIER	38394	BN-121	24*151*0,9	3	22,31	164
VERBIER CHERRY AS/19,5X121X0,9/C/R	VERBIER	38597	BN-95	19,5*121*0,9	4	19,59	164
VERBIER CHERRY AS/24X151X0,9/C/R	VERBIER	38958	BN-121	24*151*0,9	3	22,31	164
VERBIER CIGAR AS/19,5X121X0,9/C/R	VERBIER	38596	BN-95	19,5*121*0,9	4	19,40	164
VERBIER CIGAR AS/24X151X0,9/C/R	VERBIER	38676	BN-121	24*151*0,9	3	22,31	164
VERBIER HONEY AS/19,5X121X0,9/C/R	VERBIER	38454	BN-95	19,5*121*0,9	4	19,40	164
VERBIER HONEY AS/24X151X0,9/C/R	VERBIER	38384	BN-121	24*151*0,9	3	22,31	164
VERBIER HONEY DECOR SP/33,3X100X0,98/R	VERBIER WALL	40268	BN-10	33,3*100*0,98	5	27,90	250
VERBIER HONEY SP/100X275/R	VERBIER 4D	37975	BN-141	100*275*0,6	1	38,50	162
VERBIER MAPLE AS/19,5X121X0,9/C/R	VERBIER	38595	BN-95	19,5*121*0,9	4	19,40	164
VERBIER MAPLE AS/24X151X0,9/C/R	VERBIER	38382	BN-121	24*151*0,9	3	22,32	164
VERBIER STRAW AS/19,5X121X0,9/C/R	VERBIER	38452	BN-95	19,5*121*0,9	4	19,20	164
VERBIER STRAW AS/24X151X0,9/C/R	VERBIER	38959	BN-121	24*151*0,9	3	22,31	164
VERBIER TAUPE AS/19,5X121X0,9/C/R	VERBIER	38598	BN-95	19,5*121*0,9	4	19,40	164
VERBIER TAUPE AS/24X151X0,9/C/R	VERBIER	38960	BN-121	24*151*0,9	3	22,31	164
VERBIER TAUPE DECOR SP/33,3X100/R	VERBIER WALL	32892	BN-10	33,3*100*0,98	5	22,45	250
VOSGOS-G	DANUBIO	14406	BN-25	33*91*0,95	4	21,80	192
VOSGOS-G/R	DANUBIO	14432	BN-36	32*90*0,95	4	20,90	192
VOSGOS-H	DANUBIO	14405	BN-25	33*91*0,95	4	21,80	192
VOSGOS-H/R	DANUBIO	14433	BN-36	32*90*0,95	4	20,90	192
WHISTLER BROWN/24X151/A/R	WHISTLER	25370	BN-121	24*151*0,9	3	24,27	170
WHISTLER BROWN/24X151/R	WHISTLER	23930	BN-93	24*151*0,9	3	24,27	170
WHISTLER HONEY/24X151X0,9/A/R	WHISTLER	39002	BN-121	24*151*0,9	3	22,31	170
WHISTLER HONEY/24X151X0,9/R	WHISTLER	39040	BN-93	24*151*0,9	3	22,31	170
WHISTLER MAPLE/24X151X0,9/A/R	WHISTLER	38643	BN-121	24*151*0,9	3	22,31	170
WHISTLER MAPLE/24X151X0,9/R	WHISTLER	39042	BN-93	24*151*0,9	3	22,31	170
WHISTLER TAUPE/24X151X0,9/A/R	WHISTLER	39043	BN-121	24*151*0,9	3	22,31	170
WHISTLER TAUPE/24X151X0,9/R	WHISTLER	39041	BN-93	24*151*0,9	3	22,31	170
WILMA	MITTE	20176	BN-20	25*75*0,95	7	24,70	238




Porcelain Tiles 46

White Body Tiles 174

FS Vintage Tiles 254

ADDITIONAL INFORMATION 362



FOCUSED SINCE 1827

TILES

PORCELAIN

ALCHEMY 4D 48
ALCHEMY FLOOR 58
ALLEY 4D 64
ALPINE 4D 66
CLUNY 4D 68
CLUNY FLOOR 74
DOWNTOWN 4D 82
DOWNTOWN FLOOR 84
ESSENCE 86
GHENT 4D 88
GHENT FLOOR 92
GRANIER FLOOR 94
GROUND 4D 98
GROUND FLOOR 100
GRUNGE FLOOR 104
HOUSE OF VANITY 108
JACKSON FLOOR 110
LENK 116
LUCCA 4D 120
LUCCA FLOOR 124
LUCCA FLAGSTONE 128
MANHATTAN 4D 132
MANHATTAN FLOOR 136
MUMBLE 140
MYSTIC 4D 144
NATURE FLOOR 148
PLANET 152
SATYA 156
SHARK 158
UNIQUE 160
VERBIER 4D 162
VERBIER FLOOR 164
WHISTLER 170



Alchemy Iron SP_100*275
Alchemy Iron SP_100*100
Alchemy Iron A_100*100



Alchemy Iron SP_100*100



Alchemy Pearl SP_100*275
Alchemy Pearl A_100*100*2



Alchemy Earth SP_100*275
Alchemy Earth AS_90*90




Alchemy Iron SP_100*275
Alchemy Iron SP_100*100

ALCHEMY 4D

Pearl




Earth



Iron


MATCHING WALL COLLECTION ALCHEMY_WALL | Pag. 176



5 patterns

100 * 275 * 0,6 cm | 39 * 108"


RECTIFIED	SHAPED	
	BN141	BN142
EARTH	37973	
IRON	37971	
PEARL		37974



17 patterns

100 * 100 * 0,8 cm | 39 * 39"

RECTIFIED	SHAPED 8 mm		ANTISLIP 8 mm		ANTISLIP 20 mm
	BN135	BN136	BN144	BN143	BN145
EARTH	37980		38007		37986
IRON	37979		38008		37985
PEARL		37981		38009	37987



34 patterns

50 * 100 * 2 cm | 20 * 39"

RECTIFIED	ANTISLIP 20 mm
	BN147
EARTH	38010
IRON	38011
PEARL	38012

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	



COMPLEMENTARY PIECE



PIECE POOL



PACKING

+ INFO | PAG. 362

Alchemy Iron NT_120*120
Alchemy Iron A_120*120
Alchemy Iron SP_100*275
Verbier Honey SP_100*275

Alchemy Pearl AS_90*90




Alchemy Earth AS_90*90

ALCHEMY FLOOR


Pearl



Earth




Iron




120 * 120 * 0,9 cm | 48 * 48"

RECTIFIED	NATURAL	ANTISLIP
	BN164	BN165
EARTH	-	-
IRON	39434	39436
PEARL	-	-



60 * 120 * 0,9 cm | 24 * 48"

RECTIFIED	ALL IN ONE
	BN116
EARTH	37737
IRON	37736
PEARL	37738



90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	ALL IN ONE
	BN90
EARTH	37744
IRON	37746
PEARL	37745



60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	ALL IN ONE
	BN88
EARTH	38881
IRON	38882
PEARL	38883

MATCHING WALL COLLECTION ALCHEMY_WALL | Pag. 176

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm^3
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm^3
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm^3

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362



Alley White_100*100

ALLEY 4D


White



Bone



Grey



9 patterns

100 * 100 * 0,8 cm | 39 * 39”

RECTIFIED	NATURAL		ANTISLIP BUSH HAMMERED	
	BN94	BN110	BN99	BN112
WHITE	-	23396	-	23401
BONE	23398	-	23403	-
GREY	23397	-	23402	-

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
NATURAL	R9	-	-	Class 1	> 0,42	< 175 mm³
ANTISLIP BH	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V1	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362




Alpine Beige SP_100*180

ALPINE 4D

White



Beige




Grey



Anthracite


ALPINE



10 patterns

100 * 180 * 0,8 cm | 39 * 71”

RECTIFIED	SHAPED	
	BN137	BN138
ANTHRACITE	28519	
BEIGE	28520	
GREY	28522	
WHITE		28521



15 patterns

100 * 100 * 0,8 cm | 39 * 39”

RECTIFIED	SHAPED	
	BN135	BN136
ANTHRACITE	28948	
BEIGE	28946	
GREY	28947	
WHITE		28945

ALPINE DECOR



100 * 180 * 0,8 cm | 39 * 71”

RECTIFIED	SHAPED	
	BN139	BN140
ANTHRACITE	29035	
BEIGE	29033	
GREY	29034	
WHITE		29036

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362

Cluny Silver SP_100*100

Cluny White SP_100*275
Cluny Beige SP_100*100

Cluny Silver SP_100*275
Cluny Silver SP_100*100



Cluny White SP_100*275
Cluny White A_100*100
Cluny White Rej. · Ang. Rej. · P.V. · Ang. P.V.



Cluny Sand A_100*100*2

CLUNY 4D

White



Sand



Beige

Silver

MATCHING WALL COLLECTION CLUNY_WALL | Pag. 182

5 patterns

100 * 275 * 0,6 cm | 39 * 108”

RECTIFIED	SHAPED	
	BN141	BN142
BEIGE	36282	
SAND	36281	
SILVER	36283	
WHITE		36280

12 patterns

100 * 100 * 0,8 cm | 39 * 39”

RECTIFIED	SHAPED 8 mm		ANTISLIP 8 mm		ANTISLIP 20 mm
	BN135	BN136	BN144	BN143	BN145
BEIGE	36337		36341		36348
SAND	36338		36343		36350
SILVER	36339		36342		36349
WHITE		36336		36340	36347

24 patterns

50 * 100 * 2 cm | 20 * 39”

RECTIFIED	ANTISLIP 20 mm
	BN147
BEIGE	36902
SAND	36903
SILVER	36904
WHITE	36905

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**


+ INFO | PAG. 362



Cluny Beige NT_120*120
Cluny Beige A_120*120

Cluny Sand NT_120*120
Cluny Sand A_120*120

Cluny White NT_120*120
Cluny White A_120*120



Cluny Silver NT_120*120

CLUNY FLOOR

unlimited purposes / all in one

White




Sand



Beige


Silver



10 patterns

120 * 120 * 0,9 cm | 48 * 48"


RECTIFIED	NATURAL	ANTISLIP
	BN164	BN165
BEIGE	39197	39200
SAND	39198	39201
SILVER	-	-
WHITE	39199	39202



12 patterns

60 * 120 * 0,9 cm | 24 * 48"


RECTIFIED	ALL IN ONE
	BN116
BEIGE	36356
SAND	38812
SILVER	39448
WHITE	38911



12 patterns

90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	ALL IN ONE	SOFT
	BN90	BN48
BEIGE	36354	39284
SAND	38655	38387
SILVER	36352	36361
WHITE	38654	36359



24 patterns

60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	SOFT
	BN33
BEIGE	38136
SAND	38137
SILVER	38138
WHITE	38135

MATCHING WALL COLLECTION CLUNY_WALL | Pag. 182

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm³
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³
SOFT	R9	-	-	Class 1	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362




Downtown Beige SP_100*100
Cotton Waves_33,3*100



Downtown White SP_100*180
Downtown White A_90*90
Downtown White Rej. · Ang. Rej. · P.V. · Ang. P.V.

DOWNTOWN 4D



White




Beige



Grey




Anthracite



8 patterns

100 * 180 * 0,6 cm | 39 * 71”

RECTIFIED	SHAPED	
	BN137	BN138
ANTHRACITE	31345	
BEIGE	31346	
GREY	31348	
WHITE		31347



13 patterns

100 * 100 * 0,8 cm | 39 * 39”

RECTIFIED	SHAPED	
	BN135	BN136
ANTHRACITE	31012	
BEIGE	31013	
GREY	31014	
WHITE		31015

MATCHING WALL COLLECTION DOWNTOWN_WALL | Pag. 196

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

WallPEC

100 * 180 cm | 39 * 71”
SHAPED
WALLPE3C2


COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362



Downtown Beige SP_100*100

DOWNTOWN FLOOR



White




Beige



Grey




Anthracite



13 patterns

60 * 120 * 0,9 cm | 24 * 48"


RECTIFIED	SHAPED
	BN6
ANTHRACITE	29695
BEIGE	29696
GREY	29697
WHITE	29694



26 patterns

90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	SHAPED	ANTISLIP
	BN7	BN90
ANTHRACITE	40006	30733
BEIGE	29714	30738
GREY	39669	39249
WHITE	29716	30739



21 patterns

60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	NATURAL
	BN33
ANTHRACITE	29698
BEIGE	29700
GREY	38986
WHITE	29689

MATCHING WALL COLLECTION DOWNTOWN_WALL | Pag. 196

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm³
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V2	



COMPLEMENTARY PIECE



PIECE POOL



PACKING

+ INFO | PAG. 362



Essence Almond_24*151
Essence Almond_19,5*121



Essence Taupe_19,5*121

ESSENCE

Maple



Almond



Taupe



Nut



24 * 151 * 0,9 cm | 10 * 59"

RECTIFIED	NATURAL
	BN93
MAPLE	-
ALMOND	22329
TAUPE	39563
NUT	-



19,5 * 121 * 0,9 cm | 8 * 48"

RECTIFIED	NATURAL	ANTISLIP
	BN60	BN95
MAPLE	25637	-
ALMOND	39579	25636
TAUPE	39142	39089
NUT	25638	-

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7
NATURAL	R9	-	-	Class 1	> 0,42	PEI 4
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	PEI 4

joint	frost proof	versatile	matt	various moulds	different shades	shade variation	various graphics
0,5 mm						V2	



COMPLEMENTARY PIECE




PIECE POOL



PACKING

+ INFO | PAG. 362



Ghent Beige SP_100*275
Ghent White SP_100*100



Ghent Silver SP_100*275



Ghent Beige SP_100*100
Ghent White SP_100*275
Ghent White A_100*100*2



Ghent Beige SP_100*275
Ghent Beige A_100*100*2
Ghent Beige A_50*100*2

GHENT 4D

White



Beige




Silver




Grey

MATCHING WALL COLLECTION GHENT_WALL | Pag. 204




100 * 275 * 0,6 cm | 39 * 108"

RECTIF.	SHAPED	
	BN141	BN142
BEIGE	35597	
GREY	35598	
SILVER	35599	
WHITE		35600



100 * 180 * 0,8 cm | 39 * 71"

RECTIF.	SHAPED	
	BN137	BN138
BEIGE	33200	
GREY	33202	
SILVER	33201	
WHITE		33203



100 * 100 * 0,8 cm | 39 * 39"

RECTIF.	SHAPED 8 mm		ANTISLIP 8 mm		ANTISLIP 20 mm
	BN135	BN136	BN144	BN143	BN145
BEIGE	31747		33948		34878
GREY	31749		33947		34734
SILVER	31748		33946		34733
WHITE		31746		33945	34732



50 * 100 * 2 cm | 20 * 39"

ANTISLIP 20 mm
BN147
35567
35568
35569
35570

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362



Ghent Silver SP_33,3*100
Ghent Decor Silver SP_33,3*100
Ghent Silver AS_90*90



Ghent White SP_100*275
Ghent White AS_90*90

GHENT FLOOR

unlimited purposes all in one

White



Beige




Silver



Grey


GHENT



10 patterns

60 * 120 * 0,9 cm | 24 * 48"


RECTIFIED	ALL IN ONE
	BN116
BEIGE	38376
GREY	38936
SILVER	38937
WHITE	38375



12 patterns

90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	ALL IN ONE
	BN90
BEIGE	38624
GREY	38938
SILVER	38829
WHITE	38939



20 patterns

60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	NATURAL
	BN33
BEIGE	38377
GREY	38933
SILVER	38934
WHITE	38935

D.GHENT MOSAIC 16T



30 * 30 * 0,9 cm | 12 * 12"

RECTIFIED	ALL IN ONE
	P36
BEIGE	32099
GREY	32100
SILVER	32101
WHITE	32102

D.GHENT MOSAIC 12T



30 * 30 * 0,9 cm | 12 * 12"

RECTIFIED	ALL IN ONE
	P36
BEIGE	32103
GREY	32104
SILVER	32105
WHITE	32106

MATCHING WALL COLLECTION GHENT_WALL | Pag. 204

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362



Granier Ash AS_24*151



Granier Taupe AS_24*151
Granier Taupe SP_33,3*100



Granier Maple AS_24*151
Manhattan White_33,3*100



Granier Honey AS_24*151



Granier Natural AS_24 * 151

GRANIER FLOOR



Ash



Maple



Natural



Taupe



Honey

MATCHING WALL COLLECTION GRANIER_WALL | Pag. 208



24 * 151 * 0,9 cm | 10 * 59"

RECTIFIED	ALL IN ONE BN121
ASH	34641
HONEY	34637
MAPLE	34639
NATURAL	40041
TAUPE	38862



19,5 * 121 * 0,9 cm | 8 * 48"

RECTIFIED	ALL IN ONE BN95
ASH	38451
HONEY	38450
MAPLE	34766
NATURAL	38364
TAUPE	39359

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	varios moulds	different shades	shade variation	various graphics
3,5 mm						V3	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362





Ground Bone SP_100*275

GROUND 4D



Grey




Silver



Bone

Por motivos estéticos la intensidad de color del formato 100*100 cm es ligeramente superior a la del formato 100*275 cm en esta colección.
For aesthetic reasons, the color intensity of the 100*100 cm format is slightly higher than the 100*275 cm format in this collection.


MATCHING WALL COLLECTION GROUND_WALL | Pag. 210



6 patterns

100 * 275 * 0,6 cm | 39 * 108"

RECTIFIED	SHAPED
	BN141
BONE	35904



10 patterns

100 * 100 * 0,8 cm | 39 * 39"

RECTIFIED	SHAPED
	BN135
BONE	32889
GREY	32890
SILVER	32888

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm^3

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0.5 mm						V2	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362

Ground Bone SF_90*90
Ground Bone A_90*90



Grey


Silver

Bone

Mila Warm

Mila Cold


GROUND FLOOR



9 patterns

90 * 90 * 0,9 cm | 36 * 36”

RECTIFIED	SOFT	LAPATTO	ANTISLIP
	BN48	BN42	BN90
BONE	38940	40277	38942
GREY	38409	27135	24974
SILVER	24790	27136	38941




30 patterns

60 * 60 * 0,9 cm | 24 * 24”

RECTIFIED	SOFT	LAPATTO	ANTISLIP
	BN33	BN38	BN88
BONE	38415	38425	38432
GREY	38378	38427	38943
SILVER	38347	38426	38346

MILA



5 patterns

60 *60 * 0,9 cm | 24 * 24”

RECTIFIED	SOFT	LAPATTO
	BN40	BN83
WARM	24953	38428
COLD	24952	38429

D. MILA MOSAIC



30 * 30 cm | 12 * 12”

NO RECTIFIED	SOFT
	P37
WARM	23441
COLD	23442

D. GROUND MOSAIC



30 * 30 cm | 12 * 12”

NO RECTIFIED	SOFT
	P37
BONE	23435
GREY	23438
SILVER	23439

D. GROUND SPACK



30 * 30 cm | 12 * 12”

NO RECTIFIED	SOFT
	P58
BONE	23505
GREY	23506
SILVER	23507

MATCHING WALL COLLECTION GROUND_WALL | Pag. 210

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SOFT	R10	A+B	+36 Wet	Class 2	> 0,42	< 175 mm³
LAPATO	R9	-	-	Class 2	> 0,42	< 175 mm³
ANTISLIP	R12	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

SHADE VARIATION



	90 * 90 cm | 36 * 36”	60 * 60 cm | 24 * 24”
QB UPEC	SOFT	SOFT
	U4 P3 E3 C2	U4 P4+ E3 C2



COMPLEMENTARY PIECE



PIECE POOL



PACKING

+ INFO | PAG. 362




Grunge Grey AS_90*90




GRUNGE FLOOR

MATCHING WALL COLLECTION GRUNGE_WALL | Pag. 214




75,5 * 151 * 0,9 cm | 30 * 59"

RECTIFIED	ALL IN ONE
	BN119
ANTHRACITE	38951
BEIGE	38549
GREY	27434
WHITE	27435



60 * 120 * 0,9 cm | 24 * 48"

RECTIFIED	ALL IN ONE
	BN116
ANTHRACITE	38947
BEIGE	38948
GREY	38949
WHITE	38950



90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	ALL IN ONE
	BN90
ANTHRACITE	38562
BEIGE	38158
GREY	38061
WHITE	38391



60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	ALL IN ONE
	BN88
ANTHRACITE	38944
BEIGE	38379
GREY	38945
WHITE	38946


D. GRUNGE MOSAIC



30 * 30 cm | 12 * 12"

NO RECTIFIED	ALL IN ONE
	P37
ANTHRACITE	27603
BEIGE	27605
GREY	27606
WHITE	27607

D. GRUNGE SPAC



30 * 30 cm | 12 * 12"

NO RECTIFIED	ALL IN ONE
	P58
ANTHRACITE	27608
BEIGE	27609
GREY	27610
WHITE	27611

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V3	


GB UPEC	90 * 90 cm | 36 * 36" 60 * 120 cm | 24 * 48"	60 * 60 cm | 24 * 24"
	U4 P3 E3 C2	U4 P4+ E3 C2

COMPLEMENTARY PIECE **PIECE POOL** **PACKING** **+ INFO | PAG. 362**




HV-2

HOUSE OF VANITY



HV-1




HV-2




C. HV-12



T. HV-12



HV-4



HV-3




C. HV-34



T. HV-34


HV



33 * 33 * 0,9 cm | 13 * 13”

NO RECTIFIED	NATURAL
	BN61
HV-1	14644
HV-2	14645
HV-3	14646
HV-4	14647

C. HV



11 * 33 cm | 4 * 13”

NO RECTIFIED	NATURAL
	P12
C. HV-12	14683
C. HV-34	14684

T. HV



11 * 11 cm | 4 * 4”

NO RECTIFIED	NATURAL
	P6
T. HV-12	14685
T. HV-34	14686

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7
NATURAL	R9	-	-	Class 1	-	PEI 4

joint	frost proof	versatile	matt	full body
3,5 mm				



COMPLEMENTARY PIECE



PIECE POOL



PACKING

+ INFO | PAG. 362

Jackson Walnut NT_24*151




Jackson Maple NT_24*151
Alchemy Iron SP_100*275



Jackson Taupe NT_24*151
Jackson Taupe A_24*151
Alchemy Pearl AS_90*90



Jackson Ash NT_24*151
Alchemy Pearl decor_33,3*100



Jackson Honey NT_24*151
Jackson Honey A_24*151
Jackson Honey decor SP_33,3*100

JACKSON FLOOR


Honey


Taupe


Walnut


Maple


Ash


36 patterns

MATCHING WALL COLLECTION JACKSON_WALL | Pag. 226

24 * 151 * 0,9 cm | 10 * 59"

RECTIFIED	NATURAL	ANTISLIP
	BN93	BN121
ASH	39080	-
HONEY	39078	39083
MAPLE	39079	-
TAUPE	39081	39084
WANUT	39082	-

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
NATURAL	R9	-	-	Class 1	> 0,42
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42

joint	frost proof	versatile	matt	varios moulds	different shades	shade variation	various graphics
3,5 mm						V3	


COMPLEMENTARY PIECE


PIECE POOL


PACKING

+ INFO | PAG. 362




Lenk Honey AS_24*151
Ice Waves_33,3*100
Ice_33,3*100



Lenk Maple AS_24*151

LENK



Maple Honey Taupe Walnut White Ash Smoke

LENK



24 * 151 * 0,9 cm | 9 * 59”


RECTIFIED	ALL IN ONE
	BN121
ASH	38600
HONEY	38602
MAPLE	38601
SMOKE	38954
TAUPE	38955
WALNUT	38956
WHITE	38957



19,5 * 121 * 0,9 cm | 8 * 48”

RECTIFIED	ALL IN ONE
	BN95
ASH	38962
HONEY	38440
MAPLE	38963
SMOKE	38964
TAUPE	38832
WALNUT	38965
WHITE	38966


D. LENK STRIPES



24 * 75 * 0,9 cm | 9 * 30”

RECTIFIED	ALL IN ONE
	P51
ASH	27756
HONEY	27757
MAPLE	27758
SMOKE	27759
TAUPE	27760
WALNUT	27761
WHITE	27762


D. LENK CHEVRON 1



32 * 28 cm | 13 * 11”

RECTIFIED	ALL IN ONE
	P47
ASH	27720
HONEY	27721
MAPLE	27722
SMOKE	27723
TAUPE	27724
WALNUT	27725
WHITE	27726

D. LENK CHEVRON 2



32 * 28 cm | 13 * 11”

RECTIFIED	ALL IN ONE
	P47
ASH	27727
HONEY	27728
MAPLE	27729
SMOKE	27730
TAUPE	27731
WALNUT	27732
WHITE	27733

TECHNICAL CHARACTERISTICS


FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	varios moulds	different shades	shade variation	various graphics
3,5 mm						V3	

	24 * 151 cm | 9 * 59”	**19,5 * 121 cm | 8 * 48”**
QB UPEC	Ash, Honey, Walnut White	Smoke, Taupe
	U3 P2 E3 C2	U2S P2 E3 C2

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362



Lucca White SP_100*275



Lucca Grey SP_100*275



Lucca Beige SP_100*275


LUCCA 4D




White



Beige




Grey



Anthracite


Por motivos estéticos la intensidad de color de los formatos 100*100 cm y 100*180 cm es ligeramente superior a la del formato 100*275 cm en esta colección.
For aesthetic reasons, the color intensity of the 100*100 cm and 100*180 cm formats is slightly higher than the 100*275 cm format in this collection.

MATCHING WALL COLLECTION LUCCA_WALL | Pag. 228




100 * 275 * 0,6 cm | 39 * 108"

RECTIFIED	SHAPED	
	BN141	BN142
ANTHRACITE	-	-
BEIGE	35903	
GREY	35902	
WHITE		35901



100 * 180 * 0,6 cm | 39 * 71"

RECTIFIED	SHAPED	
	BN137	BN138
ANTHRACITE	29848	
BEIGE	29850	
GREY	29851	
WHITE		29849



100 * 100 * 0,8 cm | 39 * 39"

RECTIFIED	SHAPED 8 mm	
	BN135	BN136
ANTHRACITE	32881	
BEIGE	32880	
GREY	32879	
WHITE		32878

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V2	

100 * 180 cm | 39 * 71"
SHAPED
WALLPE3C2

COMPLEMENTARY PIECE

PIECE POOL

PACKING


+ INFO | PAG. 362

Lucca Beige AS_60*120



Lucca Grey SP_100*180
Lucca Grey AS_90*90


LUCCA FLOOR


White


Beige



Grey


Anthracite


13 patterns


60 * 120 * 0,9 cm | 24 * 48"

RECTIFIED	ALL IN ONE	HONED	SOFT
	BN116	BN132	BN72
ANTHRACITE	38828	30105	40115
BEIGE	38677	30106	39329
GREY	39620	40057	30110
WHITE	38373	39369	39370


15 patterns

90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	ALL IN ONE	HONED	SOFT
	BN90	BN131	BN48
ANTHRACITE	29856	30099	30101
BEIGE	38453	30097	30102
GREY	38864	30100	39670
WHITE	29859	40164	38661


26 patterns

60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	NATURAL
	BN33
ANTHRACITE	38967
BEIGE	38968
GREY	38969
WHITE	38374

MATCHING WALL COLLECTION LUCCA_WALL | Pag. 228

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm^3
HONED	-	-	-	-	-	< 175 mm^3
SOFT	-	-	-	Class 1	-	< 175 mm^3
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm^3

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362

Lucca Flagstone Camel SP_60*90




Lucca Flagstone Bone SP_60*90

LUCCA FLAGSTONE

Bone



Camel



Smoke



10 patterns

60 * 90 * 0,9 cm | 24 * 48"

RECTIFIED	SHAPED
	BN163
BONE	39590
CAMEL	39589
SMOKE	39591

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	R9	-	+36 Wet	Class 1	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V3	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362



Manhattan White SP_33,3*100
Manhattan White SP_100*100
Manhattan White Wavy SP_33,3*100



Manhattan White SP_100*275
Manhattan White A_100*100
Manhattan White P.V. Ang. P.V. Rej. Ang.Rej.

MANHATTAN 4D

White



Bone




Silver



Grey


MATCHING WALL COLLECTION MANHATTAN_WALL | Pag. 232



5 patterns

100 * 275 * 0,6 cm | 39 * 108"

RECTIFIED	SHAPED	
	BN141	BN142
BONE	34685	
GREY	34880	
SILVER	34686	
WHITE		34687



12 patterns

100 * 100 * 0,8 cm | 39 * 39"

RECTIFIED	SHAPED 8 mm		ANTISLIP 8 mm		ANTISLIP 20 mm
	BN135	BN136	BN144	BN143	BN145
BONE	34737		34738		36333
GREY	34735		34740		36334
SILVER	34736		34739		36335
WHITE		34876		34877	36332



24 patterns

50 * 100 * 2 cm | 20 * 39"

RECTIFIED	ANTISLIP 20 mm
	BN147
BONE	36911
GREY	36908
SILVER	36909
WHITE	36910

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm^3
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm^3

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V2	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362



Manhattan Silver AS_90*90
Manhattan Silver SP_100*275



Manhattan White_90*90 AS

MANHATTAN FLOOR

White




Bone



Silver




Grey



60 * 120 * 0,9 cm | 24 * 48"

RECTIFIED	ALL IN ONE
	BN116
BONE	38564
GREY	38980
SILVER	38981
WHITE	38362



90 * 90 * 0,9 cm | 36 * 36"

RECTIFIED	ALL IN ONE
	BN90
BONE	38599
GREY	39031
SILVER	39029
WHITE	39030



60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	ALL IN ONE
	BN88
BONE	38568
GREY	38565
SILVER	38861
WHITE	38363

MATCHING WALL COLLECTION MANHATTAN_WALL | Pag. 232

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V2	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362



Mumble-H_23*180
Mumble-H/A_15*90



Mumble C_19,5*122,5

MUMBLE


G


B


H


C


T

23*180 * 1,1 cm | 9 * 71”

RECTIFIED	NATURAL
	BN41
G	19358
B	19356
C	19357
H	19359
T	19360

24 patterns

19,5 * 121 * 0,9 cm | 8 * 48”

RECTIFIED	NATURAL
	BN2
G	38833
B	38834
C	38414
H	38928
T	39196

30 patterns

15 * 90 * 0,9 cm | 6 * 36”

RECTIFIED	NATURAL	ANTISLIP
	BN27	BN76
G	39046	25338
B	39193	25332
C	39045	25337
H	39047	40282
T	39194	25340

45 patterns



19,5 * 19,5 cm | 8 * 8”

RECTIFIED	NATURAL
	P23
T. BARCELOS	25371

17 patterns



19,5 * 19,5 cm | 8 * 8”

RECTIFIED	NATURAL
	P23
T. OXIK	25372

30 patterns



15 * 90 * 0,9 cm | 6 * 36”

RECTIFIED	NATURAL
	BN76
BARCELOS	25369

9 patterns

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7
NATURAL	R9	-	-	Class 1	-	PEI 4
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	PEI 4

joint	frost proof	versatile	matt	various moulds	different shades	shade variation	various graphics
3,5 mm						V3	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362

Mystic White A_100*100*2
Mystic White Rej. P.V. Ang. P.V.



Mystic Sand NT_100*100


MYSTIC 4D

White

Sand



Grey



9 patterns

100 * 100 * 0,8 cm | 39 * 39"

RECTIFIED	NATURAL	BUSH HAMMERED	ANTISLIP BUSH HAMMERED	ANTISLIP 20 mm
	BN94	BN94	BN99	BN145
WHITE	25394	25391	25390	38099
SAND	24340	24344	24355	-
GREY	24342	24346	24354	-

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
NATURAL	R9	-	-	Class 1	> 0,42	< 175 mm³
BUSH HAMMERED	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm³
ANTISLIP BUSH HAMMERED	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V1	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362




Nature White_60*120 SF Nature White_60*60 BHA D. Nature White Mosaic
Nature White P.V Ang.P.V. E.P.V Rej. Ang.Rej. T.Rej.




NATURE FLOOR

MATCHING WALL COLLECTION NATURE_WALL | Pag. 240



75,5 * 151 * 0,9 cm | 30 * 59”

RECTIFIED	SOFT
	BN118
WHITE	25841
GREY	25842
BEIGE	25843
ANTHRACITE	25844



60 * 120 * 0,9 cm | 24 * 48”

RECTIFIED	SOFT	ANTISLIP BUSH HAMMERED
	BN72	BN116
WHITE	39949	39853
GREY	25819	39983
BEIGE	25820	38608
ANTHRACITE	40199	25832



90 * 90 * 0,9 cm | 36 * 36”

RECTIFIED	SOFT	ANTISLIP BUSH HAMMERED
	BN48	BN90
WHITE	25742	39849
GREY	25747	25756
BEIGE	25748	25757
ANTHRACITE	25749	25758



60 * 60 * 0,9 cm | 24 * 24”

RECTIFIED	SOFT	ANTISLIP BUSH HAMMERED
	BN33	BN88
WHITE	39777	40251
GREY	25765	39592
BEIGE	39872	39946
ANTHRACITE	40126	25804

D. NATURE MOSAIC

30 * 30 cm | 12 * 12”

NO RECTIFIED	SOFT
	P37
WHITE	26086
GREY	26084
BEIGE	26083
ANTHRACITE	26082

RHOM. NATURE

14,8 * 17 cm | 6 * 7”

NO RECTIFIED	SOFT
	P17
WHITE	26189
GREY	26188
BEIGE	26187
ANTHRACITE	26186

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SOFT	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm³
ANTISLIP BUSH HAMMERED	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
0,5 mm						V1	

QB UPEC	90 * 90 cm | 36 * 36” 60 * 120 cm | 24 * 48”	60 * 60 cm | 24 * 24”
	SOFT	SOFT
	U4 P3 E3 C2	U4 P4+ E3 C2



COMPLEMENTARY PIECE



PIECE POOL



PACKING

+ INFO | PAG. 362



Planet Silver A_60*60
Planet Silver P.V. Ang. PV E.P.V. Rej.
Ang.rej. T. Rej. P. D. Planet Silver Mosaic




Planet White SF_90*90

PLANET



Anthracite | Silver | White | Bone | Mud

D. PLANET MOSAIC



60 * 120 * 0,9 cm | 24 * 48”

RECTIFIED.	SOFT
	BN72
ANTH	25177
SILVER	25180
BONE	39286
MUD	39581
WHITE	25181



90 * 90 * 0,9 cm | 36 *36”

RECTIFIED	SOFT	NATURAL	ANTISLIP
	BN48	BN48	BN90
ANTH	25019	25061	38988
SILVER	25023	25065	25060
BONE	39948	25062	39933
MUD	38360	25064	39170
WHITE	25774	25776	-



60 * 60 * 0,9 cm | 24 * 24”

RECTIFIED	SOFT	NATURAL	ANTISLIP
	BN33	BN33	BN88
ANTH	25071	40037	25076
SILVER	25075	25105	38392
BONE	38842	25102	25077
MUD	25074	25104	25079
WHITE	25190	25780	-



30 * 30 cm | 12 * 12”

NO RECTIFIED	SOFT
	P37
ANTH	22502
SILVER	22504
BONE	22505
MUD	22506
WHITE	25800

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7	ISO 10545-6
SOFT	R9	A+B	+36 WET	Class 1	> 0,42	< 175 mm³	PEI 4 (white)
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	< 175 mm³	PEI 4 (white)
ANTISLIP	R12	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³	PEI 4 (white)

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V1	

QB UPEC

90 * 90 cm | 36 * 36”
60 * 120 cm | 24 * 48”
SOFT
U4 P3 E3 C2

COMPLEMENTARY PIECE | **PIECE POOL** | **PACKING**

+ INFO | PAG. 362



SATYA

B




H



G

SATYA



15 patterns

90 * 90 * 0,9 cm | 36 * 36”

RECTIFIED	NATURAL	ANTISLIP
	BN48	BN90
B	25442	38413
H	38204	25447
G	39904	25446

D. SATYER



30 * 30 cm | 12 * 12”

NO RECTIFIED	NATURAL
	P45
B	21424
H	21415
G	21416

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7
NATURAL	R9	A+B	+36 WET	Class 1	> 0,42	PEI 4
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	PEI 4

joint	frost proof	versatile	matt	different shades	shade variation	various graphics
3,5 mm					V2	


		U3 P3 E3 C2	U2S P3 E3 C2	U3S P3 E3 C2
QB UPEC	NATURAL	B, H	G	
	ANTISLIP		G	H, B

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362



Shark-N_60*60

SHARK

B




S



N

SHARK



90 * 90 * 0,9 cm | 36 * 36"


RECTIFIED	NATURAL	LAPATTO
	BN48	BN42
B	25531	38433
S	39034	39035
N	25533	25536



60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	NATURAL	LAPATTO
	BN33	BN38
B	38973	38971
S	38975	38970
N	38974	38972

MOTOWN



60 * 60 * 0,9 cm | 24 * 24"

RECTIFIED	NATURAL	LAPATTO
	BN40	BN83
B	39003	25570
S	25569	25571
N	25568	25572

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7
NATURAL	R10	A+B	+36 WET	Class 2	> 0,42	PEI 4
LAPATTO	R9	-	-	Class 2	> 0,42	PEI 4

joint	frost proof	versatile	matt	different shades	shade variation	various graphics
3,5 mm					V3	

QB UPEC	60 * 60 cm 24 * 24"	U3S P3 E3 C2	U3 P3 E3 C2	U4 P4 E3 C2
		NATURAL	NATURAL	LAPATTO
		B	S, N	B, S, N

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362



Unique_19,5 * 121
T.Oxik

UNIQUE



Unique



42 patterns

19,5 * 121 * 0,9 cm | 8 * 48”

RECTIFIED	NATURAL
	BN2
UNIQUE	39757



42 patterns

15 * 90 * 0,9 cm | 6 * 36”

RECTIFIED	NATURAL
	BN27
UNIQUE	39048



17 patterns

19,5 * 19,5 cm | 8 * 8”

RECTIFIED	NATURAL
	P23
T. BARCELOS	25371



30 patterns

19,5 * 19,5 cm | 8 * 8”

RECTIFIED	NATURAL
	P23
T. OXIK	25372

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)
NATURAL	R9	-	-	Class 1	-

joint	frost proof	versatile	matt	various moulds	different shades	shade variation	various graphics
3,5 mm						V4	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362




Verbier Honey SP_100*275
Alchemy Pearl SP_100*100

VERBIER 4D



Honey



5 patterns

MATCHING WALL COLLECTION VERBIER_WALL | Pag. 250

100 * 275 * 0,6 cm | 39 * 108”

RECTIFIED	SHAPED
	BN141
HONEY	37975

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
SHAPED	-	-	-	Class 1	> 0,42	< 175 mm^3

joint	frost proof	versatile	matt	full body	different shades	shade variation	various graphics
3,5 mm						V2	

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362

Verbier Honey AS_24*151



Verbier Ash AS_24*151



Verbier Taupe AS_24*151



Verbier Cigar AS_24*151



Verbier Maple AS_24*151

VERBIER FLOOR



Maple Taupe Straw Honey Cherry Cigar Ash

VERBIER

36 patterns

24 * 151 * 0,9 cm | 9 * 59”

RECTIFIED	ALL IN ONE BN121
ASH	38394
CHERRY	38958
CIGAR	38676
HONEY	38384
MAPLE	38382
STRAW	38959
TAUPE	38960

48 patterns

19,5 * 121 * 0,9 cm | 8 * 48”

RECTIFIED	ALL IN ONE BN95
ASH	38594
CHERRY	38597
CIGAR	38596
HONEY	38454
MAPLE	38595
STRAW	38452
TAUPE	38598

D. VERBIER CHEV.

24 * 27,5 * 0,9 cm | 9 * 12”

RECTIFIED	ALL IN ONE P53
ASH	32092
CHERRY	32093
CIGAR	32094
HONEY	32095
MAPLE	32096
STRAW	32097
TAUPE	32098

MATCHING WALL COLLECTION VERBIER_WALL | Pag. 250

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-6
ALL IN ONE	R11	A+B+C	+36 Wet	Class 3	> 0,42	< 175 mm³


joint	frost proof	versatile	matt	varios moulds	different shades	shade variation	various graphics

COMPLEMENTARY PIECE **PIECE POOL** **PACKING**

+ INFO | PAG. 362



Whistler Honey A_24*151
Nature White Decor_32*90
Nature White_32*90



Whistler Maple_24*151

WHISTLER


Taupe


Maple


Honey


Brown


30 patterns

24 * 151 * 0,9 cm | 10 * 59"

RECTIFIED	NATURAL	ANTISLIP
	BN93	BN121
BROWN	23930	25370
HONEY	39040	39002
MAPLE	39042	38643
TAUPE	39041	39043

TECHNICAL CHARACTERISTICS

FINISHES	DIN 51130	DIN 51097	BS 7976-2 (PTV)	UNE 41901 EX	ANSI A137.1 (DCOF)	ISO 10545-7
NATURAL	R9	-	-	Class 1	> 0,42	PEI 4 - HONEY
ANTISLIP	R11	A+B+C	+36 Wet	Class 3	> 0,42	PEI 4 - HONEY

joint	frost proof	versatile	matt	various moulds	different shades	shade variation	various graphics
3,5 mm						V3	

COMPLEMENTARY PIECE

PIECE POOL

PACKING

+ INFO | PAG. 362

TILES

BODY

WHITE

ALCHEMY WALL 176
CLUNY WALL 182
COTTON 188
DANUBIO 192
DONNA 194
DOWNTOWN WALL 196
ERTA 202
GHENT WALL 204
GRANIER WALL 208
GROUND WALL 210
GRUNGE WALL 214
ICE 220
JACKSON WALL 226
LUCCA WALL 228
MANHATTAN WALL 232
MITTE WALL 238
NATURE WALL 240
PURE 242
SALINES 246
VERBIER WALL 250



Alchemy Earth _33,3*100
Alchemy decor Earth_33,3*100
Alchemy Earth SP_100*100
Alchemy Earth A_100*100

Alchemy Iron _33,3*100
Alchemy Textured Iron_33,3*100
Alchemy Iron SP_100*100

Alchemy decor Pearl_33,3*100
Alchemy Pearl_33,3*100
Alchemy Pearl SP_100*100

ALCHEMY WALL

Pearl

Pearl textured



Pearl decor



Earth



Earth textured



Earth decor



Iron



Iron textured



Iron decor

ALCHEMY



12 patterns

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	NATURAL
	BN65
EARTH	37862
IRON	37864
PEARL	37867

ALCHEMY TEXTURED



12 patterns

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	NATURAL
	BN65
EARTH	40300
IRON	40301
PEARL	37866

ALCHEMY DECOR



12 patterns

one-way

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	NATURAL
	BN66
EARTH	37870
IRON	37869
PEARL	37868

MATCHING FLOOR COLLECTION ALCHEMY_PORCELAIN | Pag. 48

Pearl



Earth



Iron

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V2	

PACKING

+ INFO | PAG. 374



Cluny White_33,3*100
Cluny decor White_33,3*100
Cluny White SP_100*100

Cluny Sand_33,3*100
Cluny Textured Sand_33,3*100
Cluny Sand SP_100*100

Cluny Textured Sand_33,3*100

CLUNY WALL

White


Sand


Silver

White textured


Sand textured


Silver textured


White decor


Sand decor


Silver decor

CLUNY


12 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
	BN65
SAND	36365
SILVER	36366
WHITE	36363


CLUNY TEXTURED


12 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
	BN65
SAND	36368
SILVER	36370
WHITE	36364

CLUNY DECOR



12 patterns

one-way

33,3 * 100 * 0,98 cm | 13 * 39”

RECTIFIED	NATURAL
	BN66
SAND	36369
SILVER	36371
WHITE	36367

MATCHING FLOOR COLLECTION CLUNY_PORCELAIN | Pag. 68


White Sand Beige Silver

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V2	

PACKING

+ INFO | PAG. 374



Cotton Diamond_33,3*100



Cotton Fold_33,3*100



Cotton Waves_33,3*100

COTTON

COTTON

COTTON WAVES

COTTON FOLD

COTTON DIAMOND


COTTON



33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN4
COTTON	40283

COTTON FOLD



33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN5
FOLD	40286


COTTON WAVES



33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN5
WAVES	40285

COTTON DIAMOND



33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN5
DIAMOND	40284

joint	wall tiles	matt
3,5 mm		

PACKING

+ INFO | PAG. 374



DANUBIO

DANUBIO G



VOSGOS G

DANUBIO H



VOSGOS H

DANUBIO



12 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN29
G	14430
H	14431

33 * 91 * 1,05 cm | 13 * 36”

NO RECTIFIED (joint 1,5 mm)	NATURAL
	BN21
G	14364
H	14365

VOSGOS



12 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN36
G	14432
H	14433

33 * 91 * 1,05 cm | 13 * 36”

NO RECTIFIED (joint 1,5 mm)	NATURAL
	BN25
G	14406
H	14405

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm 1,5 mm				V1	

PACKING

+ INFO | PAG. 374

White body wall tile



Donna Sand Decor_33,3*100
Grunge Beige AS_60*60

DONNA

White

White decor

Sand


Sand decor

Silver


Silver decor

DONNA


25 patterns

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	NATURAL
	BN65
SAND	40291
SILVER	40292
WHITE	40290

DONNA DECOR


25 patterns

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	NATURAL
	BN66
SAND	40288
SILVER	40289
WHITE	40287

*D. DONNA LEAVES

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	NATURAL
	P77
WHITE	27776

* Se comercializan en conjuntos de 2 piezas. Precio por pieza individual.
_They are sold in groups of 2 pieces. Price to the individual piece.

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V1	

WallPEC

33,3 * 100 cm | 13 * 39"
SHAPED
WALLPE3C2

PACKING

+ INFO | PAG. 374



Downtown Beige SP_33,3*100
Downtown Material Beige SP_33,3*100
Downtown Beige SP_90*90

Downtown Grey SP_33,3*100
Downtown Triangle Grey SP_33,3*100
Downtown Grey_60*60

Downtown Triangle White SP_33,3*100

White body wall tile

DOWNTOWN WALL



White



Beige



Grey



White triangle



Beige triangle



Grey triangle



White material



Beige material



Grey material

DOWNTOWN




14 patterns

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	SHAPED
	BN8
BEIGE	29725
GREY	29724
WHITE	29723

DOWNTOWN TRIANGLE




7 patterns

one-way

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	SHAPED
	BN10
BEIGE	29727
GREY	29726
WHITE	29728

DOWNTOWN MATERIAL




7 patterns

one-way

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	SHAPED
	BN10
BEIGE	30754
GREY	30756
WHITE	30755

MATCHING FLOOR COLLECTION DOWNTOWN_PORCELAIN | Pag. 82




White | Beige | Grey | Anthracite

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V2	

PACKING

+ INFO | PAG. 374



Erta Beige Decor _33,3*100
Erta Beige_33,3*100

ERTA

Beige



Beige decor

Silver



Silver decor

ERTA



12 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
	BN65
BEIGE	22122
SILVER	22124

ERTA DECOR



6 patterns

one-way

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
	BN66
BEIGE	22123
SILVER	22125

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V2	

PACKING

+ INFO | PAG. 374



Ghent Beige SP_33,3*100
Ghent Beige Decor SP_33,3*100
Ghent Beige SP_100*100



GHENT WALL

White


White decor


Beige


Beige decor


Silver


Silver decor


GHENT


12 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	SHAPED
	BN8
BEIGE	31860
SILVER	31862
WHITE	31861


GHENT DECOR


5 patterns

33,3 * 100 * 0,98 cm | 13 * 39”

RECTIFIED	SHAPED
	BN10
BEIGE	31863
SILVER	31864
WHITE	31865


MATCHING FLOOR COLLECTION GHENT_PORCELAIN | Pag. 88


White Silver Grey Beige

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V2	

PACKING

+ INFO | PAG. 374



Granier decor Honey SP_33,3*100

GRANIER WALL



Taupe decor



Natural decor



Honey decor

GRANIER




8 patterns

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	SHAPED
	BN10
HONEY	34773
NATURAL	34772
TAUPE	34774

MATCHING FLOOR COLLECTION GRANIER_PORCELAIN | Pag. 94



Ash Maple Natural Taupe Honey

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V2	

PACKING

+ INFO | PAG. 374



Ground Bone_33,3*100
Ground Bone decor_33,3*100
Ground Bone SP_100*100



GROUND WALL

White

White decor

Silver

Silver decor

Bone

Bone decor


GROUND


15 patterns

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	NATURAL
	BN65
BONE	40302
SILVER	34762
WHITE	40265

GROUND DECOR


15 patterns

one-way

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	NATURAL
	BN66
BONE	34813
SILVER	34815
WHITE	34814

MATCHING FLOOR COLLECTION GROUND_PORCELAIN | Pag. 98

Bone


Grey


Silver

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V2	

PACKING

+ INFO | PAG. 374



Grunge Beige Stripes_32*90
Grunge Beige_32*90
Grunge Beige AS_60*60

GRUNGE WALL

32*90 CM | 13*36”

White

Beige

Grey

White peak



Beige peak

Grey peak

White stripes



Beige stripes



Grey stripes

GRUNGE WALL



16 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN29
WHITE	27490
BEIGE	27491
GREY	27492

D. GRUNGE WALL MOSAIC



30 * 30 cm | 12 * 12”

NO RECTIFIED	NATURAL
	P44
WHITE	27612
BEIGE	27613
GREY	27614

GRUNGE PEAK




16 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN36
WHITE	27497
BEIGE	27498
GREY	27496

GRUNGE STRIPES



16 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN36
WHITE	27495
BEIGE	27493
GREY	27494

MATCHING FLOOR COLLECTION GRUNGE_PORCELAIN | Pag. 104



White



Beige



Grey



Anthracite

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V1	

PACKING

+ INFO | PAG. 374



Grunge Grey Decor_25*75

GRUNGE WALL

25*75 CM | 10*30”

White

White decor

Beige

Beige decor

Grey

Grey decor

GRUNGE

20 patterns

25 * 75 * 1,05 cm | 10 * 30”

NO RECTIFIED	NATURAL
	BN16
WHITE	27156
BEIGE	27158
GREY	27157

D. GRUNGE WALL MOSAIC

30 * 30 cm | 12 * 12”

NO RECTIFIED	NATURAL
	P44
WHITE	27612
BEIGE	27613
GREY	27614

GRUNGE DECOR

7 patterns

25 * 75 * 1,05 cm | 10 * 30”

NO RECTIFIED	NATURAL
	BN20
WHITE	27161
BEIGE	27159
GREY	27160

joint	wall tiles	matt	different shades	shade variation	various graphics
3,5 mm				V1	

PACKING

+ INFO | PAG. 374



Ice Diamond_33,3*100
Ice_33,3*100
Downtown Anthracite SP_100*100

White body wall tile

Ice Fold_33,3*100
Ice_33,3*100



Ice Waves_33,3*100

ICE

Ice

Ice waves

Ice fold

Ice diamond

ICE

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN4
COTTON	30853

ICE FOLD

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN5
FOLD	30859

ICE WAVES

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN5
WAVES	30857

ICE DIAMOND

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	EXTRAWHITE
	BN5
DIAMOND	30858

joint	wall tiles	gloss
3,5 mm		

PACKING

+ INFO | PAG. 374



JACKSON WALL




Honey decor



Taupe decor

JACKSON DECOR



5 patterns

33,3 * 100 * 0,98 cm | 13 * 39″

RECTIFIED	SHAPED
	BN10
HONEY	37874
TAUPE	37873

MATCHING FLOOR COLLECTION JACKSON_PORCELAIN | Pag. 110



Honey Taupe Walnut Maple Ash

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V2	

PACKING

+ INFO | PAG. 374



Lucca Beige SP_33,3*100
Lucca Decor Beige SP_33,3*100
Lucca Beige AS_90*90

White body wall tile



LUCCA WALL

White

White decor



Beige



Beige decor

Grey



Grey decor

LUCCA




21 patterns

33,3 * 100 * 0,86 cm | 13 * 39"

RECTIFIED	SHAPED
	BN8
WHITE	31789
BEIGE	31791
GREY	31790

LUCCA DECOR




5 patterns

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	SHAPED
	BN10
WHITE	31792
BEIGE	31794
GREY	31793

MATCHING FLOOR COLLECTION LUCCA_PORCELAIN | Pag. 120



White | Beige | Grey | Anthracite

joint	wall tiles	matt	different shades	shade variation	various graphics
0.5 mm				V2	

PACKING

+ INFO | PAG. 374

Manhattan Bone SP_33,3*100
Manhattan Bone Wavy SP_33,3*100

Manhattan Bone SP_33,3*100
Manhattan Bone Wavy SP_33,3*100

Manhattan White Lines SP_33,3*100

White body wall tile

MANHATTAN WALL

White

Bone



Silver

White wavy



Bone wavy



Silver wavy



White lines



Bone lines



Silver lines

MANHATTAN



14 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	SHAPED
	BN8
BONE	40294
SILVER	40295
WHITE	40293

MANHATTAN WAVY



14 patterns

33,3 * 100 * 0,98 cm | 13 * 39”

RECTIFIED	SHAPED
	BN10
BONE	40296
SILVER	40298
WHITE	40270

MANHATTAN LINES




14 patterns

33,3 * 100 * 0,98 cm | 13 * 39”

RECTIFIED	SHAPED
	BN10
BONE	40269
SILVER	40297
WHITE	40299

MATCHING FLOOR COLLECTION MANHATTAN_PORCELAIN | Pag. 132



White Bone Silver Grey

joint	wall tiles	matt	different shades	shade variation	various graphics
0.5 mm				V2	

PACKING

+ INFO | PAG. 374



MITTE

Mitte W


Alex W


Mitte G


Alex G


Wilma


Noah


MITTE


24 patterns

25 * 75 * 1,05 cm | 10 * 30"

NO RECTIFIED	NATURAL
	BN16
W	20172
G	20171

ALEX


6 patterns

25 * 75 * 1,05 cm | 10 * 30"

NO RECTIFIED	NATURAL
	BN20
W	20174
G	20173


WILMA


6 patterns

25 * 75 * 1,05 cm | 10 * 30"

NO RECTIFIED	NATURAL
	BN20
WILMA	20176

NOAH


7 patterns

25 * 75 * 1,05 cm | 10 * 30"

NO RECTIFIED	NATURAL
	BN20
NOAH	20175

joint	wall tiles	matt	different shades	shade variation	various graphics
1,5 mm				V3	

PACKING

+ INFO | PAG. 374



Nature Sand_32*90
Nature Sand Decor_32*90

NATURE

Sand

Sand decor



Silver



Silver decor

White

White decor

NATURE



17 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN29
WHITE	26279
SAND	24028
SILVER	24027

D. NATURE MOSAIC



30 * 30 cm | 12 * 12”

NO RECTIFIED	NATURAL
	P44
WHITE	26299
SAND	30870
SILVER	30871

NATURE DECOR



17 patterns

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
	BN36
WHITE	26280
SAND	24029
SILVER	24030

MATCHING FLOOR COLLECTION NATURE_PORCELAIN | Pag. 148

White



Beige



Grey



Anthracite

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V1	

WallPEC

32 * 90 cm | 13 * 36”
NATURAL
WALLPE3C2

PACKING

+ INFO | PAG. 374



Fiber-W
Fiber-G

PURE

33,3*100 cm | 13*39”

PURE W

PURE Striped

32*90 CM | 13*36”

PURE W

FIBER W



FIBER G

PURE

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
W	BN65
W	20586

PURE STRIPED

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
PURE STRIPED	BN66
PURE STRIPED	23169

PURE

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
W	BN29
W	16159

33 * 91 * 1,05 cm | 13 * 36”

NO RECTIFIED (joint 1,5 mm)	NATURAL
W	BN21
W	16150

FIBER

32 * 90 * 1,05 cm | 13 * 36”

RECTIFIED	NATURAL
W	BN36
W	16161
G	16160

33 * 91 * 1,05 cm | 13 * 36”

NO RECTIFIED (joint 1,5 mm)	NATURAL
W	BN25
W	16153
G	16151

joint	wall tiles	matt
0,5 mm 1,5 mm		

		33,3 * 100 cm | 13 * 39”	32 * 90 cm | 13 * 36”
WallPEC	PURE W	NATURAL WALLPE3C2	NATURAL WALLPE3C2

PACKING

+ INFO | PAG. 374



Pure White Decor Smith_25*75
Pure White_25*75 Mila Cold_60*60 SF

PURE

25*75 CM | 10*30”

White

Decor smith white

Decor Alex white


PURE



25 * 75 * 1,05 cm | 10 * 30”

NO RECTIFIED	NATURAL
	BN16
WHITE	21786


PURE DECOR SMITH



25 * 75 * 1,05 cm | 10 * 30”

NO RECTIFIED	NATURAL
	BN20
WHITE	21788

PURE DECOR ALEX



25 * 75 * 1,05 cm | 10 * 30”

NO RECTIFIED	NATURAL
	BN20
WHITE	21787

joint	wall tiles	matt
		



PACKING

+ INFO | PAG. 374

Salines Silver_100
Salines Silver Decor_100
Ground Bone A_60*60

SALINES

White

White decor

White waves

Bone



Bone decor



Bone waves

Silver



Silver decor



Silver waves

SALINES



9 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
	BN65
WHITE	23142
BONE	23136
SILVER	23143


D.SALINES MOSAIC



30 * 30 cm | 12 * 12”

NO RECTIFIED	NATURAL
	P44
WHITE	23321
BONE	23322
SILVER	23323
MIX	23320

SALINES DECOR



3 patterns

33,3 * 100 * 0,86 cm | 13 * 39”

RECTIFIED	NATURAL
	BN66
WHITE	23145
BONE	23144
SILVER	23146

SALINES WAVES



9 patterns

33,3 * 100 * 0,98 cm | 13 * 39”

RECTIFIED	NATURAL
	BN66
WHITE	31189
BONE	31188
SILVER	31190


joint	wall tiles	matt	different shades	shade variation	various graphics
0.5 mm				V2	

PACKING

+ INFO | PAG. 374



Verbier Honey decor SP_33,3*100
Verbier Honey AS_19,5*121,5



Verbier Taupe decor SP_33,3*100

VERBIER WALL




Taupe decor



Honey decor

VERBIER DECOR




5 patterns

one-way

33,3 * 100 * 0,98 cm | 13 * 39"

RECTIFIED	SHAPED
	BN10
HONEY	40268
TAUPE	32892

MATCHING FLOOR COLLECTION VERBIER_PORCELAIN | Pag. 164



Honey · Cigar · Cherry · Ash · Taupe · Straw · Maple

joint	wall tiles	matt	different shades	shade variation	various graphics
0,5 mm				V2	

PACKING

+ INFO | PAG. 374

FS VINTAGE TILES

FS ALORA	256	FS LOFT	286
FS ARLES	257	FS MARAIS	288
FS ARTISAN	258	FS MARRAKECH	289
FS AURORA	260	FS MELVIN	290
FS BARNA	261	FS MIRAMBEL	292
FS BLOCK	263	FS MUD	293
FS BLUME	264	FS NOUVEAU	294
FS BRETAGNE	265	FS OFELIA	297
FS CAMPANIA	266	FS ORIGINAL	298
FS CHESTER	269	FS PANAME	300
FS CLAY	270	FS PORTO	304
FS DAMERO	272	FS RAKU	306
FS ETNA	274	FS ROAD	307
FS FAENZA	275	FS ROCKSTAR	310
FS FIELD	276	FS ROOTS	312
FS FOREST	278	FS SAJA	314
FS HERITAGE	280	FS SEA	315
FS IRON	282	FS STAR	316
FS IVY	283	FS STAR LT	320
FS JAIPUR	284	FS TEMPLE	324
		FS TRADITION	325
		FS VENDOME	326
		FS VENECIA	327
		FS WILD	328
		FS YARD	330
		FS TILES	332

Índice Alfabético
Alphabetic tiles
Embalaje
Packing
Características Técnicas
Technical Characteristics

FS ALORA



FS Alora

FS ARLES



FS Arles Green LT
FS Roots-0

FS Artisan-B
FS Artisan Decor-A
Mumble-G_15*90

FS Oldker

FS AURORA



FS Aurora Black

FS BARNA



FS Born
FS Sarria



FS Gracia



FS Raval
FS Sarria



FS Block Silver Decor
FS Sarria




FS Blume Black
FS Blume White
FS Etna Black



FS Bretagne

FS Minori
FS Salerno
FS Wild

FS CAMPANIA



FS CHESTER



FS Chester




FS Mud White
FS Blossom



FS Damero-N

FS DAMERO



FS Espiga-N



FS Etna Sage



FS Faenza-A
C. FS Faenza-A
T. FS Faenza-A
FS Manises-B
C. FS Manises-B
T. FS Manises-B



FS Field Brown
FS Rock



FS Forest Natural

FS Heritage Square

FS Heritage White

FS Heritage Ornate



FS Iron Oxide
FS Forest Black

FS IVY



FS Ivy Stage

FS Jaipur White LT

FS Jaipur White LT
FS Loft Black



FS Loft White
FS Forest Natural

FS MARAIS



FS Marais

FS MARRAKECH



FS Marrakech blue



FS Melvin White

FS MIRAMBEL

FS Alora
FS Mirambel-A

FS MUD

FS Mud White
FS Seal

FS Nouveau Ruby

FS NOUVEAU

FS Nouveau Sage

FS OFELIA

FS Ofelia

FS0
FS2

FS1

FS ORIGINAL

FS Nijar
FS 0

FS Paname Opera

FS Paname Trocadero

FS Paname Concorde

FS Paname Bastille



FS Tradition White Brick LT
FS Porto Amaral



FS Tradition White Brick LT
FS Porto Fatima



FS Porto Iria

FS RAKU

FS Raku Black
FS Star-N

FS ROAD

FS Road Mars



FS Road Moon



FS Rockstar N
FS Rock



FS Raku Cream
FS Roots 3



FS Roots 1
FS Roots 3
FS Roots 4
FS Raku Blue





FS Roots 1
FS Raku Blue

FS SAJA

FS Saja N

FS SEA

FS Sea Blue LT
FS Sea White LT

FS Star N



FS Star Sky



FS Star Night



FS Star White



FS Star LT Blue



FS Star LT White

FS STAR LT



FS Star LT Black



FS Temple Black



FS Tradition Square Green
FS Heritage Square

FS VENDOME

FS Vendome
FS Rue

FS VENECIA

FS Venecia/46
FS Ofelia



FS Wild
FS Rockstar N

FS Aurora Black
FS Yard Black

A

FS Alora

SINGLE FIRED FLOOR TILES

45 * 45 * 0,95 cm | 18 * 18”



FS Alora

FS Arles

SINGLE FIRED FLOOR TILES

33 * 33 * 0,95 cm | 13 * 13”



FS Arles Black LT



FS Arles Brown LT



FS Arles Blue LT



FS Arles Green LT

FS Artisan

SINGLE FIRED FLOOR TILES

33 * 33 * 0,95 cm | 13 * 13”



FS Artisan Decor -A



FS Oldker



FS Artisan Damero -A



FS Artisan-B

B

FS Aurora

SINGLE FIRED FLOOR TILES

45 * 45 * 0,95 cm | 18 * 18”



FS Aurora White



FS Aurora Sage



FS Aurora Black



FS Aurora Blue

FS Barna

SINGLE FIRED FLOOR TILES

45 * 45 * 0,95 cm | 18 * 18”



FS Born



FS Gracia



FS Raval

B

FS Barna

SINGLE FIRED FLOOR TILES

45 * 45 * 0,95 cm | 18 * 18”



FS SARRIA

FS Block

WHITE BODY WALL TILES

20 * 40 * 1,03 cm | 8 * 16”
20 * 40 * 1,4 cm | 8 * 16”



FS BLOCK silver



FS BLOCK silver decor

FS BLOCK white



FS BLOCK white decor

FS Blume

SINGLE FIRED FLOOR TILES

45 * 45 * 0,95 cm | 18 * 18”



FS BLUME White



FS BLUME Black



FS BLUME Blue

FS Bretagne

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS BLUME Sage



FS BREGTAGNE

C

FS Campania

SINGLE FIRED FLOOR TILES

33 * 33 * 0,95 cm | 13 * 13”



FS AMALFI



FS ATRANI



FS MINORI



FS SALERNO

C


FS Chester

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”
33 * 33 * 0,95 cm | 13 * 13”



FS CHESTER



FS COMILLAS

FS Clay

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS BLOSSOM



FS SEAL



FS CHECKER silver



FS CHECKER sand

D

FS Damero

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS DAMERO -N



FS ESPIGA



FS ROMBOS -N

E

FS Etna

SINGLE FIRED FLOOR TILE

33 * 33 * 0,95 cm | 13 * 13”



FS ETNA white



FS ETNA black



FS ETNA sage



FS ETNA blue

F

FS Faenza

SINGLE FIRED FLOOR TILE

33 * 33 * 0,95 cm | 13 * 13”



FS FAENZA -A



FS FAENZA -N



FS MANISES

F

FS Field

PORCELAIN TILES

45,2 * 45,2 * 0,95 cm | 18 * 18”



FS FIELD black LT



FS FIELD blue LT



FS FIELD brown LT

FS Forest

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”
7,3 * 45 * 1,05 cm | 2,9 * 18”



FS FOREST black



FS FOREST natural



FS FOREST white



FS FOREST natural mix



FS FOREST plank

H

FS Heritage

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS HERITAGE white LT



FS HERITAGE square LT



FS HERITAGE ornate LT



FS HERITAGE leaves LT

I

FS Iron

WHITE BODY WALL TILE

20 * 40 * 1,03 cm | 8 * 16”



FS IRON white LT



FS IRON oxide LT

I

FS Ivy

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS IVY black



FS IVY blue



FS IVY sage

J

FS Jaipur

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS JAIPUR white LT



FS JAIPUR black LT

L

FS Loft

WHITE BODY WALL TILE

20 * 40 * 1,03 cm | 8 * 16”

FS LOFT white



FS LOFT clay



FS LOFT black

M

FS Marais

PORCELAIN TILE

45,2 * 45,2 * 0,95 cm | 18 * 18”



FS MARAIS

FS Marrakech

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS MARRAKECH grey



FS MARRAKECH blue

FS Melvin

PORCELAIN TILE

7,4 * 67,5 * 1,05 cm | 3 * 27”



FS MELVIN white



FS MELVIN color

M

FS Mirambel

SINGLE FIRED FLOOR TILE

33 * 33 * 0,95 cm | 13 * 13”



FS MIRAMBEL B



FS MIRAMBEL M



FS MIRAMBEL A

FS Mud

WHITE BODY WALL TILE

20 * 40 * 1,03 cm | 8 * 16”



FS MUD white



FS MUD silver



FS MUD sand



FS MUD cocoa

N

FS Nouveau

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS NOUVEAU Ruby



FS NOUVEAU Sage

O

FS Ofelia

PORCELAIN TILE

45,2 * 45,2 * 0,95 cm | 18 * 18”



FS OFELIA

FS Original

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS 0



FS 3



FS 1



FS 4



FS 2



FS NIJAR

P

FS Paname

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS PANAME Bastille



FS PANAME Trocadero



FS PANAME Concorde



FS PANAME Opera

FS Porto

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS PORTO Amaral



FS PORTO Iria



FS PORTO Fatima



FS PORTO Flavia

R

FS Raku

WHITE BODY WALL TILE

20 * 40 * 1,03 cm | 8 * 16”



FS RAKU white



FS RAKU sage



FS RAKU black



FS RAKU color



FS RAKU silver



FS RAKU cream



FS RAKU blue

R

FS Road

PORCELAIN TILE

90 * 90 * 1 cm | 36 * 36”



FS ROAD mars AS



FS ROAD moon AS

FS Rockstar

PORCELAIN TILE

45,2 * 45,2 * 0,95 cm | 18 * 18”



FS ROCKSTAR -N AS



FS ROCK AS

FS Roots

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS ROOTS 0



FS ROOTS 1



FS ROOTS 2



FS ROOTS 4



FS ROOTS 3

S

FS Saja

SINGLE FIRED FLOOR TILE

33 * 33 * 0,95 cm | 13 * 13”



FS SAJA N



FS SAJA B

FS Sea

SINGLE FIRED FLOOR TILE

33 * 33 * 0,95 cm | 13 * 13”



FS SEA white LT



FS SEA blue LT

S

FS Star

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS STAR ARA black



FS STAR sage



FS STAR sky



FS STAR white



FS STAR blue



FS STAR night



FS STAR N



FS STAR oxide

FS Star LT

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS STAR LT white



FS STAR LT blue



FS STAR LT black



FS STAR LT sage

T

FS Temple

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS TEMPLE black



FS TEMPLE sage



FS TEMPLE blue

T

FS Temple

SINGLE FIRED FLOOR TILE

45 * 45 * 0,95 cm | 18 * 18”



FS TEMPLE oxide

FS Tradition

WHITE BODY WALL TILE

20 * 40 * 1,03 cm | 8 * 16”

FS TRADITION
BRICK white LT

FS TRADITION
SQUARE white LT



FS TRADITION
BRICK silver LT



FS TRADITION
SQUARE silver LT



FS TRADITION
BRICK green LT



FS TRADITION
SQUARE green LT



FS TRADITION
BRICK blue LT



FS TRADITION
SQUARE blue LT

V

FS Vendome

PORCELAIN TILE

45,2 * 45,2 * 0,95 cm | 18 * 18



FS VENDOME



FS RUE

FS Venecia

PORCELAIN TILE

45,2 * 45,2 * 0,95 cm | 18 * 18
60 * 60 * 0,9 cm | 24 * 24”



FS VENECIA/46



FS VENECIA

W

FS Wild

PORCELAIN TILE

19,5 * 121,5 * 1 cm



FS WILD AS

Y

FS Yard

SINGLE FIRED FLOOR TILES

45 * 45 * 0,95 cm | 18 * 18”



FS YARD black



FS YARD blue



FS YARD sage

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción. Weights shown here may slightly vary depending on the production lot.)

TIPO PASTA	FORMATO	CAJAS			PALLET				CONT./20’ 21500 KG.	CONT./20’ 24000 KG.
	cm	Piezas	m2	kg	Cajas	m2	kg	Tamaño cm aprox.	m2	m2
Porcelánico	60 * 60 * 0,9	3	1,08	24,302	40	43,2	995,08	80 * 120 * 75	933,55	1041,98
Porcelánico	45,2 * 45,2 * 0,95	5	1,02	22,50	66	67,32	1509	80 * 120 * 105	942	1077
Gres	45 * 45 * 0,95	5	1	21,15	66	66	1420	80 * 120 * 105	990	1122
Porcelánico	33 * 33 * 0,95	10	1,09	21,712	48	52,32	1065,97	80 * 120 * 81	1055,29	1151,04
Gres	33 * 33 * 0,95	10	1,09	21,392	48	52,32	1050,61	80 * 120 * 81	1070,47	1151,04
Pasta blanca - revestimiento	20 * 40 * 1,03	12	0,96	16,293	56	53,76	936,208	80 * 120 * 95	1182,72	1182,72
Porcelánico	7,4 * 67,5 * 1,05	15	0,75	17,135	63	47,25	1103,30	80 * 120 * 83	920,76	1027,82
Gres	7,3 * 45 * 1,05	25	0,82	20,95	48	39,36	1029,4	80 * 120 * 78	822,23	917,48

BODY TILE	SIZES	BOXES			PALLET				CONT./20’ 21500 KG.	CONT./20’ 24000 KG.
	inch	Units	ft2	lb	Boxes	ft2	lb	Sizes inch approx.	ft2	ft2
Porcelain	23 5/8 * 23 5/8 * 3/8	3	11,62	53,46	40	464,83	2189,18	31 1/2 * 47 1/4 * 29 1/2	10045,02	11211,75
Porcelain	17 13/16 * 17 13/16 * 3/8	5	10,98	49,50	66	724,36	3319,80	31 1/2 * 47 1/4 * 41 5/16	10135,92	11588,52
Single Fired	17 11/16 * 17 11/16 * 7/16	5	10,76	46,53	66	710,16	3124,00	31 1/2 * 47 1/4 * 41 5/16	10652,40	12051,20
Porcelain	13 * 13 * 3/8	10	11,73	47,77	48	562,96	2345,15	31 1/2 * 47 1/4 * 31 7/8	11354,97	12385,19
Single Fired	13 * 13 * 3/8	10	11,73	47,06	48	562,96	2311,36	31 1/2 * 47 1/4 * 31 7/8	11518,23	12385,19
White Body wall tiles	7 7/8 * 15 3/4 * 3/8	12	10,33	35,84	56	578,46	2059,66	31 1/2 * 47 1/4 * 37 3/8	12726,07	12726,07
Porcelain	2 15/16 * 26 9/16 * 7/16	15	8,07	37,70	63	508,41	2427,27	31 1/2 * 47 1/4 * 32 11/16	9910,97	11063,36
Single Fired	2 15/16 * 26 9/16 * 7/16	25	8,82	46,09	48	423,51	2264,68	31 1/2 * 47 1/4 * 30 11/16	8847,20	9872,10

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	C. FS FAENZA-A	FS FAENZA	13714	11*33	9,5	P12	9	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	C. FS FAENZA-N	FS FAENZA	13715	11*33	9,5	P12	9	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	C. FS MANISES-B	FS FAENZA	13716	11*33	9,5	P12	9	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	FS 0	FS ORIGINAL	38208	45*45	9,5	BN14	13	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS 1	FS ORIGINAL	38085	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS 2	FS ORIGINAL	38314	45*45	9,5	BN14	8	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS 3	FS ORIGINAL	38082	45*45	9,5	BN14	5	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS 4	FS ORIGINAL	39058	45*45	9,5	BN14	4	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ALORA	FS ALORA	38084	45*45	9,5	BN14	17	Gres Single fired	V3	4	R-9	-	C1	>0,42	+36	113 Cement Grey
	FS AMALFI	FS CAMPANIA	37766	33*33	9,5	BN17	8	Gres Single fired	V2	4	-	-	-	-	-	103 Blanco Luna
	FS ARLES BLACK LT	FS ARLES	31651	33*33	9,5	BN17	5	Gres Single fired	V2	3	-	-	-	-	-	110 Manhattan
	FS ARLES BLUE LT	FS ARLES	31649	33*33	9,5	BN17	5	Gres Single fired	V2	3	-	-	-	-	-	110 Manhattan
	FS ARLES BROWN LT	FS ARLES	31650	33*33	9,5	BN17	5	Gres Single fired	V2	3	-	-	-	-	-	110 Manhattan
	FS ARLES GREEN LT	FS ARLES	31652	33*33	9,5	BN17	5	Gres Single fired	V2	3	-	-	-	-	-	110 Manhattan
	FS ARTISAN DAMERO-A	FS ARTISAN	18244	33*33	9,5	BN14	5	Gres Single fired	V3	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ARTISAN DECOR-A	FS ARTISAN	18151	33*33	9,5	BN14	5	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ARTISAN-B	FS ARTISAN	18150	33*33	9,5	BN14	6	Gres Single fired	V2	5	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ATRANI	FS CAMPANIA	37767	33*33	9,5	BN17	8	Gres Single fired	V2	4	-	-	-	-	-	103 Blanco Luna
	FS AURORA BLACK	FS AURORA	38170	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS AURORA BLUE	FS AURORA	38317	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS AURORA SAGE	FS AURORA	38171	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS AURORA WHITE	FS AURORA	38316	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS BARNA BORN	FS BARNA	37765	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS BARNA GRACIA	FS BARNA	37763	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS BARNA RAVAL	FS BARNA	37764	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS BARNA SARRIA	FS BARNA	37784	45*45	9,5	BN14	10	Gres Single fired	V2	3	R-9		1	>0,42	+36	114 Anthracite
	FS BLOCK SILVER	FS BLOCK	37773	20*40	10,3	BN3	12	Pasta Blanca White Body	V2	-	-	-	-	-	-	112 Gris Medio
	FS BLOCK SILVER DECOR	FS BLOCK	37774	20*40	14	BN18	12	Pasta Blanca White Body	V2	-	-	-	-	-	-	112 Gris Medio
	FS BLOCK WHITE	FS BLOCK	37771	20*40	10,3	BN3	12	Pasta Blanca White Body	V2	-	-	-	-	-	-	103 Blanco Luna
	FS BLOCK WHITE DECOR	FS BLOCK	37772	20*40	14	BN18	12	Pasta Blanca White Body	V2	-	-	-	-	-	-	103 Blanco Luna
	FS BLOSSOM	FS CLAY	38178	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS BLUME BLACK	FS BLUME	38929	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	110 Manhattan
	FS BLUME BLUE	FS BLUME	38168	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	110 Manhattan
	FS BLUME SAGE	FS BLUME	38315	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	110 Manhattan
	FS BLUME WHITE	FS BLUME	38169	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	110 Manhattan
	FS BRETAGNE	FS BRETAGNE	38088	45*45	9,5	BN14	16	Gres Single fired	V3	4	R-9	-	C1	-	-	113 Cement Grey
	FS CHECKER SAND	FS CLAY	38179	45*45	9,5	BN14	10	Gres Single fired	V3	3	R-9	-	C1	>0,42	+36	110 Manhattan
	FS CHECKER SILVER	FS CLAY	38318	45*45	9,5	BN14	10	Gres Single fired	V3	3	R-9	-	C1	>0,42	+36	110 Manhattan
	FS CHESTER	FS CHESTER	38380	45*45	9,5	BN14	6	Gres Single fired	V2	4	R-9	-	C1	-	-	113 Cement Grey
	FS COMILLAS	FS CHESTER	20933	33*33	9,5	BN14	8	Gres Single fired	V2	4	R-10	A+B	C2	>0,42	+36	113 Cement Grey
	FS DAMERO-N	FS DAMERO	38086	45*45	9,5	BN14	13	Gres Single fired	V3	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ESPIGA	FS DAMERO	38087	45*45	9,5	BN14	3	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS ETNA BLACK	FS ETNA	27230	33*33	9,5	BN14	11	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	113 Cement Grey
	FS ETNA BLUE	FS ETNA	27232	33*33	9,5	BN14	11	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	113 Cement Grey
	FS ETNA SAGE	FS ETNA	27233	33*33	9,5	BN14	11	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	113 Cement Grey
	FS ETNA WHITE	FS ETNA	27231	33*33	9,5	BN14	11	Gres Single fired	V2	4	R-9	-	C1	> 0,42	-	113 Cement Grey
	FS FAENZA-A	FS FAENZA	13618	33*33	9,5	BN14	3	Gres Single fired	V2	4	R-9	-	C1	-	-	110 Manhattan
	FS FAENZA-N	FS FAENZA	13619	33*33	9,5	BN14	3	Gres Single fired	V2	4	R-9	-	C1	-	-	110 Manhattan
	FS FIELD BLACK LT	FS FIELD	38322	45,2*45,2	9,5	BN151	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	110 Manhattan
	FS FIELD BLUE LT	FS FIELD	38323	45,2*45,2	9,5	BN151	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	110 Manhattan
	FS FIELD BROWN LT	FS FIELD	38324	45,2*45,2	9,5	BN151	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	110 Manhattan
	FS FOREST BLACK	FS FOREST	38320	45*45	9,5	BN14	10	Gres Single fired	V2	-	R-9	-	C1	> 0,42	+36	114 Anthracite
	FS FOREST MIX	FS FOREST	38321	45*45	9,5	BN14	10	Gres Single fired	V2	-	-	-	-	-	-	133 Sand
	FS FOREST NATURAL	FS FOREST	38190	45*45	9,5	BN14	10	Gres Single fired	V2	-	R-9	-	C1	> 0,42	+36	133 Sand
	FS FOREST PLANK	FS FOREST	39699	7,3*45	9,5	BN146	48	Gres Single fired	V2	-	-	-	-	-	-	133 Sand
	FS FOREST WHITE	FS FOREST	38319	45*45	9,5	BN14	10	Gres Single fired	V2	-	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS HERITAGE LEAVES LT	FS HERITAGE	38182	45*45	9,5	BN17	10	Gres Single fired	V4	4	-	-	-	-	-	110 Manhattan
	FS HERITAGE ORNATE LT	FS HERITAGE	38181	45*45	9,5	BN17	10	Gres Single fired	V4	4	-	-	-	-	-	110 Manhattan
	FS HERITAGE SQUARE LT	FS HERITAGE	38180	45*45	9,5	BN17	10	Gres Single fired	V4	4	-	-	-	-	-	110 Manhattan
	FS HERITAGE WHITE LT	FS HERITAGE	39357	45*45	9,5	BN17	10	Gres Single fired	V4	4	-	-	-	-	-	110 Manhattan
	FS IRON OXIDE LT	FS IRON	34446	20*40	10,3	BN18	12	Pasta Blanca White Body	V2	-	-	-	-	-	-	114 Anthracite
	FS IRON WHITE LT	FS IRON	34447	20*40	10,3	BN18	12	Pasta Blanca White Body	V2	-	-	-	-	-	-	114 Anthracite
	FS IVY BLACK	FS IVY	39368	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS IVY BLUE	FS IVY	38860	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS IVY SAGE	FS IVY	38130	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS JAIPUR BLACK LT	FS JAIPUR	39684	45*45	9,5	BN17	10	Gres Single fired	V2	-	-	-	C1	-	-	114 Anthracite
	FS JAIPUR WHITE LT	FS JAIPUR	39603	45*45	9,5	BN17	10	Gres Single fired	V2	-	-	-	C1	-	-	110 Manhattan
	FS LOFT BLACK	FS LOFT	34450	20*40	10,3	BN18	6	Pasta Blanca White Body	V2	-	-	-	-	-	-	114 Anthracite
	FS LOFT CLAY	FS LOFT	34451	20*40	10,3	BN18	6	Pasta Blanca White Body	V2	-	-	-	-	-	-	134 Silk
	FS LOFT WHITE	FS LOFT	34449	20*40	10,3	BN18	6	Pasta Blanca White Body	V2	-	-	-	-	-	-	110 Manhattan
	FS MANISES-B	FS FAENZA	13621	33*33	9,5	BN14	3	Gres Single fired	V2	4	R-9	-	C1	-	-	110 Manhattan
	FS MARAIS	FS MARAIS	38931	45,2*45,2	9,5	BN61	10	Porcelánico Porcelain	V4	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS MARRAKECH BLUE	FS MARRAKECH	38162	45*45	9,5	BN14	6	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	113 Cement Grey
	FS MARRAKECH GREY	FS MARRAKECH	38311	45*45	9,5	BN14	6	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	113 Cement Grey
	FS MELVIN COLOR	FS MELVIN	39766	7,4*67,5	10,5	BN73	90	Porcelánico Porcelain	V4	4	R-9	-	C1	-	-	113 Cement Grey
	FS MELVIN WHITE	FS MELVIN	20033	7,4*67,5	10,5	BN73	78	Porcelánico Porcelain	V4	4	R-9	-	C1	-	-	113 Cement Grey
	FS MINORI	FS CAMPANIA	37768	33*33	9,5	BN17	8	Gres Single fired	V2	4	-	-	-	-	-	103 Blanco Luna
	FS MIRAMBEL-A	FS MIRAMBEL	20300	33*33	9,5	BN14	4	Gres Single fired	V2	4	R-10	A+B	C2	>0,42	+36	110 Manhattan
	FS MIRAMBEL-B	FS MIRAMBEL	20527	33*33	9,5	BN14	4	Gres Single fired	V2	4	R-10	A+B	C2	>0,42	+36	110 Manhattan
	FS MIRAMBEL-M	FS MIRAMBEL	20301	33*33	9,5	BN14	4	Gres Single fired	V2	4	R-10	A+B	C2	>0,42	+36	110 Manhattan
	FS MUD COCOA	FS MUD	29760	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	130 Jasmine
	FS MUD SAND	FS MUD	29761	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	130 Jasmine
	FS MUD SILVER	FS MUD	29758	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS MUD WHITE	FS MUD	29759	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS NIJAR	FS ORIGINAL	38161	45*45	9,5	BN14	6	Gres Single fired	V2	3	R-10	A+B	C2	>0,42	+36	110 Manhattan
	FS NOUVEAU RUBY	FS NOUVEAU	39477	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS NOUVEAU SAGE	FS NOUVEAU	39476	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS OFELIA	FS OFELIA	38669	45,2*45,2	9,5	BN61	180	Porcelánico Porcelain	V2	4	R-10	A+B	C2	>0,42	+36	113 Cement Grey
	FS OLDKER	FS ORIGINAL	20302	33*33	9,5	BN14	10	Gres Single fired	V3	4	R-10	A+B	C1	-	+36	110 Manhattan
	FS PANAME BASTILLE	FS PANAME	39480	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS PANAME CONCORDE	FS PANAME	39478	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS PANAME OPERA	FS PANAME	39481	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS PANAME TROCAREDO	FS PANAME	39479	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9		1	>0,42	+36	110 Manhattan
	FS PORTO AMARAL	FS PORTO	38183	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS PORTO FATIMA	FS PORTO	38184	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS PORTO FLAVIA	FS PORTO	38644	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS PORTO IRIA	FS PORTO	39337	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS RAKU BLACK	FS RAKU	28941	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS RAKU BLUE	FS RAKU	28939	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS RAKU COLORS	FS RAKU	28944	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS RAKU CREAM	FS RAKU	28942	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS RAKU SAGE	FS RAKU	28940	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS RAKU SILVER	FS RAKU	28943	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS RAKU WHITE	FS RAKU	28938	20*40	10,3	BN3	35	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS ROAD MARS AS	FS ROAD	39086	90*90	9	BN150	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	136 Mud

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS ROAD MOON AS	FS ROAD	39087	90*90	9	BN150	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	113 Cement Grey
	FS ROCK AS	FS ROCKSTAR	38325	45,2*45,2	9,5	BN149	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	110 Manhattan
	FS ROCKSTAR-N AS	FS ROCKSTAR	38952	45,2*45,2	9,5	BN149	10	Porcelánico Porcelain	V2	-	R-11	A+B+C	C3	> 0,42	+36	110 Manhattan
	FS ROMBOS-N	FS DAMERO	38159	45*45	9,5	BN14	4	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ROOTS-0	FS ROOTS	38177	45*45	9,5	BN14	7	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ROOTS-1	FS ROOTS	38174	45*45	9,5	BN14	7	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ROOTS-2	FS ROOTS	39358	45*45	9,5	BN14	7	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ROOTS-3	FS ROOTS	39175	45*45	9,5	BN14	7	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS ROOTS-4	FS ROOTS	38176	45*45	9,5	BN14	7	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS RUE	FS VENDOME	24266	45,2*45,2	9,5	BN61	16	Porcelánico Porcelain	V3	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS SAJA-B	FS SAJA	20087	33*33	9,5	BN14	7	Gres Single fired	V2	3	-	-	C1	-	-	110 Manhattan
	FS SAJA-N	FS SAJA	20086	33*33	9,5	BN14	9	Gres Single fired	V2	3	-	-	C1	-	-	114 Anthracite
	FS SALERNO	FS CAMPANIA	37995	33*33	9,5	BN17	8	Gres Single fired	V2	4	-	-	-	-	-	103 Blanco Luna
	FS SEA BLUE LT	FS SEA	32444	33*33	9,5	BN17	10	Gres Single fired	V2	3	-	-	-	-	-	110 Manhattan
	FS SEA WHITE LT	FS SEA	32445	33*33	9,5	BN17	10	Gres Single fired	V2	3	-	-	-	-	-	110 Manhattan
	FS SEAL	FS CLAY	38083	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS STAR ARA BLACK	FS STAR	38070	45*45	9,5	BN14	9	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS STAR BLACK LT	FS STAR LT	38186	45*45	9,5	BN17	10	Gres Single fired	V2	3	R-10	-	C2	>0,42	+36	110 Manhattan
	FS STAR BLUE	FS STAR	38187	45*45	9,5	BN14	9	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS STAR BLUE LT	FS STAR LT	38165	45*45	9,5	BN17	10	Gres Single fired	V2	3	R-10	-	C2	>0,42	+36	110 Manhattan
	FS STAR NIGHT	FS STAR	38173	45*45	9,5	BN14	10	Gres Single fired	V2	-	R-9	-	C1	> 0,42	+36	114 Anthracite

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS STAR OXIDE	FS STAR	38163	45*45	9,5	BN14	9	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS STAR SAGE	FS STAR	38188	45*45	9,5	BN14	9	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS STAR SAGE LT	FS STAR LT	38164	45*45	9,5	BN17	10	Gres Single fired	V2	3	R-10	-	C2	>0,42	+36	110 Manhattan
	FS STAR SKY	FS STAR	39663	45*45	9,5	BN14	10	Gres Single fired	V2	-	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS STAR WHITE	FS STAR	38172	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS STAR WHITE LT	FS STAR LT	38189	45*45	9,5	BN17	10	Gres Single fired	V2	4	R-10	-	C2	>0,42	+36	110 Manhattan
	FS STAR-N	FS STAR	38160	45*45	9,5	BN14	9	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS TEMPLE BLACK	FS TEMPLE	38312	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS TEMPLE BLUE	FS TEMPLE	38313	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS TEMPLE OXIDE	FS TEMPLE	24715	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS TEMPLE SAGE	FS TEMPLE	38930	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS TRADITION BRICK BLUE LT	FS TRADITION	30898	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION BRICK GREEN LT	FS TRADITION	31131	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION BRICK SILVER LT	FS TRADITION	30897	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION BRICK WHITE LT	FS TRADITION	30961	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION SQUARE BLUE LT	FS TRADITION	30899	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION SQUARE GREEN LT	FS TRADITION	31132	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION SQUARE SILVER LT	FS TRADITION	30962	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS TRADITION SQUARE WHITE LT	FS TRADITION	30896	20*40	10,3	BN18	30	Pasta Blanca White Body	V4	-	-	-	-	-	-	110 Manhattan
	FS VENDOME	FS VENDOME	24269	45,2*45,2	9,5	BN61	16	Porcelánico Porcelain	V3	4	R-9	-	C1	>0,42	+36	110 Manhattan
	FS VENECIA/46	FS VENECIA	38383	45,2*45,2	9,5	BN61	21	Porcelánico Porcelain	V2	4	R-11	A+B	C2	>0,42	+36	113 Cement Grey

Modelo | Model	Artículo | Article	Colección | Collection	Referencia | Reference	Formato | Size	Espesor | Thickness	Tarifa | Price List	Gráficas | Patterns	Tipo de Pasta | Tile Body	Destono | Shade variation	ISO 10545-7 (PEI)	DIN 51130 (R)	DIN 51097 (A+B+C)	UNE 41 901 EX (CLASS)	AINSI A 131,1 (DCOF)	BS 7976-2 (WET)	Color de junta | Color Join MAPEI
	FS VENECIA/60X60/R	FS VENECIA	38932	60*60	9	BN91	16	Porcelánico Porcelain	V2	4	R-11	A+B	C2	>0,42	+36	113 Cement Grey
	FS WILD AS	FS WILD	38953	19,5*121,5	9	BN152	30	Porcelánico Porcelain	V4	-	R-11	A+B+C	C3	> 0,42	+36	110 Manhattan
	FS YARD BLACK	FS YARD	38166	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS YARD BLUE	FS YARD	38167	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	FS YARD SAGE	FS YARD	38216	45*45	9,5	BN14	10	Gres Single fired	V2	4	R-9	-	C1	> 0,42	+36	110 Manhattan
	M FS MANISES-A	FS FAENZA	13668	5*11	-	P22	-	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	M FS MANISES-B	FS FAENZA	13670	5*11	-	P22	-	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	M FS MANISES-N	FS FAENZA	13669	5*11	-	P22	-	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	R FS-0	FS ORIGINAL	13502	8*45	8	P8	-	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	R FS ALORA	FS ALORA	19406	8*45	8	P8	-	Gres Single fired	V3	-	-	-	-	-	-	113 Cement Grey
	R FS OFELIA	FS OFELIA	24278	8*45,2	9,5	P29	-	Porcelánico Porcelain	V2	-	-	-	-	-	-	113 Cement Grey
	R. FS ROCK	FS ROCKSTAR	40434	8*45,2	9,5	P11	-	Porcelánico Porcelain	V2	-	-	-	-	-	-	110 Manhattan
	R FS ROOTS-0	FS ROOTS	29622	8*45	8	P8	-	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	R FS VENECIA	FS VENECIA	37533	8*60	9,5	P34	-	Porcelánico Porcelain	V2	-	-	-	-	-	-	113 Cement Grey
	R FS WILD	FS WILD	37080	8*60	9	P34	-	Porcelánico Porcelain	V4	-	-	-	-	-	-	110 Manhattan
	T.FS FAENZA-A	FS FAENZA	13717	11*11	9,5	P6	12	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	T.FS FAENZA-N	FS FAENZA	13719	11*11	9,5	P6	12	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan
	T.FS MANISES-B	FS FAENZA	13720	11*11	9,5	P6	12	Gres Single fired	V2	-	-	-	-	-	-	110 Manhattan

ADDITIONAL

PIEZA COMPLEMENTARIA 364
COMPLEMENTARY PIECE

INSTALACIÓN CON PLOTS 372
INSTALLATION WITH PEDESTALS

EMBALAJE 374
PACKING

NORMATIVA 376
NORMS

MANIPULACIÓN 380
HANDLING

LIMPIEZA 382
CLEANING

Pieza complementaria



Complementary piece




Pieza complementaria

Complementary piece

1. PELDAÑO ROMO
ROUNDED STAIR - TREAD **(PR)**




30 * 100 cm | 12 * 39″ P85
30 * 151 cm | 12 * 59″ P54
30 * 120 cm | 12 * 48″ P77
30 * 90 cm | 12 * 36″ P61
30 * 60 cm | 12 * 24″ P64



2. PELDAÑO TÉCNICO FRONTAL
FRONTAL TECHNICAL STAIR-TREAD **(PTF)**




30 * 100 cm | 12 * 39″ P76
30 * 151 cm | 12 * 59″ P75
30 * 120 cm | 12 * 48″ P74
30 * 90 cm | 12 * 36″ P70
30 * 60 cm | 12 * 24″ P87



3. PELDAÑO TÉCNICO DOBLE
DOUBLE TECHNICAL STAIR-TREAD **(PT)**



30 * 100 cm | 12 * 39″ P74
30 * 151 cm | 12 * 59″ P80
30 * 120 cm | 12 * 48″ P75
30 * 90 cm | 12 * 36″ P76
30 * 60 cm | 12 * 24″ P54




Los tamaños de las piezas complementarias estarán determinados por los tamaños de las piezas de la colección. Esto significa que cada pieza complementaria será diseñada y fabricada para coincidir perfectamente con las dimensiones de las piezas principales de la colección

4. PELDAÑO TÉCNICO SIMPLE
SEAMLESS TECHNICAL STAIR - TREAD **(PL)**




30 * 100 cm | 12 * 39″ P74
30 * 151 cm | 12 * 59″ P80
30 * 120 cm | 12 * 48″ P75
30 * 90 cm | 12 * 36″ P76
30 * 60 cm | 12 * 24″ P54




5. RODAPIE
SKIRTING **(R)**



8 * 120 cm | 3 * 48″ P49
8 * 100 cm | 3 * 39″ P45
8 * 60 cm | 3 * 24″ P34
8 * 90 cm | 3 * 36″ P44
8 * 45 cm | 3 * 18″ P29




1b. ZANQUÍN ROMO
SKIRTING PIECES ROUNDER STAIR-TREAD



8 * 30 cm | 3 * 12″ P55

2b. ZANQUÍN ANGULAR
SKIRTING PIECES DOBLE TECHNICAL STAIR-TREAD




8 * 30 cm | 3 * 12″ P55


The sizes of the complementary pieces will be determined by the sizes of the pieces in the collection. This means that each complementary piece will be designed and manufactured to perfectly match the dimensions of the main pieces in the collection.


Pieza complementaria *Complementary piece*

6. ALFÉIZAR
WINDOWSILL (AF)



25 * 90 cm | 10 * 36" P77
25 * 120 cm | 10 * 48" P54






Detail of steps on a staircase
(UNE 138002-2017)


Los tamaños de las piezas complementarias estarán determinados por los tamaños de las piezas de la colección. Esto significa que cada pieza complementaria será diseñada y fabricada para coincidir perfectamente con las dimensiones de las piezas principales de la colección

Pieza complementaria piscina *Pool piece*


1. PELDAÑO VIERTEAGUA
POOL COPING (PV)




20 * 60 cm | 8 * 24" P61
20 * 90 cm | 8 * 36" P81
20 * 100 cm | 8 * 39" P82
20 * 100 * 2 cm | 8 * 39" P82
20 * 120 cm | 8 * 48" P70




2. PELDAÑO VIERTEAGUA ESQUINA
POOL COPING EXTERNAL CORNER (EPV)




20 * 60 cm | 8 * 24" P70
20 * 90 cm | 8 * 36" P75
20 * 100 cm | 8 * 39" P80
20 * 100 * 2 cm | 8 * 39" P86
20 * 120 cm | 8 * 48" P86
(PACK 2 units)



3. PELDAÑO VIERTEAGUA ÁNGULO
POOL COPING INTERNAL CORNER (ANG.PV)



20 * 60 cm | 8 * 24" P70
20 * 90 cm | 8 * 36" P75
20 * 100 cm | 8 * 39" P80
20 * 100 * 2 cm | 8 * 39" P86
20 * 120 cm | 8 * 48" P86
(PACK 2 units)



The sizes of the complementary pieces will be determined by the sizes of the pieces in the collection. This means that each complementary piece will be designed and manufactured to perfectly match the dimensions of the main pieces in the collection.

Pieza complementaria piscina

Pool piece

4. REJILLA


DRAINAGE GRATE (**REJ**)




15 * 60 * 1,8 cm | 6 * 24” P54
15 * 90 * 1,8 cm | 6 * 36” P76




15 * 50 * 1,6 cm | 6 * 20” P87



15 * 50 * 2 cm | 6 * 20” P54





4. ÁNGULO REJILLA


ANGLE CORNER DRAINAGE GRATE (**ANG.REJ**)




15 * 60 * 1,8 cm | 6 * 24” P75
15 * 90 * 1,8 cm | 6 * 36” P57
(PACK 2 units)




15 * 50 * 1,6 cm | 6 * 20” P74
(PACK 2 units)






15 * 50 * 2 cm | 6 * 20” P86
(PACK 2 units)




4. TACO REJILLA

SQUARE CORNER DRAINAGE GRATE (**T.REJ**)




15 * 15 * 1,8 cm | 6 * 6” P85




15 * 15 * 1,6 cm | 6 * 6” P66



15 * 15 * 2 cm | 6 * 6” P71






Los tamaños de las piezas complementarias estarán determinados por los tamaños de las piezas de la colección. Esto significa que cada pieza complementaria será diseñada y fabricada para coincidir perfectamente con las dimensiones de las piezas principales de la colección


The sizes of the complementary pieces will be determined by the sizes of the pieces in the collection. This means that each complementary piece will be designed and manufactured to perfectly match the dimensions of the main pieces in the collection.

Instalación de pavimento elevado con plots




USO DE DILATADORES

Utilice dilatadores perimetrales para crear juntas de ancho fijo entre baldosas, y para evitar desplazamientos horizontales.




USING DILATORS

The perimeter of the tiles must be perfectly confined to avoid horizontal sliding. Perimeter dilators or elastic joints must be used to prevent such movement, always avoiding leaving open joints.




CORRECCIÓN DE PENDIENTE EN BASE O CABEZA

Evita que aparezcan pequeños escalones en la superficie del pavimento corrigiendo la pendiente en la base o cabeza del Plot.



SLOPE CORRECTION AT THE BASE OR ON THE HEAD

Prevents small steps from appearing on the pavement surface by correcting the slope at the base or on the head of the pedestal.



BLOQUEO DE ALTURA DEL PLOT

Evita movimientos indeseados del Plot a causa de vibraciones con el paso del tiempo. Reduce el mantenimiento que necesita la instalación.


PEDESTAL HEIGHT LOCK

Prevents unwanted height movements of the pedestal due to vibrations over time. Reduces the maintenance needed by the installation.

PEYGRAN

Installation of raised pavement with pedestals

Instalación recomendada para baldosa porcelánica de 20 mm de espesor:
Recommended installation for 20 mm thick ceramic tiles:





FORMATO 100 * 100 cm

Uso privado o público.
9 Plots en todos los casos.

TILE FORMAT 39 * 39”

Private use o public use
9 pedestals in all cases.







FORMATO 50 * 100 mm

Uso privado o público.
6 Plots en todos los casos.

TILE FORMAT 20 * 39”

Private use o public use
6 pedestals in all cases.





El colocador debe seguir siempre las recomendaciones del fabricante de plots. The installer must always follow the plot manufacturer’s recommendations

PEYGRAN


Embalaje

EMBALAJE PLACA | SLAB PACKING

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción.
Weights shown here may slightly vary depending on the production lot.)

1 PLACA | SLAB			CAJÓN MADERA | WOODEN CRATE			CONT./20' 25000 KG.			CONT./40' 25000 KG.		
cm	**m²**	**kg**	**Placas**	**m²**	**kg**	**Cajones**	**m²**	**kg**	**Cajones**	**m²**	**kg**
100 * 275 * 0,6	2,75	38,5	20	55	869	24	1320	20856	29	1595	25201
inch	**ft²**	**lb**	**Slabs**	**ft²**	**lb**	**Crates**	**ft²**	**lb**	**Crates**	**ft²**	**lb**
39 3/8 * 108 1/4 * 1/4	29,6	84,88	20	592	1916	24	14208,4	45980	29	17168,4	55558,7
1 PLACA | SLAB			**CABALLETE | A-FRAME**			**CONT./20' 24000 KG.**			**CONT./40' 24000 KG.**		
cm	**m²**	**kg**	**Placas**	**m²**	**kg**	**Caballete**	**m²**	**kg**	**Caballete**	**m²**	**kg**
100 * 275 * 0,6	2,75	38,5	50	137,5	2075	6	825	12450	12	1650	24900
inch	**ft²**	**lb**	**Slabs**	**ft²**	**lb**	**A-frame**	**ft²**	**lb**	**A-frame**	**ft²**	**lb**
39 3/8 * 108 1/4 * 1/4	29,6	84,88	50	1480	4574,6	6	8880	27447,5	11	17760,4	54895,1

CAJÓN DE MADERA
WOODEN CRATE




Tamaño aprox. cm.

291 * 112 * 33 cm

Approx. inch. sizes

114 9/16 * 44 1/8 * 12 3/16

CABALLETE
A-FRAME



Tamaño aprox. cm.

290 * 75 * 152 cm

Approx. inch. sizes

114 1/8 * 29 1/2 * 59 7/8"

Accede al código QR y visualiza el manual técnico de colocación de gran formato.
Enter with the QR code and view the technical manual for laying slabs.

EMBALAJE REVESTIMIENTO | WALL PACKING

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción.
Weights shown here may slightly vary depending on the production lot.)

FORMATO | SIZES	CAJAS | BOXES			PALLET				CONT./20' 21500 KG.	CONT./20' 24000 KG.
cm	Piezas	m²	kg	Cajas	m²	kg	Tamaño aprox. cm	m²	m²
25 * 75 * 1,05	7	1,31	24,7	42	55,02	1061,2	80 * 120 * 90	1114,71	1210,44
32 * 90 * 1,05	4	1,15	20,9	56	64,4	1194,2	80 * 120 * 105	1159,20	1294,44
33 * 91 * 1,05	4	1,2	21,8	51	61,2	1135,6	80 * 120 * 106	1158,52	1293,16
33,3 * 100 * 0,86	6	2	30,40	21	42	663	110 * 118 * 48	1344	1512
33,3 * 100 * 0,98	5	1,67	27,90	21	35,07	611	110 * 118 * 48	1227	1368
inch	units	ft²	lb	Boxes	ft²	lb	Sizes Inch approx.	ft²	ft²
9 13/16 * 29 1/2 * 7/16	7	14,10	54,34	42	592,02	2334,64	31 1/2 * 47 1/4 * 35 7/16	11994,23	13024,33
12 5/8 * 35 7/16 * 7/16	4	12,37	45,98	56	692,94	2627,24	31 1/2 * 47 1/4 * 41 5/16	12472,99	13928,17
13 * 35 13/16 * 7/16	4	12,91	47,96	51	658,51	2498,32	31 1/2 * 47 1/4 * 41 3/4	12465,63	13914,36
13 1/8 * 39 3/8 * 5/16	6	21,52	67,02	21	452,08	1461,66	41 5/16 * 46 7/16 * 18 7/8	14466,7	16275,03
13 1/8 * 39 3/8 * 3/8	5	17,97	61,50	21	377,49	1347,02	41 5/16 * 46 7/16 * 18 7/8	13207,32	14725,03

Packing

EMBALAJE PAVIMENTO | FLOOR PACKING

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción.
Weights shown here may slightly vary depending on the production lot.)

FORMATO | SIZES	CAJAS | BOXES			PALLET				CONT./20' 21500 KG.	CONT./20' 24000 KG.
cm	Piezas	m²	kg	Cajas	m²	kg	Tamaño aprox. cm	m²	m²
100 * 100 * 0,6	2	2	29,92	24	48	760,08	112 * 112 * 60	1357,75	1515,63
100 * 100 * 0,8	2	2	39,3	32	64	1299,6	112 * 112 * 100	1058,79	1181,9
100 * 100 * 2	1	1	49,2	24	24	1222,8	112 * 112 * 77	421,98	471,05
100 * 180 * 0,6	2	3,6	52,92	24	86,4	1320,08	115 * 190 * 60	1407,19	1570,81
100 * 180 * 0,8	2	3,6	70,88	20	72	1467,52	115 * 190 * 60	1054,84	1177,5
120 * 120 * 0,9	1	1,44	32	40	57,6	1336	136 * 122 * 72	926,95	1034,73
15 * 90 * 0,9	7	0,95	21,69	48	45,6	1066,45	100 * 100 * 75	919,31	1026,2
19,5 * 121 * 0,9	4	0,95	22,17	40	38	911,72	95 * 128 * 55	896,11	1000,31
23 * 180 * 1,1	3	1,24	33,7	36	44,64	1263,2	84 * 184 * 65	759,78	848,13
24 * 151 * 0,9	3	1,09	24,26	48	52,32	1199,72	93 * 156 * 63	937,62	1046,64
50 * 100 * 2	1	0,5	24,7	48	24	1335,9	112 * 112 * 85	386,34	431,27
60 * 120 * 0,9	2	1,44	30,2	30	43,2	929,8	80 * 120 * 75	998,92	1115,08
60 * 90 * 0,9	2	1,08	20,48	48	51,84	1007	90 * 120 * 75	1192	1244
60 * 60 * 0,9	3	1,08	20,63	40	43,2	849	80 * 120 * 75	1095,13	1222,47
75,5 * 151 * 09	1	1,14	28,87	44	50,16	1305,5	93 * 156 * 76	826,07	622,13
90 * 90 * 0,9	2	1,62	33,96	24	38,88	840	95 * 105 * 75	995,1	1110,8
inch	units	ft²	lb	Boxes	ft²	lb	Sizes Inch approx.	ft²	ft²
39 3/8 * 39 3/8 * 1/4	2	21,53	65,96	24	516,67	1675,69	44 1/16 * 44 1/16 * 23 5/8	14614,69	16314,09
39 3/8 * 39 3/8 * 5/16	2	21,53	86,64	32	688,89	2865,12	44 1/16 * 44 1/16 * 39 3/8	11396,71	12721,85
39 3/8 * 39 3/8 * 13/16	1	10,76	108,47	24	258,33	2695,81	44 1/16 * 44 1/16 * 30 5/16	4542,15	5070,34
39 3/8 * 70 7/8 * 5/16	2	38,75	116,67	24	930,00	2910,27	45 1/4 * 74 13/16 * 23 5/8	15146,85	16908,04
39 3/8 * 70 7/8 * 1/4	2	38,75	156,26	20	775,00	3235,32	45 1/4 * 74 13/16 * 23 5/8	11354,19	12674,49
47 1/4 * 47 1/4 * 3/8	1	15,50	70,55	40	620,00	2945,37	53 9/16 * 48 * 28 3/8	9977,60	11137,73
5 7/8 * 35 7/16 * 3/8	7	10,23	47,82	48	490,83	2351,12	39 3/8 * 39 3/8 * 29 1/2	9895,36	11045,91
7 11/16 * 47 13/16 * 3/8	4	10,23	48,88	40	409,03	2010	37 3/8 * 50 3/8 * 21 5/8	9645,64	10767,24
9 1/16 * 70 7/8 * 7/16	3	13,35	74,30	36	480,50	2784,88	33 1/16 * 72 7/16 * 25 9/16	8178,20	9129,19
9 7/16 * 59 7/16 * 3/8	3	11,73	53,48	48	563,17	2644,93	36 5/8 * 61 7/16 * 24 13/16	10092,45	11265,93
19 11/16 * 39 3/8 * 13/16	1	5,38	54,45	48	258,33	2945,15	44 1/16 * 44 1/16 * 33 7/16	4158,53	4642,15
23 5/8 * 35 7/16 * 3/8	2	11,62	45,06	48	557,80	2215,40	35 7/16 * 47 1/4 * 29 1/2	12825,92	13385,44
23 5/8 * 47 1/4 * 3/8	2	11,63	45,15	30	558,00	2220,05	31 1/2 * 47 1/4 * 29 1/2	12830,57	13390,29
23 5/8 * 23 5/8 * 3/8	3	11,63	45,48	40	465,00	1871,72	31 1/2 * 47 1/4 * 29 1/2	11787,87	13158,54
29 3/4 * 59 7/16 * 7/16	1	12,27	63,65	44	539,92	2878,13	36 5/8 * 61 7/16 * 29 15/16	8891,73	6696,55
35 7/16 * 35 7/16 * 3/8	2	17,44	74,87	24	418,50	1851,88	37 3/8 * 41 5/16 * 29 1/2	10711,16	11956,54

Normativa

INFORMACIÓN TÉCNICA

La norma UNE-EN 14411 establece las características técnicas y los requisitos que deben cumplir las baldosas cerámicas para ser utilizadas como pavimento de suelos y revestimiento de paredes. Asimismo, hace referencia a los métodos de ensayo (normas ISO 10545) aplicables para determinar las características incluidas en esta norma y verificar si cumplen o no con los requisitos establecidos.

Para la aplicación de esta norma y para determinar los requisitos para el cumplimiento de las características definidas, las baldosas se dividen en grupos en función de la absorción de agua que presenten:

Baldosas cerámicas prensada en seco con una absorción de agua	
$E_b \leq 0.5\%$	**GRUPO BIa**
$0.5\% < E_b \leq 3\%$	**GRUPO BIb**.
$3\% < E_b \leq 6\%$	**GRUPO BIIa**
$E_b > 10\%$	**GRUPO BIII**.

RESISTENCIA AL DESLIZAMIENTO

En la actualidad, no se dispone de un método de ensayo consolidado para determinar la resistencia al deslizamiento. Existen varios métodos de ensayo:

1.- NORMA UNE 41901 EX EN HÚMEDO

En España, el CTE (Código Técnico de la Edificación) establece las exigencias básicas de seguridad que deben cumplir los suelos en función de su localización y características. El Documento Básico Seguridad de Utilización y Accesibilidad (DB SUA), Sección SUA-1 Seguridad frente al riesgo de caídas, define los requisitos de resistencia al deslizamiento que deben cumplir los suelos de los edificios de uso residencial, público, sanitario, docente, comercial, administrativo y pública concurrencia conforme a su resistencia al deslizamiento Rd.

Los suelos se clasifican en cuatro grupos en función de su resistencia al deslizamiento:

Resistencia al deslizamiento R_d	Clase
$R_d < 15$	0
$15 < R_d < 35$	1
$35 < R_d < 45$	2
$R_d > 45$	3

El valor de Rd se determina mediante el ensayo del péndulo descrito en la norma de ensayo UNE 41901 EX.

En la siguiente tabla se describe la clase exigible que deben tener los suelos en función de su localización:

Zona	Clase
Zonas interiores secas	
Superficies con pendiente menor del 6%	1
Superficies con pendiente igual o mayorque el 6% y escaleras	2
Zonas interiores húmedas, tales como entradas a los edificios desde el exterior (1), terrazas cubiertas, baños, cocinas, etc	
Superficies con pendiente menor del 6%	2
Superficies con pendiente igual o mayor que el 6% y escaleras	3
Zonas interiores donde, además de agua, pueda haber agentes (grasas, lubricantes, etc.) que reduzcan la resistencia al deslizamiento, tales como cocinas industriales, mataderos, aparcamientos, zonas de uso industrial, etc.	3
Zonas exteriores. Piscinas (2)	3

(1) Excepto cuando se trate de accesos directos de uso restringido.

(2) En zonas previstas para usuarios descalzos y en el fondo de los vasos, en las zonas en las que la profundidad no exceda de 1,50 m.

2.-NORMA BS 7976-2

En Reino Unido, diferentes asociaciones y organismos han planteado una clasificación de la seguridad de los suelos en función de la resistencia al deslizamiento. Esta resistencia se basa en determinar el valor del PTV (Pendulum Test Value) mediante el ensayo del péndulo descrito en la norma BS 7976-2. Según el valor del PTV tendremos:

PTV 96	Riesgo potencial de deslizamiento
< 24	alto
24 - 35	moderado
36 - 64	bajo
> 65	muy bajo

Para valores de PTV ≥ +36, los suelos se declaran con bajo riesgo de deslizamiento.

3.-NORMA DIN 51130 Y DIN 51097

Las normas alemanas DIN 51130 y DIN 51097 realizan una clasificación de los suelos en función de su resistencia al deslizamiento de acuerdo con el método de ensayo de la rampa:

DIN 51130 – Método de la rampa para pies calzados. Establece una clasificación R en función del ángulo de inclinación que varía de R9 a R13, siendo R9 el menor valor, definido como baja resistencia al deslizamiento.

Ángulo de inclinación medio (&)	Resistencia al deslizamiento
$6° \leq \& \leq 10°$	R9
$10° \leq \& \leq 19°$	R10
$19° \leq \& \leq 27°$	R11
$27° \leq \& \leq 35°$	R12
35° <&	R13

Regulation

En función del valor de R o de resistencia al deslizamiento, se recomiendan los siguientes usos para los suelos:

Resistencia Deslizamiento	Descripción	Recomendado para
R9	Riesgo alto deslizamiento	Zonas interiores secas incluidas las entradas interiores. No utilizar en zonas exteriores.
R10	Riesgo moderado deslizamiento	Zonas interiores secas que están sujetas a humectación ocasional como baños o garajes.
R11	Riesgo bajo deslizamiento	Zonas externas y zonas húmedas incluidos los entornos industriales y entradas a los edificios de tipo residencial o públicos.
R12	Riesgo bajo deslizamiento	Zonas externas y zonas húmedas como entradas desde el exterior, caminos, aparcamientos, piscinas. En zonas interiores en cocinas profesionales, duchas.
R13	Riesgo bajo deslizamiento	Zonas externas y zonas muy húmedas como piscinas, parques acuáticos. También en zonas industriales que se trabaje con líquidos. Zonas de alto riesgo en resbalarse.

DIN 51097 - Método de la rampa para pies descalzos. La resistencia al deslizamiento se clasifica como A, B o C siendo A el menor valor.

Ángulo de inclinación medio (&)	Resistencia al deslizamiento
≥ 12°	A
≥ 18°	B
≥ 24°	C

En función del valor de la resistencia al deslizamiento, se recomiendasn los siguientes usos para suelos:

Resistencia Deslizamiento	Descripción	Adecuado para
A	Riesgo alto deslizamiento	Zonas secas de pies descalzos
B	Riesgo moderado deslizamiento	Zonas de playa de piscinas y duchas
C	Riesgo bajo deslizamiento	Zonas de rampas húmedas, suelos de piscinas y suelos de jacuzzis.

4.-NORMA ANSI A 137.1

El DCOF (Coeficiente de fricción dinámico) es una medida de la resistencia al deslizamiento que se realiza con un tribómetro BOT-3000 según el método descrito en la norma ANSI A 137.1 del Instituto Nacional Estadounidense de Estándares (ANSI).

Según esta norma, los suelos interiores sobre los que se prevé que se camine mientras están húmedos deben de tener un valor mínimo de DCOF>0.42. Los suelos que no cumplan con este valor de DCOF no están limitados a colocarse en zonas secas sino en suelos que se mantengan secos mientras se camina.

RESISTENCIA A LA ABRASIÓN

1.- ISO 10545-7

Para baldosas cerámicas destinadas al revestimiento de suelos, el ensayo se realiza según la metodología definida en la norma ISO 10545-7. La norma UNE-EN 14411 establece la obligatoriedad de declarar la clase de abrasión y el número de revoluciones. Según esta misma norma, cuando se exija, se puede declarar la clase de abrasión según el Anexo N (informativo) que clasifica las baldosas cerámicas esmaltadas según la resistencia a la abrasión:

PEI 1	Uso residencial tráfico ligero
PEI 2	Uso residencial tráfico moderado
PEI 3	Uso comercial tráfico ligero
PEI 4	Uso comercial tráfico moderado
PEI 5	Uso comercial tráfico intenso

2.-ISO 10545-6

La Norma UNE-EN 14411 especifica una resistencia a la abrasión profunda mínima para todas las baldosas no esmaltadas (UGL), expresada como volumen máximo admisible de material exportado tras la conclusión del ensayo (en mm3).

El ensayo se realiza según la metodología definida en la norma ISO 10545-6. La norma UNE-EN 14411 establece un valor máximo de volumen de materia pérdida (expresada en mm3) para las baldosas no esmaltadas del Grupo BIa de 175 mm3.

Normativa

TECHNICAL INFORMATION

The UNE-EN 14411 standard sets the technical characteristics and requirements that ceramic tiles must meet to be used as flooring and wall cladding. It also references the test methods (ISO 10545 standards) applicable for determining the characteristics included in this standard and verifying whether they comply with the established requirements.

For the application of this standard and to determine the requirements for compliance with the defined characteristics, tiles are divided into groups based on their water absorption:

Dry-pressed ceramic tiles with water absorption	
$E_b \leq 0.5\%$,	**GRUPO BIa**
$0.5\% < E_b \leq 3\%$	**GRUPO BIb**.
$3\% < E_b \leq 6\%$,	**GRUPO BIIa**
$E_b > 10\%$,	**GRUPO BIII.**

SLIP RESISTANCE

Currently, there is no consolidated testing method to determine slip resistance. There are several testing methods:

1.- UNE 41901 EX WET EN METHOD

In Spain, the CTE (Código Técnico de la Edificación) establishes the basic safety requirements that floors must meet depending on their location and characteristics. The Basic Document on Use and Accessibility Safety (DB SUA), Section SUA-1 Safety against the risk of falls, defines the slip resistance requirements that floors in residential, public, health, educational, commercial, administrative, and public assembly buildings must meet according to their slip resistance Rd.

Slip Resistance R_d	Class
$R_d < 15$	0
$15 < R_d < 35$	1
$35 < R_d < 45$	2
$R_d > 45$	3

The value of Rd is determined by the pendulum test described in the testing standard UNE 41901 EX.

The following table describes the required class that floors must have depending on their location:

Zone	Class
Dry indoor areas	
Surfaces with a slope less than 6%	1
Surfaces with a slope equal to or greater than 6% and stairs	2
Indoor wet areas, such as entrances to buildings from the exterior (1), covered terraces, bathrooms, kitchens, etc.	
Surfaces with a slope less than 6%	2
Surfaces with a slope equal to or greater than 6% and stairs	3
Indoor areas where, in addition to water, there may be agents (grease, lubricants, etc.) that reduce slip resistance, such as industrial kitchens, slaughterhouses, parking lots, industrial use areas, etc	3
Outdoor areas. Pools (2)	3

(1) Except when they are direct accesses for restricted use..

(2) In areas intended for barefoot users and in the bottoms of pools where the depth does not exceed 1.50 meters.

2.-NORM BS 7976-2

In the United Kingdom, various associations and organizations have established a classification for floor safety based on slip resistance. This resistance is determined by measuring the Pendulum Test Value (PTV) using the pendulum test described in the BS 7976-2 standard. According to the PTV value, we have the following classifications:

PTV 96	Risk of Slipping
< 24	High
24 - 35	Moderate
36 - 64	Low
> 65	Very Low

For PTV values ≥ +36, floors are declared to have a low risk of slipping..

3.-NORM DIN 51130 AND DIN 51097

The German standards DIN 51130 and DIN 51097 classify floors based on their slip resistance according to the ramp test method:

DIN 51130 – Ramp method for shod feet. It establishes an R classification based on the angle of inclination ranging from R9 to R13, with R9 being the lowest value, defined as low slip resistance.

Average incline angle (&)	Slip resistance
6° ≤ & ≤ 10°	R9
10° ≤ & ≤ 19°	R10
19° ≤ & ≤ 27°	R11
27° ≤ & ≤ 35°	R12
35° <&	R13

Regulation

Depending on the R value or slip resistance, the following uses are recommended for floors:

Slip Resistance	Description	Recommended for
R9	High risk of slipping	Dry indoor areas including indoor entrances. Not recommended for outdoor areas.
R10	Moderate risk of slipping	Dry indoor areas subject to occasional moisture such as bathrooms or garages.
R11	Low risk of slipping	Outdoor areas and wet areas including industrial environments and entrances to residential or public buildings.
R12	Low risk of slipping	Outdoor areas and wet areas such as entrances from the exterior, pathways, parking lots, pools. In indoor areas like professional kitchens, showers.
R13	Low risk of slipping	Outdoor areas and very wet areas such as pools, water parks. Also in industrial areas where working with liquids. Areas with high risk of slipping.

DIN 51097 - Ramp method for barefoot feet. Slip resistance is classified as A, B, or C, with A being the lowest value.

Average incline angle (α)	Slip resistance
≥ **12°**	A
≥ **18°**	B
≥ **24°**	C

Depending on the R value or slip resistance, the following uses are

Slip Resistance	Description	Suitable for
A	High risk of slipping	Dry areas for barefoot pedestrians
B	Moderate risk of slipping	Beach areas of pools and showers
C	Low risk of slipping	Wet ramp areas, pool floors, and jacuzzi floors

4.-NORMA ANSI A 137.1

The Dynamic Coefficient of Friction (DCOF) is a measure of slip resistance conducted using a BOT-3000 tribometer according to the method described in the ANSI A 137.1 standard from the American National Standards Institute (ANSI).

According to this standard, indoor floors expected to be walked on while wet must have a minimum DCOF value of >0.42. Floors that do not meet this

ABRASION RESISTANCE

1.-ISO 10545-7

For ceramic tiles intended for floor covering, the test is conducted according to the methodology defined in ISO 10545-7. The UNE-EN 14411 standard requires the declaration of the abrasion class and the number of revolutions. According to this standard, when required, the abrasion class can be declared according to Annex N (informative), which classifies glazed ceramic tiles according to their resistance to abrasion:

PEI 1	Residential use with light traffic
PEI 2	Residential use with moderate traffic
PEI 3	Commercial use with light traffic
PEI 4	Commercial use with moderate traffic
PEI 5	Commercial use with heavy traffic

2.-ISO 10545-6

The UNE-EN 14411 standard specifies a minimum resistance to deep abrasion for all unglazed tiles (UGL), expressed as the maximum allowable volume of material removed after the completion of the test (in mm3).

The test is conducted according to the methodology defined in ISO 10545-6. The UNE-EN 14411 standard establishes a maximum value of volume of material loss (expressed in mm3) for unglazed tiles of Group Bla as 175 mm3.

Manipulación

RECOMENDACIONES MANIPULACIÓN

_La manipulación de las baldosas cerámicas debe realizarse prestando atención y con la máxima seguridad para evitar caídas o roturas. Se recomienda realizar esta operación con guantes de protección para evitar lesiones que puedan derivar de la rotura del material o de la existencia de alguna arista cortante.

_Para piezas de gran tamaño, se recomienda su manipulación y/o trasladado de una a una y por dos operarios, como mínimo. La extracción de las piezas de su embalaje se puede realizar manualmente o mediante algún sistema regulado por ventosas. Si se realizar mediante este último, humedecerlas con anterioridad. Si se utiliza sistema de manipulación o traslado mecánico como sistema regulado por ventosas, seguir las instrucciones del fabricante. Se recomienda trasladar la baldosa de forma vertical. Evitar la flexión de las piezas por su parte central. Para preservar la pieza, no apoyarla directamente ni sobre el suelo ni sobre la pared. apoyarla sobre soportes de corcho o cualquier otro material que resista su peso.

_Si se trata de baldosas rectificadas, tanto su manipulación como colocación debe de realizarse cuidadosamente, evitando los golpes entre piezas que puedan dañar las aristas.

RECOMENDACIONES COLOCACIÓN

_La colocación se debe realizar por personal cualificado.

_Antes de la colocación, se recomienda comprobar que las baldosas cerámicas se encuentren en perfectas condiciones. Se recomienda revisar tono, acabado y calibre. Extender varias piezas, de varias cajas, para comprobar cuál sería el efecto estético final. No se admitirán reclamaciones o devoluciones de materiales ya colocados.

_Seleccionar las herramientas y útiles de trabajo adecuados para facilitar la correcta instalación de las baldosas cerámicas:

- Ventosas
- Maza de goma
- Llana dentada
- Sistemas de nivelación
- Crucetas
- Cortadora baldosas cerámicas
- Pinza de tracción ajustable
- Cubo, esponja y fregona

_Para una correcta instalación, es necesario que el soporte o la superficie este completamente limpia, seca y sin residuos que puedan ocasionar puntos débiles de adhesión. Debe de estar nivelada, plana y posees la estabilidad adecuada.

_Disponer de juntas perimetrales, que ayudaran a absorber movimientos estructurales tras la instalación del material. Suelen localizarse en los perímetros de los sistemas cerámicos, en los cambios de planos o dispositivos como sumideros, elementos de carpintería, pilares, etc. Deben ser continuas y su anchura no debe ser menor de 8 mm. Estas juntas deben llegar hasta el soporte y normalmente quedarán ocultas por el rodapié.

_En espacios de grandes dimensiones se recomienda dejar juntas estructurales, según indicaciones del proyectista, con el objetivo de disminuir las tensiones ocasionadas por movimientos estructurales.

_Seleccionar el material de agarre en función de tipo de baldosa cerámica que se desea colocar, el lugar de instalación (interior o exterior) y la climatología a la que se va a exponer el producto (temperatura ambiental, zonas húmedas, etc.). Para revestimiento interior de porosa blanca aconsejamos material de agarre tipo C1 y para revestimiento y pavimento interior y exterior de porcelánico aconsejamos como mínimo, tipo C2 cuando en la caja o en cualquier documento no se indique lo contrario. Para grandes formatos además de tipo C2, se recomienda que sea flexible. En zonas húmedas se recomienda el uso de materiales impermeables. Para colocación sobre suelo radiante, de materiales flexibles. Respetar las recomendaciones del fabricante en la preparación y utilización del material de agarre.

_Se recomienda la técnica de colocación en capa fina con llana dentada, que se caracteriza por un espesor del material de agarre de entre 1-1,5mm. Para asegurar el mismo espesor del material de agarre en toda la superficie, se recomienda el uso de la llana dentada. Cuando se utilice esta técnica, las baldosas cerámicas deben de estar secas. No se recomienda su humidificación con agua.

_Para baldosas de grandes formatos se recomienda el sistema de capa fina con doble encolado que consiste en la aplicación de una capa del material de agarre en la superficie o soporte y también en el reverso de la baldosa a instalar. Em ambos casos el material de agarre debe de estar distribuido uniformemente por toda la superficie.

_Para asegurar el encolado completo de la baldosa, golpear o presionar la superficie con una maza de goma blanca, nunca de color negro o gris.

_Las juntas de colocación se deben de elegir en función del tipo y formato de la baldosa, sus características dimensionales o de dilatación, etc. No se recomienda la colocación sin junta. La norma UNE 138002 recomienda juntas de colocación mínimas de 1.5mm en espacios interiores y 5mm es espacios exteriores.

_Se recomienda el uso de crucetas separadoras autonivelantes para evitar posibles desniveles de las baldosas, sobre todo en la colocación trabada y de grandes formatos. Apretar con la tenaza sin superar el punto de rotura de esta. Antes de utilizar el sistema de crucetas autonivelantes, se recomienda comprobar que no dañen la superficie de la baldosa cerámicas, sobres todo en baldosas con relieve o rectificadas.

_Selección del material de rejuntado en base a la norma UNE 138002:

AMBIENTE DE DESTINO DEL REVESTIMIENTO CERÁMICO	
Condiciones de uso doméstico en recintos secos	**CG1**
Condiciones de uso doméstico en recintos húmedos	**CG2W**
Pavimentos y revestimientos exteriores	**CG2WA**
Condiciones que requieran estanquidad al agua y al vapor	**RG**
Condiciones de inmersión (piscinas, spa, balnearios...) con tratamiento de agua clorada	**CG2WA/RG**
Condiciones de inmersión (piscinas, spa, balnearios...) de elevada exigencia o con tratamiento de electrólisis salina o agua de mar	**RG**
Condiciones de altas exigencias mecánicas y/o químicas	**RG**
Condiciones de usos alimentarios y/o sanitarios	**RG**

_En pavimentos, proceder al rejuntado de las baldosas 48 horas después de su instalación. En revestimientos, tras 24 horas. Antes del rejuntado asegurarse de que las juntas se encuentren perfectamente limpias.

_Retirar el material de rejunte sobrante inmediatamente con la ayuda de una esponja humedecida con agua. No dejar secar el material para evitar problemas de limpieza debidos al endurecimiento del material.

_Una vez finaliza la colocación del material y, mientras dura la obra, proteger la superficie de las piezas para evitar que se dañe la superficie.

Handling

RECOMMENDATIONS FOR HANDLING

_Ceramic tile handling should be carried out attentively and with maximum safety to avoid falls or breakage. It is recommended to wear protective gloves during this operation to prevent injuries that may result from material breakage or sharp edges.

_For large pieces, it is advised to handle and/or transport them one by one and with at least two operators. Removing pieces from their packaging can be done manually or using a suction system. If using the latter, moisten them beforehand. Follow the manufacturer's instructions if using a mechanical handling or transfer system like a suction system. Tiles should be transported vertically to avoid bending them at the center. To preserve the piece, do not directly place it on the floor or against the wall; use cork supports or any other material capable of bearing its weight.

_When dealing with rectified tiles, both handling and installation should be done carefully to avoid impacts between pieces that could damage the edges.

INSTALLATION RECOMMENDATIONS

_Installation should be carried out by qualified personnel.

_Before installation, ensure that the ceramic tiles are in perfect condition. Check tone, finish, and caliber. Lay out several pieces from various boxes to see the final aesthetic effect. No claims or returns will be accepted once materials are installed.

_Select appropriate tools and equipment to facilitate proper ceramic tile installation:

- Suction cups
- Rubber mallet
- Notched trowel
- Leveling systems
- Spacers
- Ceramic tile cutter
- Adjustable traction pliers
- Bucket, sponge, and mop

_For proper installation, the substrate or surface must be completely clean, dry, and free of residues that could weaken adhesion. It should be leveled, flat, and possess adequate stability.

_Use perimeter joints to absorb structural movements after material installation. These joints are typically located on the perimeters of ceramic systems, at changes in planes, or around fixtures like drains, carpentry elements, pillars, etc. They should be continuous and not less than 8 mm wide, extending to the substrate and usually hidden by the skirting board.

_In large spaces, structural joints should be left according to the designer's instructions to reduce stresses caused by structural movements.

_ Select the adhesive material based on the type of ceramic tile you want to install, the installation location (indoor or outdoor), and the climatic conditions the product will be exposed to (ambient temperature, humid areas, etc.). For interior lining of white porous tiles, we recommend using a type C1 adhesive material, and for interior and exterior lining and flooring of porcelain tiles, we advise using at least type C2 adhesive unless otherwise indicated on the box or in any documents. For large formats, in addition to type C2, a flexible adhesive is recommended. In humid areas, the use of waterproof materials is advised. For installation over radiant heating, flexible materials are recommended. Follow the manufacturer's recommendations for preparing and using the adhesive material.".

_The thin-set installation technique using a notched trowel is recommended, with a material thickness between 1-1.5 mm. Ensure uniform thickness across the surface using the notched trowel. Tiles should be dry; do not humidify them with water.

_For large format tiles, the double-bonding thin-set system involves applying bonding material both on the substrate surface and the tile's reverse side. Ensure even distribution of bonding material in both cases.

_To ensure complete bonding, tap or press the surface with a white rubber mallet, avoiding black or gray mallets.

_Choose grout joints based on tile type, size, dimensional characteristics, and expansion. Avoid installation without joints; UNE 138002 recommends minimum grout joints of 1.5 mm for interior spaces and 5 mm for exterior spaces.

_Use self-leveling spacer wedges to prevent tile unevenness, especially for staggered and large format installations. Tighten with pliers without exceeding their breaking point. Before use, ensure the spacers won't damage the tile surface, especially for textured or rectified tiles.

_Select grouting material based on UNE 138002 standards.

DESTINATION ENVIRONMENT OF CERAMIC COATING"	
Domestic use conditions in dry environments	**CG1**
Domestic use conditions in humid areas	**CG2W**
Exterior flooring and cladding	**CG2WA**
Conditions requiring water and vapor tightness	**RG**
Immersion conditions (pools, spas, wellness centers...) with chlorinated water treatment	**CG2WA/RG**
High-demand immersion conditions (pools, spas, wellness centers...) with saltwater electrolysis treatment or seawater	**RG**
Conditions with high mechanical and/or chemical demands	**RG**
Food-grade and/or sanitary use conditions	**RG**

_Grout floors 48 hours after installation and wall coverings after 24 hours. Before grouting, ensure joints are perfectly clean.

_Immediately remove excess grout with a damp sponge to prevent cleaning difficulties due to grout hardening.

_Protect tile surfaces during construction to prevent damage.

Accede al código QR y visualiza el manual técnico de colocación de gran formato.
Enter with the QR code and view the technical manual for laying slabs.

Limpieza

LIMPIEZA INSTANTANEA DE RESIDUOS FRESCOS DE COLOCACIÓN

Una vez rejuntado y justo después de la primera limpieza con esponja húmeda, es posible dejar el material ya completamente limpio, evitando el posterior "empañado".

Los productos de la marca FILA INSTANT REMOVER (para junta cementosa) y EPOXY PRO (para junta epoxi) permiten una colocación completa, impecable y conforme a la normativa UNE 138002:2017 en el mismo día del rejuntado.

Las soluciones INSTANT son rápidas, no crean espuma, no necesitan aclarado y no decoloran las juntas.

El procedimiento a seguir es sencillo, una vez rejuntado el material y realizable la primera limpieza con esponja húmeda, se pulveriza INSTANT REMOVER (EXPOXI PRO en junta expoxi) sobre la superficie cerámica, y se deja actuar durante 1-2

minutos. Después de este tiempo, se pasa una esponja humedecida o paño suave.

LIMPIEZA DE FINAL DE OBRA

Después de la colocación es fundamental realizar una buena limpieza con el fin de eliminar residuos de junta y en general suciedad de la obra. Para esta operación recomendamos el empleo de un detergente de acción ligeramente acida que no despida humos tóxicos y respete las juntas, el material y el usuario, como FILA DETERDEK PRO y FABER CEMENT REMOVER. En el caso de material colocado con junta epoxi o en base resina, se aconseja realizar la limpieza final de obra con un limpiador especifico de residuos epoxi, como FILA CR10 y FABER EPOXY CLEANER.

LIMPIEZA DE MANTENIMIENTO

Limpieza Ordinaria:

Para un buen mantenimiento del pavimento se aconseja el empleo de un detergente neutro y con alto poder limpiador como FILA CLEANER PRO y FABER FLOOR CLEANER o SAN-X FLOOR que no deja residuos ni empañados, por lo que elimina las capas de suciedad orgánica.

Limpieza Extraordinaria:

Para eliminar capas de suciedad orgánica intensa y acumulada en el tiempo, se recomienda realizar una limpieza profunda con detergente FILA PS87 PRO y FABER TILE CLEANSER o DEEP DEGREASER (pavimentos pulidos).

El procedimiento consiste en diluir una parte del producto en hasta 10 partes de agua, según el nivel de suciedad, y dejar actuar unos 5 minutos, frotar con cepillo, recoger residuos (ideal con un aspirador de líquidos), y aclarar con abundante agua.

Existen otros muchos tipos de suciedad incrustada, en el siguiente esquema, se especifican los diferentes productos FILA y FABER recomendados, en función del tipo de suciedad a tratar.

TIPO DE SUCIEDAD INCRUSTADA	SOLUCIÓN FABER	SOLUCIÓN FILA
Suciedad orgánica ligera (diaria)	FLOOR CLEANER	CLEANER PRO
Suciedad orgánica intensa	DEEP DEGREASER / TILE CLEANER	PS87 PRO
Grasa, aceite, refrescos, comidas y salsas	DEEP DEGREASER	
Goma, neumáticos		
Tintes, rotulador, pintura plástica	DEEP DEGREASER/TILE CLEANER	
Residuos de detergentes, jabones y ceras		
Residuos junta epoxi	EPOXY CLEANER	CR10
Residuos junta cementosa, salitre	CEMENT REMOVER	DETERDEK PRO-PHZERO
Residuos calcáreos		
Rayas de metales	TILE CLEANER GEL	
Óxidos	DETERDEK	DETERDEK-NORUST
Pintadas de grafitis	GRAFITTI REMOVER	NOPAINT STAR
Spay acrílicos, alquídicos, y nitrosintéticos	GRAFITTI REMOVER / KIT SILI-GONE	
Verdín, algas, musgos, líquenes	DEEP DEGREASER / COLOURED STAIN REMOVER	ALGACID
Ennegrecidos exteriores		
Residuos de silicona y pegamentos	KIT SILI-GONE	ZERO SIL
Residuos espuma y poliuretano	EPOXY CLEANER	
Residuos cinta adhesiva, cercos de ventosas	SOLVENT STRIPPER	
Cera de vela, resina de árboles	DEEP DEGREASER	
Suciedad en la junta	GROUT CLEANER	FUGANET

Cleaning

INSTANT REMOVAL OF FRESH GROUT RESIDUES

Once tiles have been grouted and given an initial clean with a moist sponge, it is possible to leave the surface absolutely spotless, with no grout haze.

By using INSTANT REMOVER (for cement-based grout) or EPOXY PRO (for epoxy grout) by FILA, pristine surfaces that comply with the UNE 138002:2017 standard can be achieved, the same day that they are grouted.

Both INSTANT solutions are fast and foam-free, they don't need rinsing, and they don't discolour the joints.

They are very simple to use. Once the tiles have been grouted and given an initial clean with a moist sponge, spray INSTANT REMOVER (or EXPOXY PRO in the case of epoxy joints) onto the tiled surface and leave it to act for 1 to 2 minutes. Then wipe the surface with a moist sponge or soft cloth.

CLEANING NEWLY-LAID TILED SURFACES

After walls or floors have been tiled, it is important to give the surface a thorough clean to remove grout residues and building dirt. A slightly acidic product, such as FILA DETERDEK PRO or FABER CEMENT REMOVER, should be used which does not release toxic fumes, harm users, or damage the tiles or tile joints. In the case of tiles laid with an epoxy or resinous grout, the surface should be cleaned with a detergent specially for epoxy materials, such as FILA CR10 or FABER EPOXY CLEANER.

EVERYDAY CARE

Ordinary Cleaning:

To clean the floor well, use a neutral detergent with a strong cleaning power, like FILA CLEANER PRO or FABER FLOOR CLEANER or SAN-X FLOOR, which is able to remove layers of organic dirt without leaving a cloudy film.

Extraordinary Cleaning:

To remove strongly incrusted layers of organic dirt, FILA PS87 PRO or FABER TILE CLEANER or DEEP DEGREASER (Polished floors) cleaner should be used to give the surface a thorough clean.

Dilute one part of the product in up to 10 parts of water, depending on how dirty the surface is, and leave it to act for 5 minutes. Then rub the patches of dirt with a brush, remove any dirt residues (preferably with a vacuum cleaner for liquids), and rinse the surface with plenty of water.

There are many other types of incrusted dirt. The following table shows the right product by FILA for each kind of dirt.

TYPE OF INCRUSTED DIRT	PRODUCT BY FABER	PRODUCT BY FILA
Light organic everyday dirt	FLOOR CLEANER	CLEANER PRO
Heavy organic dirt	DEEP DEGREASER / TILE CLEANER	PS87 PRO
Fat, grease, oil, soft drinks,food and sauce	DEEP DEGREASER	
Rubber, tyres		
Ink, marker pen, plastic paint	DEEP DEGREASER/TILE CLEANER	
Detergent, soap or wax remains		
Epoxy grout residues	EPOXY CLEANER	CR10
Cementitious grout residues, saltpeter	CEMENT REMOVER	DETERDEK PRO-PHZERO
Limescale		
Metal scratches	TILE CLEANER GEL	
Rust	DETERDEK	DETERDEK-NORUST
Graffitti	GRAFITTI REMOVER	NOPAINT STAR
Acrylic, alkyd & nitrosynthetic spray paint	GRAFITTI REMOVER / KIT SILI-GONE	
Green plant stains, algae, moss, lichen	DEEP DEGREASER / COLOURED STAIN REMOVER	ALGACID
Outdoor black mould		
Silicon & glue residues	KIT SILI-GONE	ZERO SIL
Foam & polyurethane residues	EPOXY CLEANER	
Marks made by adhesive tape or suction cups	SOLVENT STRIPPER	
Candlewax, tree resin	DEEP DEGREASER	
Dirty tile joints	GROUT CLEANER	FUGANET

peronda

Las baldosas cerámicas una vez que llegan al final de su vida útil son un residuo inerte, que para su correcta gestión debe ser entregado a un gestor autorizado de residuos, favoreciendo su reciclado. Once ceramic tiles reach the end of their useful life, they are inert waste. For their proper management, they should be given to an authorized waste management body for recycling purposes.

El papel utilizado para producir este catálogo proviene de bosques gestionados de forma responsable y de otras fuentes controladas que garantizan la protección del medio ambiente.
The paper used to produce this catalog comes from responsibly managed forests and other controlled sources for greater environmental protection.



Debido a los procesos de impresión, los colores que aparecen en este catálogo deben considerarse aproximados, y no exactos. All colours and hues appearing in this catalogue should be considered approximate, only in view of the printing processes involved.

Los derechos de todos los contenidos (textos, fotografías, dibujos, diseños etc) del presente catálogo son propiedad de PERONDA GROUP, S.A (o en su defecto, cuentan con los correspondientes permisos y autorizaciones de sus titulares). No está permitida la reproducción total o parcial de esta publicación, ni su tratamiento informático, ni la transmisión de ninguna forma o por cualquier medio, ya sea electrónico, mecánico, por fotocopia, por registro u otros medios, sin el permiso previo y por escrito de los titulares del copyright. The rights of all contents (texts, photographs, drawings, designs, etc.) of this catalogue remain the property of PERONDA GROUP, S.A (or, failing that, they have the corresponding permissions and authorizations of the owners). No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the copyright holders.

© PERONDA GROUP 2024
Av. Manuel Escobedo, 26.
12200 Onda (Castellón) España

peronda.com

